

Литература

- Aaronson, N. K., Ahmedzai, S., Bergman, B. et al. (1993). The European Organisation for Research and Treatment of Cancer QLQ-C30: a quality of life instrument for use in international clinical trials in oncology. *Journal of the National Cancer Institute*, 85: 365–76.
- Abbott, S. (1988). Talking about AIDS. Report for AIDS Action Council, Canberra. *National Bulletin*, August, 24–7.
- Abdullahi, A, Copping, J., Kessel, A. et al. (2009). Cervical screening: Perceptions and barriers to uptake among Somali women in Camden. *Public Health*, 123: 680–5.
- Abraham, C., Krahe, B., Dominic, R. et al. (2002). Do health promotion messages target cognitive and behavioural correlates of condom use? A content analysis of safer sex promotion leaflets in two countries. *British Journal of Health Psychology*, 7: 227–46.
- Abraham, C. and Michie, S. (2008). A taxonomy of behavior change techniques used in interventions. *Health Psychology*, 27: 379–87.
- Abraham, S. C. S., Sheeran, P., Abrams, D. et al. (1996). Health beliefs and teenage condom use: a prospective study. *Psychology and Health*, 11: 64 1–55.
- Abramsky, L. and Fletcher, O. (2002). Interpreting information: what is said, what is heard – a questionnaire study of health professionals and members of the public. *Prenatal Diagnosis* 22: 1188–94.
- Absetz, P., Aro, AR. and Sutton, S. R. (2003). Experience with breast cancer, pre-screening perceived susceptibility and the psychological impact of screening. *Psycho-Oncology*, 12: 305–18.
- Acharya, S. D., Elci, O. U., Sereika, S. M. et al. (2009). Adherence to a behavioral weight loss treatment program enhances weight loss and improvements in biomarkers. *Journal of Patient Preference and Adherence*, 3: 151–60.
- Achat, H., Kawachi, I., Byrne, C. et al. (2000). Prospective study of job strain and risk of breast cancer. *International Journal of Epidemiology*, 29: 622–8.
- Acheson, D. (1998). Independent inquiry into inequalities in health. Report. London: HMSO.
- Adams, G. and Salter, P. S. (2009). Health psychology in African settings: a cultural-psychological analysis. *Journal of Health Psychology*, 12: 539–51.
- Adams, J. and White, M. (2005). Why don't stage-based activity promotion interventions work? *Health Education Research*, 20: 237–43.
- Ader, R. (2001). Psychoneuroimmunology. *Current Directions in Psychological Science*, 10: 94–8.
- Ader, R. (2007). *Psychoneuroimmunology*, 4th Ed. New York: Academic Press.
- Ader, R. and Cohen, N. (1993). Psychoneuroimmunology: conditioning and stress. *Annual Review of Psychology*, 44: 53–85.
- Adler, N. E. and Matthews, K. A. (1994). Health psychology: why do some people get sick and some stay well? *Annual Review of Psychology*, 45: 229–59.
- Affleck, G., Tennen, H., Croog, S. et al. (1987). Causal attributions, perceived benefits, and morbidity after a heart attack: an 8-year study. *Journal of Consulting and Clinical Psychology*, 55: 29–35.
- Affleck, G., Tennen, H., Zautra, A et al. (2001). Women's pursuit of personal goals in daily life with fibromyalgia: a value-expectancy analysis. *Journal of Consulting and Clinical Psychology*, 69: 587–96.
- Agency for Health Care Policy and Research (1992). *Acute Pain Management, Clinical Practice Guideline*. Silver Spring, MD: AHCPR.
- Ager, A, Carr, S., Maclachlan, M. et al. (1996). Perceptions of tropical health risks in Mponda, Malawi: attributions of cause, suggested means of risk reduction and preferred treatment. *Psychology and Health*, 12: 23–31.
- Agostinelli, G. and Grube, J. W. (2002). Alcohol counter-advertising and the media: a review of recent research. *Alcohol Research and Health*, 26: 15–21.
- Ahmad, W. (2000) (Ed.). *Ethnicity, Disability and Chronic Illness*. Buckingham: Open University Press.
- Ai, AL, Park, C. L., Huang, B. et al. (2007). Psychosocial mediators of religious coping styles: a study of short-term distress following cardiac surgery. *Personality & Social Psychology Bulletin*, 33: 867–82.
- Aitken, J. F., Youl, P. H., Janda, M. et al. (2006). Increases in skin cancer screening during a community-based randomized intervention trial. *International Journal of Cancer*, 118: 1110–16.
- Ajzen, I. (1985). From intentions to actions: a theory of planned behavior. In J. Kuhl and J. Beckman (Eds.),

- Action-control: From Cognition to Behavior*. Heidelberg: Springer Verlag.
- Ajzen, I. (1991). The theory of planned behaviour. *Organizational Behavior and Human Decision Processes*, 50: 179–211.
- Ajzen, I. and Fishbein, M. (1970). The prediction of behavior from attitudinal and normative beliefs. *Journal of Personality and Social Psychology*, 6: 466–87.
- Ajzen, I. and Madden, T. J. (1986). Prediction of goal-directed behavior: attitudes, intentions, and perceived behavioral control. *Journal of Experimental Social Psychology*, 22: 453–74.
- Alaranta, H., Rytokoski, U., Rissanen, A. et al. (1994). Intensive physical and psychosocial training program for patients with chronic low back pain. *Spine*, 19: 1339–49.
- Albarracin, D., Gillette, J. C., Earl, A. N., Glasman, L. R., Durantini, M. R. and Ho, M. -H. (2005). A test of major assumptions about behaviour change: a comprehensive look at the effects of passive and active HIV-prevention interventions since the beginning of the epidemic. *Psychological Bulletin*, 131: 856–97.
- Alexander, F. (1950). *Psychosomatic Medicine: Its Principles and Application*. New York: W. W. Norton.
- Alexander, S. C., Keitz, S. A., Sloane, R. et al. (2006). A controlled trial of a short course to improve residents' communication with patients at the end of life. *Academic Medicine*, 81: 1008–12.
- AlfrEds. son, L., Spetz, C. -L. and Theorell, T. (1985). Type of occupational and near-future hospitalization for myocardial infarction and some other diagnoses. *International Journal of Epidemiology*, 4, 378–88.
- Allan, J. L., Farquharson, B., Choudhary, C. et al. (2009). Stress in telephone helpline nurses. *Journal of Advanced Nursing*, 65: 2208–15.
- Allen, J. D., Stoddard, A. M., Mays, J. et al. (2001). Promoting breast and cervical cancer screening at the workplace: results from the Woman to Woman study. *American Journal of Public Health*, 91: 584–90.
- Allen, J. K., Scott, L. B., Stewart, K. J. et al. (2004). Disparities in women's referral to and enrollment in outpatient cardiac rehabilitation. *Journal of General Internal Medicine*, 19: 747–53.
- Allied Dunbar National Fitness Survey (1992). *A Report on Activity Patterns and Fitness Levels*. London: Sports Council and Health Education Authority.
- Alloy, L. B., Abramson, L. Y. and Francis, E. L. (1999). Do negative cognitive styles confer vulnerability to depression? *Current Directions in Psychological Science*, 8: 128–132.
- Allport, G. W. (1920). The influence of the group upon association and thought. *Journal of Experimental Psychology*, 3, 159–82.
- Allport, G. W. (1935). Attitudes. In C. Murchison (Ed.), *Handbook of Social Psychology*. Worcester, MA: Clark University Press.
- Allport, G. W. (1961). *Pattern and Growth in Personality*. New York: Holt, Rinehart & Winston.
- Allport, G. W. (1966). Traits revisited. *American Psychologist*, 21: 1–10.
- Al-Moamary, M. S. (2008). Experience with pulmonary rehabilitation program in a tertiary care center in Saudi Arabia. *Saudi Medical Journal*, 29: 271–6.
- Aloise-Young, PA, Hennigan, K. M. and Graham, J. W. (1996). Role of self-image and smoker stereotype in smoking onset during early adolescence: a longitudinal study. *Health Psychology*, 15: 494–7.
- Al-Smadi, J., Warke, K., Wilson, I. et al. (2003). A pilot investigation of the hypoalgesic effects of transcutaneous electrical nerve stimulation upon low back pain in people with multiple sclerosis. *Clinical Rehabilitation*, 17: 742–9.
- Amelang, M. and Schmidt-Rathjens, C. (1996). Personality, cancer and coronary heart disease: further evidence on a controversial issue. *British Journal of Health Psychology*, 1: 191–205.
- American Agency for Health Care Policy (1992). *Acute Pain Management: Operative or Medical Procedures and Trauma*. Clinical Practice Guideline No. 1. Washington, DC: AAHCP.
- American Cancer Society (2008). *Cancer Facts and Figures 2008*. Atlanta, GA: American Cancer Society.
- American Heart Association (1995). *Heart and Stroke Facts: 1995 Statistical Supplement*. Dallas, TX: American Heart Association.
- American Psychiatric Association (2000). *Diagnostic and Statistical Manual of Mental Disorders, 4th edn with revised text*. Washington, DC: American Psychiatric Association.
- Ames, G. M. and Janes, C. R. (1987). Heavy and problem drinking in an American blue-collar population: implications for prevention. *Social Science and Medicine*, 25: 949–60.
- Amirkhanian, Y. A., Kelly, J. A., Kabakchieva, E. et al. (2005). A randomized social network HIV prevention trial with young men who have sex with men in Russia and Bulgaria. *AIDS*, 19: 1897–905.
- Andersen, B. L., Cacioppo, J. T. and Roberts, D. C. (1995). Delay in seeking a cancer diagnosis: delay stages and psychophysiological comparison processes. *British Journal of Social Psychology*, 34: 33–52.
- Anderson, M. R., Drescher, C. W., Zheng, Y. Y. et al. (2007). Changes in cancer worry associated with participation in ovarian cancer screening. *Psycho-Oncology*, 16: 814–20.
- Andersen, R. and Newman, F. (1973). Societal and individual determinants of medical care utilization in the United States. *Millbank Memorial Fund Quarterly*, 51: 95–107.
- Anderson, R. J., Friedland, K. E., Clouse, R. E. et al. (2001). The prevalence of comorbid depression in adults with diabetes: a meta-analysis. *Diabetes Care*, 24: 1069–78.
- Andersson, G. (1996). The benefits of optimism: a meta-analytic review of the Life Orientation Test. *Personality and Individual Differences*, 21: 719–25.
- Andrasik, F. (2007). What does the evidence show? Efficacy of behavioural treatments for recurrent headaches in adults. *Neurological Sciences*, 28: S70–7.

- Andre, M., Borgquist, L. and Molstad, S. (2002). Asking for 'rules of thumb': a way to discover tacit knowledge in general practice. *Family Practice*, 19: 617–22.
- Andreasson, S., Holder, H. D., Norstrom, T. et al. (2006). Estimates of harm associated with changes in Swedish alcohol policy: results from past and present estimates. *Addiction*, 101: 1096–105.
- Annema, C. M., Luttik, M. L and Jaarsma, T. (2009). Reasons for readmission in heart failure: perspectives of patients, caregivers, cardiologists and heart failure nurses. *Heart & Lung*, 38: 427–34.
- Ansari, M., Shlipak, M. G., Heidenreich, P. A. et al. (2003). Improving guideline adherence: a randomized trial evaluating strategies to increase beta-blocker use in heart failure. *Circulation*, 107: 2799–804.
- Antoni, M. H. (1987). Neuroendocrine influences in psychoimmunology and neoplasia: a review. *Psychology and Health*, 1: 3–24.
- Antoni, M. H., Baggett, L., Ironson, G. et al. (1991). Cognitive behavioral stress management intervention buffers distress responses and immunological changes following notification of HIV-1 seropositivity. *Journal of Consulting and Clinical Psychology*, 59: 906–15.
- Antoni, M. H., Cruess, S., Cruess, D. G. et al. (2000). Cognitive-behavioral stress management reduces distress and 24-hour urinary free cortisol output among symptomatic HIV-infected gay men. *Annals of Behavioral Medicine*, 22: 29–37.
- Antoni, M. H., Cruess, D. G., Klimas, N. et al. (2002). Stress management and immune system reconstitution in symptomatic HIV-infected gay men over time: effects on transitional naive T-cells (CD4+CD45RA+CD29+). *American Journal of Psychiatry*, 159: 143–5.
- Antoni, M. H., Lehman, J., Kilbourn, K. et al. (2001). Cognitive- behavioral stress management intervention decreases depression and enhances optimism and the sense of positive contributions among women under treatment for early-stage breast cancer. *Health Psychology*, 20: 20–32.
- Antonovsky, A. (1987). *Unravelling the Mystery of Health: How People Manage Stress and Stay Well*. San Francisco, CA: Jossey-Bass.
- Appels, A., Bar, F., Lasker, J. et al. (1997). The effect of a psychological intervention program on the risk of a new coronary event after angioplasty: a feasibility study. *Journal of Psychosomatic Medicine*, 43: 209–17.
- Appleton, S., Watson, M., Rush, R. et al. (2004). A randomised controlled trial of a psychoeducational intervention for women at increased risk of breast cancer. *British Journal of Cancer*, 90: 41–7.
- Arefjord, K., Hallarakeri, E., Havik, O. E. and Maeland, J. G. (1998). Myocardial infarction: emotional consequences for the wife. *Psychology and Health*, 13: 135–46.
- Armitage, C. J. (2003). The relationship between multidimensional health locus of control and perceived behavioural control: how are distal perceptions of control related to proximal perceptions of control? *Psychology and Health*, 18: 723–38.
- Armitage, C. and Conner, M. (1998). Extending the theory of planned behaviour: a review and avenues for further research. *Journal of Applied Social Psychology*, 28: 1429–64.
- Armitage, C. J. and Conner, M. (2000). Social cognition models and health behaviour: a structured review. *Psychology & Health*, 15: 173–89.
- Armitage, C. J. and Conner, M. (2002). Reducing fat intake: interventions based on the theory of planned behaviour. In D. Rutter and L. Quine (Eds.), *Changing Health Behaviour*. Buckingham: Open University Press.
- Armitage, C. J., Conner, M., Loach, J. et al. (1999). Different perceptions of control: applying an extended theory of planned behaviour to legal and illegal drug use. *Basic and Applied Social Psychology*, 21: 301–16.
- Arora, N. K. and McHorney, C. A. (2000). Patient preferences for medical decision making: who really wants to participate? *Medical Care*, 38: 335–41.
- Arrigo, I., Brunner-LaRocca, H., Lefkowitz, M. et al. (2008). Comparative outcome one year after formal cardiac rehabilitation: the effects of a randomized intervention to improve exercise adherence. *European Journal of Cardiovascular Prevention and Rehabilitation*, 15: 306–11.
- Asamoah-Adu, A., Weir, S., Pappoe, M. et al. (1994). Evaluation of a targeted AIDS prevention intervention to increase condom use among prostitutes in Ghana. *AIDS*, 8: 239–46.
- Ashton, L., Karnilowicz, W. and Fooks, D. (2001). The incidence and belief structures associated with breast self-examination. *Social Behavior and Personality*, 29: 223–9.
- Aspinwall, L. G. and Brunhart, S. M. (1996). Distinguishing optimism from denial: optimistic beliefs predict attention to health threats. *Personality and Social Psychology Bulletin*, 22: 993–1 003.
- Aspinwall, L. G. and Taylor, S. E. (1997). A stitch in time: self- regulation and proactive coping. *Psychological Bulletin*, 121: 417–36.
- Astin, J. A. (1998). Why patients use alternative medicine: results of a national study. *Journal of the American Medical Association*, 279: 1548–53.
- Astrom, M. (1996). Generalized anxiety disorder in stroke patients: a 3 year longitudinal study. *Stroke*, 17: 270–5.
- Attari, A., Sartippour, M., Amini, M. et al. (2006). Effect of stress management training on glycemic control in patients with type 1 diabetes. *Diabetes Research and Clinical Practice*, 73: 23–8.
- Atkinson, R. M. (1994). Late onset problem drinking in older adults. *International Journal of Geriatric Psychiatry*, 9: 321–6.
- Audrain, J., Boyd, N. R., Roth, J. et al. (1997). Genetic susceptibility testing in smoking-cessation treatment: one- year outcomes of a randomized trial. *Addictive Behaviors*, 22: 741–51.
- Aujoulat, I., Marcolongo, R., Bonadiman, L. and Deccache, A. (2008). Reconsidering patient empowerment in chronic illness: a critique of models of self-efficacy and bodily control. *Social Science & Medicine*, 66: 1228–39.

- Austoker, J. (1994). Screening for ovarian, prostrate and testicular cancers. *British Medical Journal*, 309: 315–20.
- Australian Bureau of Statistics (2005). *The Health and Welfare of Australia's Aboriginal and Torres Strait Islander Peoples*. Canberra: Australian Bureau of Statistics.
- Ayanian, J. Z., Cleary, P. D., Weissman, J. S. et al. (1999). The effect of patients' preferences on racial differences in access to renal transplantation. *New England Journal of Medicine*, 341: 1661–9.
- Bacharach, S. B., Bamberger, PA., Sonnenstuhl, W. J. et al. (2004). Retirement, risky alcohol consumption and drinking problems among blue-collar workers. *Journal of Studies in Alcohol*, 65: 537–45.
- Bachiocco, V, Scesi, M., Morselli, A. M. et at. (1993). Individual pain history and familial pain tolerance models: relationships to post-surgical pain. *Clinical Journal of Pain*, 9: 266–71.
- Back, A. L., Arnold, R. M., Baile, W. F. et al. (2007). Efficacy of communication skills training for giving bad news and discussing transitions to palliative care. *Archives of Internal Medicine*, 167: 453–60.
- Badr, H., Acitelli, L. K. and Carmack Taylor, C. L. (2007). Does couple identity mediate the stress experienced by care-giving spouses? *Psychology & Health*, 22: 211–30.
- Badr, H. and Taylor, C. L. C. (2008). Effects of relationship maintenance on psychological distress and dyadic adjustment among couples coping with lung cancer. *Health Psychology*, 27: 616–27.
- Bagozzi, R. P. (1993). On the neglect of volition in consumer research: a critique and proposal. *Psychology and Marketing*, 10: 215–37.
- Baider, L., Andritsch, E., Uziely, B. et al. (2003). Effects of age on coping and psychological distress in women diagnosed with breast cancer: review of literature and analysis of two different geographical settings. *Critical Reviews in Oncology/Hematology*, 46: 5–16.
- Bair, M. J., Robinson, R. L., Katon, W. et al. (2003). Depression and pain comorbidity: a literature review. *Archives of Internal Medicine*, 163: 2433–45.
- Baker, A. H. and Wardle, J. (2003). Sex differences in fruit and vegetable intake in older adults. *Appetite*, 40: 269–75.
- Bala, M., Strzeszynski, L. and Cahill, K. (2008). Mass media interventions for smoking cessation in adults. *Cochrane Database of Systematic Reviews*, 1: CD004704.
- Balarajan, R. and Raleigh, V (1993). *Ethnicity and Health in England*. London: HMSO.
- Balaswamy, S., Richardson, V. and Price, C. A. (2004). Investigating patterns of social support used by widowers during bereavement. *The Journal of Men's Studies*, 13: 67–84.
- Ballin, J., Berglund, M., Borg, S. et al. (2003). A 6-month controlled naltrexone study: combined effect with cognitive behavioral therapy in outpatient treatment of alcohol dependence. *Alcoholism Clinical and Experimental Research*, 27: 1142–9.
- Baltes, P. B. and Baltes, M. M. (1990). *Successful Aging: Perspectives from the Behavioral Sciences*. New York: Cambridge University Press.
- Bandolier (1999). *Transcutaneous electrical nerve stimulation (TENS) in postoperative pain*. Bandolier, July. Available from www.bandolier.com.
- Bandolier (2003). *Acute pain*. Bandolier extra, February. Available from www.ebandolier.com.
- Bandura, A (1977). Self-efficacy: toward a unifying theory of behavioral change. *Psychological Review*, 84: 191–215.
- Bandura, A (1986). *Social Foundations of Thought and Action*. Upper Saddle River, NJ: Prentice Hall.
- Bandura, A (1997). *Self-Efficacy: The Exercise of Control*. New York: W. H. Freeman.
- Bandura, A (2001). Social cognitive theory: an agentic perspective. *Annual Review of Psychology*, 52: 1–26.
- Banks, S. M., Salovey, P., Greener, S. et al. (1995). The effects of message framing on mammography utilization. *Health Psychology*, 14: 178–84.
- Banthia, R., Malcarne, V. L., Varni, J. W. et al. (2003). The effects of dyadic strength and coping styles on psychological distress in couples faced with prostate cancer. *Journal of Behavioral Medicine*, 26: 31–52.
- Bardia, A, Tleyjeh, I. M., Cerhan, J. R., Sood, A. K., Limburg, P. J. et al. (2008). Efficacy of antioxidant supplementation in reducing primary cancer incidence and mortality: a systematic review and meta-analysis. *Mayo Clinic Proceedings*, 83: 23–34.
- Barefoot, J. C., Dahlstrom, G. and Williams, R. B. (1983). Hostility, CHD incidence, and total mortality: a 25-year follow-up study of 255 physicians. *Psychosomatic Medicine*, 45: 59–63.
- Barlow, J., Turner, A. P. and Wright, C. C. (2000). A randomised controlled study of the Arthritis Self-Management Programme in the UK. *Health Education Research Theory and Practice*, 15: 665–80.
- Barlow, J. H., Wright, C., Sheasby, J. et al. (2002). Self-management approaches for people with chronic conditions: a review. *Patient Education and Counselling*, 48: 177–87.
- Barnard, D., Street, A, Love, D. W. et al. (2006). Relationships between stressors, work support and burnout among cancer nurses. *Cancer Nursing*, 29: 338–45.
- Barnett, M. M., Fisher, J. D., Cooke, H. et al. (2007). Breaking bad news: consultants' experience, previous education and views on educational format and timing. *Medical Education*, 41: 947–56.
- Baron-Epel, O. and Kaplan, G. (2001). General subjective health status or age-related subjective health status: does it make a difference? *Social Science and Medicine*, 53: 1373–81.
- Barrett, S. and Heubeck, B. G. (2000). Relationships between school hassles and uplifts and anxiety and conduct problems in Grades 3 and 4. *Journal of Applied Developmental Psychology*, 21: 537–54.
- Barth, J., Schneider, S. and von Kanel, R. (2010). Lack of social support in the etiology and the prognosis of coronary heart disease: a systematic review and meta-analysis. *Psychosomatic Medicine*, 72: 229–38.
- Bartley, C. E. and Roesch, S. C. (2011). Coping with daily stress: the role of conscientiousness. *Personality and Individual Differences*, 50: 79–83.

- Bartley, M., Sacker, A. and Clarke, P. (2004). Employment status, employment conditions, and limiting illness: prospective evidence from the British household panel survey 1991–2001. *Journal of Epidemiology and Community Health*, 58: 501–6.
- Barton, M. B., Morley, D. S. and Moore, S. (2004). Decreasing women's anxieties after abnormal mammograms: a controlled trial. *Journal of the National Cancer Institute*, 96: 529–38.
- Bashir, S. A. (2002). Home is where the harm is: inadequate housing as a public health crisis. *American Journal of Public Health*, 92: 733–8.
- Baum, A. (1990). Stress, intrusive imagery and chronic distress. *Health Psychology*, 9: 665–75.
- Baum, A., Garofalo, J. P. and Yali, A. M. (1999). Socioeconomic status and chronic stress. Does stress account for SES effects on health? *Annals of the New York Academy of Science*, 896: 131–44.
- Baum, A., Gatchel, R. J. and Krantz, D. S. (1997). *An Introduction to Health Psychology*, 3rd edition, New York: McGraw-Hill.
- Baum, A. and Grunberg, N. E. (1991). Gender, stress and health. *Health Psychology* 10: 80–5.
- Bauman, B. (1961). Diversities in conceptions of health and fitness. *Journal of Health and Human Behavior*, 2: 39–46.
- Beach, S. R., Schulz, R., Lee, J. L. et al. (2000). Negative and positive health effects of caring for a disabled spouse: longitudinal findings from the Caregiver Health Effects study. *Psychology and Aging*, 15: 259–71.
- Beadsmoore, C. J. and Screaton, N. J. (2003). Classification, staging and prognosis of lung cancer. *European Journal of Radiology*, 45: 8–17.
- Beasley, M., Thompson, T. and Davidson, J. (2003). Resilience in response to life stress: the effects of coping style and cognitive hardiness. *Personality and Individual Differences*, 34: 77–95.
- Beaver, K., Bogg, J. and Luker, K. A. (1999). Decision-making role preferences and information needs: a comparison of colorectal and breast cancer. *Health Expectations*, 2: 266–76.
- Beaver, K., Luker, K. A., Owens, R. G. et al. (1996). Treatment decision making in women newly diagnosed with breast cancer. *Cancer Nursing*, 19: 8–19.
- Beck, A. T. (1976). *Cognitive Therapy and the Emotional Disorders*. New York: International Universities Press.
- Beck, A. (1977). *Cognitive Therapy of Depression*. New York: Guilford Press.
- Beck, A. T., Ward, C. H., Mendelson, M. et al. (1962). Reliability of psychiatric diagnoses: 2. A study of consistency of clinical judgments and ratings. *American Journal of Psychiatry*, 119: 351–7.
- Beck, A. T., Wight, F. D., Newman, C. F. and Liese, B. S. (1993). *Cognitive Therapy for Substance Abuse*. New York: Guilford Press.
- Becker, M. H. (Ed.) (1974). The health belief model and personal health behavior. *Health Education Monographs*, 2: 324–508.
- Becker, M. H., Haefner, D. P. and Maiman, L. A. (1977). The health belief model in the prediction of dietary compliance: a field experiment. *Journal of Health and Social Behavior*, 18: 345–33.
- Becker, M. H. and Maiman, L. A. (1975). Socio-behavioral determinants of compliance with health and medical care recommendations. *Medical Care*, 13: 10–14.
- Becker, M. H. and Rosenstock, I. M. (1984). Compliance with medical advice. In A. Steptoe and A. Mathews (Eds.), *Health Care and Human Behavior*. London: Academic Press.
- Becker, M. H. and Rosenstock, I. M. (1987). Comparing social learning theory and the health belief model. In W. B. Ward (Ed.), *Advances in Health Education and Promotion*. Greenwich, CT: JAI Press.
- Beecher, H. K. (1946). Pain in men wounded in battle. *Annals of Surgery*, 123: 96–105.
- Bell, D. E. (1982). Regret in decision-making under uncertainty. *Operations Research*, 21: 961–81.
- Bellaby, P. (2003). Communication and miscommunication of risk: understanding UK parents' attitudes to combined MMR vaccination. *British Medical Journal*, 327: 725–8.
- Belloc, N. B. and Breslow, L. (1972). Relationship between physical health status and health practices. *Preventive Medicine*, 1: 409–21.
- Bendsten, L., Evers, S., Linde, M. et al. (2010). EFNS guideline on the treatment of tension-type headache – report of an EFNS task force. *European Journal of Neurology*, 17: 1318–25.
- Benedetti, F., Lanotte, M., Lopiano, L. et al. (2007). When words are painful: unraveling the mechanisms of the placebo effect. *Neuroscience*, 147: 260–71.
- Benight, C. C., Ironson, G., Klebe, K. et al. (1999). Conservation of resources and coping self-efficacy predicting distress following a natural disaster: a causal model analysis where the environment meets the mind. *Anxiety, Stress and Coping*, 12: 107–26.
- Bennett, P. (2000). *Introduction to Clinical Health Psychology*. Oxford: Oxford University Press.
- Bennett, P. (2003). *Abnormal and Clinical Psychology: An Introductory Text*. Buckingham: Open University Press.
- Bennett, P. (2005a). Gastric and duodenal ulcers. In S. Ayers, A. Baum, C. McManus, S. Newman, K. Wallston, J. Weinman and R. West (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*, 2nd ed. Cambridge: Cambridge University Press.
- Bennett, P. (2005b). Irritable bowel syndrome. In S. Ayers, A. Baum, C. McManus, S. Newman, K. Wallston, J. Weinman and R. West (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*, 2nd ed. Cambridge: Cambridge University Press.
- Bennett, P. (2006). *Abnormal and Clinical Psychology: An Introductory Text*, 2nd ed. Buckingham: Open University Press.
- Bennett, P. and Connell, H. (1999). Dyadic responses to myocardial infarction. *Psychology, Health and Medicine*, 4: 45–55.
- Bennett, P. and Murphy, S. (1997). *Psychology and Health Promotion*. Buckingham: Open University Press.
- Bennett, P., Owen, R. L., Koutsakis, S. et al. (2002). Personality, social context and cognitive predictors of

- post-traumatic stress disorder in myocardial infarction patients. *Psychology and Health*, 17: 489–500.
- Bennett, P, Parsons, E., Brain, K. et al. (2010). Living at risk: a long-term follow-up study of women at intermediate risk of familial breast cancer *Psycho-Oncology*, 19: 390–8.
- Bennett, P., Phelps, C. et al. (2007). A randomised controlled trial of a brief self-help coping intervention designed to reduce distress when awaiting genetic risk information. *Journal of Psychosomatic Research*, 63, 59–64.
- Bennett, P. and Smith, C. (1992). Parents' attitudinal and social influences on childhood vaccination. *Health Education Research: Theory and Practice*, 73: 341–8.
- Bennett, P, Smith, P. and Gallacher, J. E. J. (1996). Vital exhaustion, neuroticism and symptom reporting in cardiac and non-cardiac patients. *British Journal of Health Psychology*, 1: 309–13.
- Bennett, P., Wilkinson, C., Turner, J. et al. (2008). Psychological factors associated with emotional responses to receiving genetic risk information. *Journal of Genetic Counseling*. Published online, 8th February.
- Bennett, P, Williams, Y., Page, N. et al. (2004). Levels of mental health problems among UK emergency ambulance personnel. *Emergency Medical Journal*, 21: 235–6.
- Bensing, J. M., Tromp, F., van Dulmen, S. et al. (2006). Shifts in doctor-patient communication between 1986 and 2002: a study of videotaped general practice consultations with hypertension patients. *BMC Family Practice*, 25: 62.
- Benyamini, Y., Leventhal, E. A. and Leventhal, H. (2003). Elderly people's ratings of the importance of health-related factors to their self-assessments of health. *Social Science and Medicine*, 56: 1661–7.
- Beran, M. S., Cunningham, W., Landon, B. E. et al. (2007). Clinician gender is more important than gender concordance in quality of HIV care. *Gender Medicine*, 4: 72–84.
- Berg, A. I., Hassing, L., McClearn, G. E. and Johansson, B. (2006). What matters for life satisfaction in the oldest-old? *Aging and Mental Health*, 10: 257–64.
- Bergner, M., Bobbitt, R. A., Carter, W. B. et al. (1981). The sickness impact profile: development and final revision of a health status measure. *Medical Care*, 19: 787–805.
- Berkman, L. F. (1984). Assessing the physical health effects of social networks and social support. *Annual Review of Public Health*, 5: 413–32.
- Berkman, L. F., Blumenthal, J., Burg, M. et al. (2003). Effects of treating depression and low perceived social support on clinical events after myocardial infarction: the Enhancing Recovery in Coronary Disease (ENRICH) patients randomized trial. *Journal of the American Medical Association*, 289: 3106–16.
- Berkman, L. F. and Syme, S. L. (1979). Social networks, lost resistance and mortality: a nine-year follow-up of Alameda County residents. *American Journal of Epidemiology*, 109: 186–204.
- Bernal, I., Domenech, E., Garcia-Planella, E. et al. (2006). Medication-taking behavior in a cohort of patients with inflammatory bowel disease. *Digestive Diseases and Sciences*, 51: 2165–9.
- Bernstein, S. L., Cabral, L., Maantay, J. et al. (2009). Disparities in access to over-the-counter nicotine replacement products in New York City pharmacies. *American Journal of Public Health*, 99: 1699–704.
- Bethune, G. R. and Lewis, H. J. (2009). Let's talk about smear tests: social marketing for the National Cervical Screening Programme. *Public Health*, 123 Supplement 1: e17–22.
- Bhopal, R., Hayes, L., White, M. et al. (2002). Ethnic and socio-economic inequalities in coronary heart disease, diabetes and risk factors in Europeans and South Asians. *Journal of Public Health Medicine*, 24: 95–105.
- Bhopal, R., Unwin, N., White, M. et al. (1999). Heterogeneity of coronary heart disease risk factors in Indian, Pakistani, Bangladeshi, and European origin populations: cross-sectional study. *British Medical Journal*, 319: 215–20.
- Bibace, R., Schmidt, L. R. and Walsh, M. E. (1994). Children's perceptions of illness. In G. N. Penny, P. Bennett and M. Herbert (Eds.), *Health Psychology: A Lifespan Perspective*. Switzerland: Harwood Academic Publishers.
- Bibace, R. and Walsh, M. E. (1980). Development of children's conceptions of illness. *Pediatrics*, 66: 912–17.
- Biddle, S. (1995). Exercise and psychosocial health. *Research Quarterly for Exercise and Sport*, 66: 292–7.
- Biddle, S., Fox, K. and Boutcher, S. (2000). *Physical Activity and Psychological Wellbeing*. London: Routledge.
- Biddle, S. and Murtrie, N. (1991). *Psychology of Physical Activity: A Health Related Perspective*. London: Springer Verlag.
- Biddle, S. J. H. and Mutrie, N. (2008). *Psychology of Physical Activity: Determinants, Wellbeing and Interventions*, 2nd ed. London: Routledge.
- Bieber, C., Muller, K. G., Blumenstiel, K. et al. (2006). Long-term effects of a shared decision-making intervention on physician-patient interaction and outcome in fibromyalgia: a qualitative and quantitative 1 year follow-up of a randomized controlled trial. *Patient Education and Counseling*, 63: 357–66.
- Biener, L., McCallum-Keeler, G. and Nyman, A. L. (2000). Adults' response to Massachusetts anti-tobacco television advertisements: impact of viewer and advertisement characteristics. *Tobacco Control*, 9: 401–7.
- Biggam, F. H., Power, K. G., MacDonald, R. R. et al. (1997). Self-perceived occupational stress and distress in a Scottish police force. *Work and Stress*, 11:118–33.
- Bigman, C. A., Cappella, J. N. and Hornik, R. C. (2010). Effective or ineffective: attribute framing and the human papillomavirus (HPV) vaccine. *Patient Education and Counseling*, 81 (suppl): S70–6.
- Bijttebier, P., Vercruyssen, T., Vertommen, H. et al. (2001). New evidence on the reliability and validity of the pediatric oncology quality of life scale. *Psychology and Health*, 16: 461–9.
- Billings, A. G. and Moos, R. H. (1981). The role of coping responses and social resources in attenuating the stress of life events. *Journal of Behavioural Medicine*, 4: 139–57.

- Billings, A. G. and Moos, R. H. (1984). Coping, stress, and resources among adults with unipolar depression. *Journal of Personality and Social Psychology*, 46: 877–91.
- Bird, J. E. and Podmore, V. N. (1990). Children's understanding of health and illness. *Psychology and Health*, 4: 175–85.
- Birmingham Health Authority (1995). *Birmingham Annual Public Health Report: Closing the Gap*. Birmingham: Birmingham Health Authority.
- Birmingham, P. K., Wheeler, M., Suresh, S. et al. (2003). Patient-controlled epidural analgesia in children: can they do it? *Anesthesia and Analgesia*, 96: 686–91.
- Bishop, G. D. and Teng, C. B. (1992). Cognitive organization of disease information in young Chinese Singaporeans. Paper presented at First Asian Conference in Psychology, Singapore.
- Bishop, R., Lau, M., Shapiro, S. et al. (2004). Mindfulness: a proposed operational definition. *Clinical Psychology: Science and Practice*, 11, 230–41.
- Bjorndal, J. M., Johnson, M. I. and Ljunggreen, A. E. (2002). Transcutaneous electrical nerve stimulation (TENS) can reduce postoperative analgesic consumption: a meta-analysis with assessment of optimal treatment parameters for postoperative pain. *European Journal of Pain*, 7: 181–8.
- Björge, T., Engeland, A., Tverdal, A. et al. (2008). Body mass index in adolescence in relation to cause-specific mortality: a follow-up of 230, 000 Norwegian adolescents. *American Journal of Epidemiology*, 168: 30–7.
- Black, J. L., Allison, T. G., Williams, D. E. et al. (1998). Effect of intervention for psychological distress on re-hospitalization rates in cardiac rehabilitation patients. *Psychosomatics*, 39: 134–43.
- Blair, S. and Brodney, S. (1999). Effects of physical inactivity and obesity on morbidity and mortality: current evidence and research issues. *Medicine and Science in Sports and Exercise*, 31 (suppl.): S646–62.
- Blalock, J. E. (1994). The syntax of immune-neuroendocrine communication. *Immunology Today*, 15: 504–11.
- Blane, D., Higgs, P., Hyde, M. and Wiggins, R. D. (2004). Life course influences on quality of life in early old age. *Social Science and Medicine*, 58: 2171–9.
- Blaxter, M. (1987). Evidence on inequality in health from a national survey, *The Lancet*, ii: 30–3.
- Blaxter, M. (1990). *Health and Lifestyles*. London: Routledge.
- Blenkinsop, S., Boreham, R. and McManus, S. (NFER) (2003). *Smoking, Drinking and Drug Use among Young People in England in 2002*. London: Stationery Office.
- Blume, S. (2006). Anti-vaccination movements and their interpretations. *Social Science & Medicine*, 62: 628–42.
- Blumenthal, J. A., Jiang, W., Babyak, M. A. et al. (1997). Stress management and exercise training in cardiac patients with myocardial ischemia. *Archives of Internal Medicine*, 157: 2213–17.
- Blumenthal, J. A., Sherwood, A., Babyak, M. A. et al. (2005). Effects of exercise and stress management training on markers of cardiovascular risk in patients with ischemic heart disease: a randomized controlled trial. *Journal of the American Medical Association*, 293: 1626–34.
- Blyth, F. M., March, L. M. and Cousins, M. J. (2003). Chronic pain-related disability and use of analgesia and health services in a Sydney community. *Medical Journal of Australia*, 179: 84–7.
- Boersma, S. N., Maes, S. and van Elderen, T. M. T. (2005a). Goal disturbance predicts health-related quality of life and depression four months after myocardial infarction. *British Journal of Health Psychology*, 10: 615–30.
- Boersma, S. N., Maes, S. and Joeke, K. (2005b). Goal disturbance in relation to anxiety, depression, and health-related quality of life after myocardial infarction. *Quality of Life Research*, 14: 2265–75.
- Boini, S., Briangon, S., Guillemin, F. et al. (2004). Impact of cancer occurrence on health-related quality of life: a longitudinal pre-post assessment. *Health and Quality of Life Outcomes*, 2: 4–19.
- Bogg, T. and Roberts, B. X. (2004). Conscientiousness and health-related behaviours: a meta-analysis of the leading behavioral contributors to mortality. *Psychological Bulletin*, 130: 887–919.
- Bokan, J. A., Ries, R. K. and Katon, W. J. (1981). Tertiary gain and chronic pain. *Pain*, 10: 331–5.
- Bolas, H., van Wersch, A. and Flynn, D. (2007). The well-being of young people who care for a dependent relative: an interpretative phenomenological analysis. *Psychology & Health*, 22: 829–50.
- Bolejko, A., Sarvik, C., Hagell, P. and Brinck, A. (2008). Meeting patient information needs before magnetic resonance imaging: development and evaluation of an information booklet. *Journal of Radiology Nursing*, 27: 96–102.
- Boniol, M. and Autier, P. (2010). Prevalence of main cancer lifestyle risk factors in Europe in 2000. *European Journal of Cancer*, 46: 2534–44.
- Booth-Kewley, S. and Friedman, H. S. (1987). Psychological predictors of heart disease: a quantitative review. *Psychological Bulletin*, 101: 343–62.
- Booth-Kewley, S. and Vickers, R. R., Jr (1994). Associations between major domains of personality and health behaviour. *Journal of Personality*, 62: 281–98.
- Boreham, R. and Shaw, A. (2001). *Smoking, Drinking and Drug Use Among Young People in England in 2000*. London: Stationery Office.
- Borgia, P., Marinacci, C., Schifano, P. et al. (2005). Is peer education the best approach for HIV prevention in schools? Findings from a randomized controlled trial. *Journal of Adolescent Health*, 36: 508–16.
- Borland, R. (1997). Tobacco health warnings and smoking related cognitions and behaviours. *Addiction*, 92 (11): 1427–35.
- Bosch, J. A., Fischer, J. E. and Fischer, J. C. (2009). Psychologically adverse work conditions are associated with CD8+ T cell differentiation indicative of immunosenescence. *Brain Behavior and Immunity*, 23: 527–34.
- Bouhuys, A. L., Flentge, F., Oldehinkel, A. J. and van den Berg, M. D. (2004). Potential psychosocial mechanisms linking depression to immune function in elderly subjects. *Psychiatry Research*, 127: 237–45.

- Bourbeau, J. and Bartlett, S. J. (2008). Patient adherence in COPD. *Thorax*, 63: 831–8.
- Bourdeaudhuij, I. de. and Van Oost, P. (1998). Family characteristics and health behaviours of adolescents and families. *Psychology and Health*, 13: 785–804.
- Boureaudhuij, I. O. (1997). Family food rules and healthy eating in adolescents. *Journal of Health Psychology*, 2: 45–56.
- Bourgeois, M., Schulz, R. and Burgio, L. (1996). Interventions for caregivers of patients with Alzheimer's disease: a review and analysis of content, process and outcomes. *International Journal of Aging and Human Development*, 43: 35–92.
- Bouteyre, E., Maurel, M. and Bernaud, J-L. (2007). Daily hassles and depressive symptoms among first year psychology students in France: the role of coping and social support. *Stress & Health*, 23: 93–9.
- Bowden, A. and Fox-Rushby, J. A. (2003). A systematic and critical review of the process of translation and adaptation of generic health-related quality of life measures in Africa, Asia, Eastern Europe, the Middle East, South. *Social Science and Medicine*, 57: 1289–306.
- Bowland, L., Cockburn, J., Cawson, J. et al. (2003). Counselling interventions to address the psychological consequences of screening mammography: a randomised trial. *Patient Education and Counseling*, 49: 189–98.
- Bowling, A. (1991). *Measuring Health: A Review of Quality of Life*. Buckingham: Open University Press.
- Bowling, A. (1995a). *Measuring Disease: A Review of Disease-specific Quality of Life Measurement Scales*. Buckingham: Open University Press.
- Bowling, A. (1995b). The most important things in life. Comparisons between older and younger population age groups by gender. Results from a national survey of the public's judgements. *International Journal of Health Sciences*, 6: 169–75.
- Bowling, A. (2005). *Measuring Health: A Review of Quality of Life Scales*, 3rd ed. Milton Keynes: Open University Press.
- Bowling, A. and Iliffe, S. (2006). Which model of successful ageing should be used? Baseline findings from a British longitudinal survey of ageing. *Age and Ageing*, 35: 607–14.
- Brabin, L., Roberts, S. A., Farzaneh, F et al. (2006). Future acceptance of adolescent human papillomavirus vaccination: a survey of parental attitudes. *Vaccine*, 24: 3087–94.
- Bracken, P. and Thomas, P. (2002). Time to move beyond the mind-body split (editorial). *British Medical Journal*, 325: 1433–4.
- Brain, K., Gray, J., Norman, P et al. (2000). Randomized trial of a specialist genetic assessment service for familial breast cancer. *Journal of the National Cancer Institute*, 92: 1345–51.
- Braithwaite, D., Emery, J., Walter, F. et al. (2004). Psychological impact of genetic counselling for familial cancer: a systematic review and meta-analysis. *Journal of the National Cancer Institute*, 96: 122–33.
- Braithwaite, D., Sutton, S. and Steggle, N. (2002). Intention to participate in predictive genetic testing for hereditary cancer: the role of attitude toward uncertainty. *Psychology and Health*, 17: 761–72.
- Brandli, H. (1999). The image of mental illness in Switzerland. In J. Guimon, W. Fischer and N. Sartorius (Eds.), *The Image of Madness: The Public Facing Mental Illness and Psychiatric Treatment*. Basel: Karger, pp. 29–37.
- Brataas, H. V, Thorsnes, S. L. and Hargie, O. (2009). Themes and goals in cancer outpatient-cancer nurse consultations. *European Journal of Cancer Care*, 19: 184–91.
- Bratzler, D. W., Oehlert, W. H. et al. (2002). Smoking in the elderly – It's never too late to quit. *Journal of the Oklahoma State Medical Association*, 95: 185–91.
- Braverman, M. T., Aam, L. E. and Hetland, J. (2007). Changes in smoking among restaurant and bar employees following Norway's comprehensive smoking ban. *Health Promotion International*, 23: 5–15.
- Brawley, O. W. and Freeman, H. P. (1999). Race and outcomes: is this the end of the beginning for minority health research? *Journal of the National Cancer Institute*, 91: 1908–9.
- Brena, S. F. and Chapman, S. L. (1983). *Management of Patients with Chronic Pain*. Great Neck, NY: PMA Publications.
- Breslow, L. (1983). The potential of health promotion. In D. Mechanic (Ed.), *Handbook of Health, Health Care and the Health Professions*. New York: Free Press.
- Brewer, B. W., Manos, T. M., McDevitt, A. V. et al. (2000). The effect of adding lower intensity work on the perceived aversiveness of exercise. *Journal of Sport and Exercise Psychology*, 22: 118–30.
- Brewer, N. T., Salz, T. and Lillie, S. E. (2007). Systematic review: the long-term effects of false-positive mammograms. *Annals of Internal Medicine*, 146: 502–10.
- Brewin, C., Dalgleish, T. and Joseph, S. (1996). A dual representation theory of post-traumatic stress disorder. *Psychological Review*, 103: 670–86.
- Brewin, C. R. and Holmes, E. A. (2003). Psychological theories of posttraumatic stress disorder. *Clinical Psychology Review*, 23: 339–76.
- Brewster, A. E., Morrison, V., Hackett, P., et al. (2006). Attitudes of the general public and professional health care staff towards cancer treatment: the influence of age, quality of life, survival and side effects. British Geriatric Society, Spring meeting.
- Bridle, C., Riemsma, R. P., Pattenden, J. et al. (2005). Systematic review of the effectiveness of health behavior interventions based on the transtheoretical model. *Psychology & Health*, 20: 283–301.
- British Medical Association (2003a). *Adolescent Health*. British Medical Association, Board of Science and Education: BMA Publications Unit.
- British Medical Association (2003b). *Childhood Immunisation: A Guide for Healthcare Professionals*. British Medical Association, Board of Science and Education: BMA Publications Unit.

- British Thoracic Society (1997). Guidelines for the management of chronic obstructive pulmonary disease. *Thorax*, 52 (suppl. 5): 1–26.
- Briviba, K., Pan, L. and Rechkemmer, G. (2002). Red wine polyphenols inhibit the growth of colon carcinoma cells and modulate the activation pattern of mitogen-activated protein kinases. *Journal of Nutrition*, 132: 2814–18.
- Broadbent, E., Petrie, K. J., Alley, P. G. and Booth, R. J. (2003). Psychological stress impairs early wound repair following surgery. *Psychosomatic Medicine*, 65: 865–9.
- Broers, S., Kaptein, A. A., Le Cessie, S. et al. (2000). Psychological functioning and quality of life following bone marrow transplantation: a 3-year follow-up study. *Journal of Psychosomatic Research*, 48: 11–21.
- Bronfenbrenner, U. (1972). *Two Worlds of Childhood*. New York: Simon & Schuster.
- Brosschot, J. F., Gerin, W. and Thayer, J. F. (2006). Worry and health: the perseverative cognition hypothesis. *Journal of Psychosomatic Research*, 60: 113–24.
- Brosschot, J. F., Pieper, S. and Thayer, J. F. (2005). Expanding stress theory: prolonged activation and perseverative cognition. *Psychoneuroendocrinology*, 30: 1043–9.
- Brosschot, J. F. and Thayer, J. F. (1998). Anger inhibition, cardiovascular recovery, and vagal function: a model of the link between hostility and cardiovascular disease. *Annals of Behavioral Medicine*, 20: 326–32.
- Brown, J., Cooper, C. and Kirkcaldy, B. (1996). Occupational stress among senior police officers. *British Journal of Psychology*, 87 31–41.
- Brown, J. S. L., Cochrane, R. and Hancox, T. (2000). Large-scale health promotion stress workshops for the general public: a controlled evaluation. *Behavioural and Cognitive Psychotherapy*, 28: 139–51.
- Brown, R. (2004). Psychological mechanisms of medically unexplained symptoms: an integrative conceptual mode. *Psychological Bulletin*, 130: 793–813.
- Bruce, J. and van Teijlingen, E. (1999). A review of the effectiveness of Smokebusters: community-based smoking prevention for young people. *Health Education Research*, 14: 109–20.
- Brug, J., Conner, M., Harre, N. et al. (2005). The trans-theoretical model and stages of a change: a critique. Observations by five commentators on the paper by Adams, J. and White, M. Why don't stage-based activity promotion interventions work? *Health Education Research*, 20: 244–58.
- Brunton, G., Harden, A., Rees, R. et al. (2003). *Children and Physical Activity: A Systematic Review of Barriers and Facilitators*. London: EPPI-Centre, Social Science Research Unit, Institute of Education, University of London.
- Bryan, A. D., Aiken, L. S. and West, S. G. (1996). Increasing condom use: evaluation of a theory-based intervention to prevent sexually transmitted diseases in young women. *Health Psychology*, 15: 371–82.
- Bryan, A. D., Aiken, L. S. and West, S. G. (1997). Young women's condom use: the influence of acceptance of sexuality, control over the sexual encounter, and perceived susceptibility to common STDs. *Health Psychology*, 16: 468–79.
- Bryon, M. (1998). Adherence to treatment in children. In L. B. Myers and K. Midence (Eds.), *Adherence to Treatment in Medical Conditions*. Netherlands: Harwood Academic Publishers.
- Buckman, R. (1992). Who's for CPR? *Journal of the Royal College of Physicians of London*, 26: 461–2.
- Budd, R. J. (1987). Response bias and the theory of reasoned action. *Social Cognition*, 5: 95–107.
- Budd, R. and Rollnick, S. (1996). The structure of the readiness to change questionnaire: a test of Prochaska and di Clemente's transtheoretical model. *Health Psychology*, 15: 365–76.
- Buick, D. and Petrie, K. (2002). 'I know just how you feel': the validity of healthy women's perceptions of breast cancer patients receiving treatment. *Journal of Applied Social Psychology*, 32: 110–23.
- Bullinger, M. (1997). The challenge of cross-cultural quality of life assessment. *Psychology and Health*, 12: 815–26.
- Bundy, C., Carroll, D., Wallace, L. et al. (1994). Psychological treatment of chronic stable angina pectoris. *Psychology and Health*, 10: 69–77.
- Burack, J. H., Barrett, D. C., Stall, R. D. et al. (1993). Depressive symptoms and CD4 lymphocyte decline among HIV infected men. *JAMA*, 270 (21): 2568–73.
- Burell, G. (1996). Group psychotherapy in project New Life: treatment of coronary-prone behaviors for patients who had coronary bypass graft surgery. In S. Scheidt and R. Allan (Eds.), *Heart and Mind*. American Psychological Association.
- Burgess, C., Cornelius, V., Love, S. et al. (2005). Depression and anxiety in women with early breast cancer: five-year observational cohort study. *British Medical Journal*, 330: 702–5.
- Burgoyne, R. and Renwick, R. (2004). Social support and quality of life over time among adults living with HIV in the HAART era. *Social Science and Medicine*, 58: 1353–66.
- Burke, V., Beilin, L., Cutt, H., Mansour, J. and Mori, T. (2007). Moderators and mediators of behaviour change in a lifestyle program for treated hypertensives: a randomized controlled trial (ADAPT). *Health Education Research*, 8: 583–91.
- Burns, J. W., Kubilus, A., Bruehl, S., Harden, R. N. and Lofland, K. (2003). Do changes in cognitive factors influence outcome following multidisciplinary treatment for chronic pain? A cross-lagged panel analysis. *Journal of Consulting and Clinical Psychology*, 71: 81–91.
- Burns, V. E., Carroll, D., Drayson, M. et al. (2003). Life events, perceived stress and antibody response to influenza vaccination in young, healthy adults. *Journal of Psychosomatic Research*, 55: 569–72.
- Burton, D., Graham, J. W., Johnson, C. A. et al. (2010). Perceptions of smoking prevalence by youth in countries with and without a tobacco advertising ban. *Journal of Health Communication*, 15: 656–64.
- Bury, J., Morrison, V. and MacLachlan, S. (1992). *Working with Women and AIDS: Medical, Social and Counselling Issues*. London: Routledge.

- Bush, D. E., Ziegelstein, R. C., Tayback, M. et al. (2001). Even minimal symptoms of depression increase mortality risk after acute myocardial infarction. *American Journal of Cardiology*, 88: 337–41.
- Buunk, B. P., Zurriaga, R. and Gonzalez, P. (2006). Social comparison, coping and depression in people with spinal cord injury. *Psychology & Health*, 21: 791–807.
- Buzdar, A. U. (2004). Hormonal therapy in early and advanced breast cancer. *Breast Journal*, 10 (suppl. 1): S19–21.
- Byrne, D. G. and Espnes, G. A. (2008). Occupational stress and cardiovascular disease. *Stress & Health*, 24: 231–8.
- Byrne, D. G. and Mazanov, J. (2003). Adolescent stress and future smoking behaviour: a prospective investigation. *Journal of Psychosomatic Research*, 54: 313–21.
- Byrne, P. and Long, B. (1976). *Doctors Talking to Patients: A Study of the Verbal Behaviour of General Practitioners Consulting in their Surgeries*. London: HMSO.
- Cabral, A. L., Conceicao, G. M., Saldiva, PH. and Martins, A. (2002). Effect of asthma severity on symptom perception in childhood asthma. *Brazilian Journal of Medical and Biological Research*, 35: 319–27.
- Cacioppo, J. T., Andersen, B. L., Turnquist, D. C. et al. (1986). Psychophysiological comparison processes: interpreting cancer symptoms. In B. L. Andersen (Ed.), *Women with Cancer: Psychosocial Perspectives*. New York: Springer Verlag.
- Cacioppo, J. T., Andersen, B. L., Turnquist, D. C. et al. (1989). Psychophysiological comparison theory: on the experience, description and assessment of signs and symptoms. *Patient Education and Counselling*, 13: 257–70.
- Cacioppo, J. T. and Patrick, B. (2008). *Loneliness: Human Nature and the Need for Social Connection*. New York: W. W. Norton.
- Cacioppo, J. T., Poehlmann, K. M., Kiecolt-Glaser, J. K. et al. (1998). Cellular immune responses to acute stress in female caregivers of dementia patients and matched controls. *Health Psychology*, 17: 182–9.
- Cahill, S. M. (1999). Caring in families: what motivates wives, daughters, and daughters-in law to provide dementia care? *Journal of Family Studies*, 5: 235–47.
- Cai, Y., Hong, H., Shi, R. et al. (2008). Long-term follow-up study on peer-led school-based HIV/AIDS prevention among youths in Shanghai. *International Journal of STD and AIDS*, 19: 848–50.
- Caldwell, T. M., Rodgers, B., Clark, C. et al. (2008). Life course socioeconomic predictors of midlife drinking patterns, problems and abstinence: findings from the 1958 British Birth Cohort Study. *Drugs and Alcohol Dependence*, 95: 269–78.
- Calhoun, L. G. and Tedeschi, R. G. (Eds.) (2007). *Handbook of Post-traumatic Growth: Research and Practice*. London: Lawrence Erlbaum Associates.
- California Department of Health Services (2003). *Alcohol Use During Pregnancy*. Sacramento, CA CDHS.
- Callaghan, P. and Li, H. C. (2002). The effect of pre-operative psychological interventions on post-operative outcomes in Chinese women having an elective hysterectomy. *British Journal of Health Psychology*, 7: 247–52.
- Calnan, M. (1987). *Health and Illness: The Lay Perspective*. London: Tavistock.
- Cameron, L. (2008). Illness risk representations and motivations to engage in protective behavior: the case of skin cancer risk. *Psychology & Health*, 23: 91–112.
- Cameron, L. D. and Leventhal, H. (Eds.) (2003). *The Self-regulation of Health and Illness Behaviour*. London: Routledge.
- Campbell, J. D., Mauksch, H. O., Neikirk, H. J. and Hosokawa, M. C. (1990). Collaborative practice and provider styles in delivering health care. *Social Science and Medicine*, 30: 1359–65.
- Campbell, L. A., Kirkpatrick, S. E., Berry, C. C. and Lamberti, J. J. (1992). Psychological preparation of mothers of preschool children undergoing cardiac catheterization. *Psychology and Health*, 7: 175–85.
- Campbell, M. K., Carr, C., Devellis, B. et al. (2009). A randomized trial of tailoring and motivational interviewing to promote fruit and vegetable consumption for cancer prevention and control. *Annals of Behavioral Medicine*, 38: 71–85.
- Campbell, M. K., Tessaro, 1., DeVellis, B. et al. (2002). Effects of a tailored health promotion program for female blue-collar workers: health works for women. *Preventive Medicine*, 4: 313–23.
- Campbell, R., Starkey, F, Holliday, J. et al. (2008). An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. *Lancet*, 371: 1595–602.
- Canada, A., Fawzy, N. and Fawzy, F. (2005). Personality and disease outcome in malignant melanoma. *Journal of Psychosomatic Research*, 58: 19–27.
- Cancer Research UK (2011). <http://info.cancerresearchuk.org/cancerstats/types/prostate/screening>
- Cannon, W. B. (1932). *The Wisdom of the Body*. New York: W. W. Norton.
- Cantril, H. (1967). *The Pattern of Human Concerns*. New Brunswick, NJ: Rutgers University Press.
- Carballo, E., Cadarso-Suarez, I., Carrera, J. et al. (2010). Assessing relationships between health-related quality of life and adherence to antiretroviral therapy. *Quality of Life Research*, 13: 587–99.
- Cardano, M., Costa, G. and Demaria, M. (2004). Social mobility and health in the Turin longitudinal study. *Social Science and Medicine*, 58: 1563–74.
- Cardinal, B. J., Lee, J. Y., Kim, Y. H. et al. (2009). Behavioral, demographic, psychosocial, and sociocultural concomitants of stage of change for physical activity behavior in a mixed-culture sample. *American Journal of Health Promotion*, 23: 274–8.
- Gareis, R. A., Darby, L., Cacciapaglia, H. M. et al. (2007). Using motivational interviewing as a supplement to obesity treatment: a stepped-care approach. *Health Psychology*, 26: 369–74.
- Carers UK (2007). *Facts about carers*. [Brochure]. London: Carers UK.

- Carers UK (2009). *Facts about carers*. [Brochure]. London: Carers UK.
- Carling, C. L., Kristoffersen, D. T., Oxman, A. D. et al. (2010). The effect of how outcomes are framed on decisions about whether to take antihypertensive medication: a randomized trial. *Public Library of Science One*, 5: e9469.
- Carlson, N. (2003). *Physiology of Behaviour*, 8th ed., Boston, MA: Allyn and Bacon.
- Carlson, L. E., Taenzer, P., Koopmans, J. et al. (2003). Predictive value of aspects of the transtheoretical model on smoking cessation in a community-based, large-group cognitive behavioral program. *Addictive Behaviors*, 28: 725–40.
- Caro, J. J., Speckman, J. L., Salas, M. et al. (1999). Effect of initial drug choice on persistence with antihypertensive therapy: the importance of actual practice data. *Canadian Medical Association Journal*, 160: 41–6.
- Carod-Artal, J., Egido, J. A., Gonzalez, J. L. et al. (2000). Quality of life among stroke survivors evaluated 1 year after stroke. *Stroke*, 31: 2995–3005.
- Caron, F., Godin, G., Otis, J. et al. (2004). Evaluation of a theoretically based AIDS/STD peer education program on postponing sexual intercourse and on condom use among adolescents attending high school. *Health Education and Research*, 19: 1 85–97.
- Carr, A. J. and Higginson, I. J. (2001). Are quality of life measures patient centered? *British Medical Journal*, 32: 1357–60.
- Carr, D. (2003). A 'good death' for whom? Quality of spouse's death and psychological distress among older widowed persons. *Journal of Health and Social Behavior*, 44: 215–32.
- Carrico, A. W., Antoni, M. H., Weaver, K. E. et al. (2005). Cognitive-behavioural stress management with HIV-positive homosexual men: mechanisms of sustained reductions in depressive symptoms. *Chronic Illness*, 1: 207–15.
- Carroll, D., Davey-Smith, G. and Bennett, P (1996a). Some observations on health and socioeconomic status. *Journal of Health Psychology*, 1: 1–17.
- Carroll, D., Ebrahim, S., Tilling, K. et al. (2002). Admissions for myocardial infarction and World Cup football: database survey. *British Medical Journal*, 325: 1439–42.
- Carroll, D., Moore, R. A., McQuay, H. J. et al. (2001). Transcutaneous electrical nerve stimulation (TENS) for chronic pain. In *The Cochrane Library*, issue 4. Oxford: Update Software.
- Carroll, D., Tramer, M., McQuay, H. et al. (1996b). Randomization is important in studies with pain outcomes: systematic review of transcutaneous electrical nerve stimulation in acute postoperative pain. *British Journal of Anaesthesia*, 77: 798–803.
- Carroll, K. M., Libby, B., Sheehan, J. et al. (2001). Motivational interviewing to enhance treatment initiation in substance abusers: an effectiveness study. *American Journal of Addiction*, 10: 35–9.
- Cartagena, R. G., Veugelers, P. J., Kipp, W. et al. (2006). Effectiveness of an HIV prevention program for secondary school students in Mongolia. *Journal of Adolescent Health*, 39: 9–16.
- Carver, C. S. and Antoni, M. H. (2004). Finding benefit in breast cancer during the year after diagnosis predicts better adjustment 5–8 years after diagnosis. *Health Psychology* 26: 595–8.
- Carver, C. S., Pozo, C., Harris, S. D. et al. (1993). How coping mediates the effect of optimism on distress: a study of women with early stage breast cancer. *Journal of Personality and Social Psychology*, 65: 375–90.
- Carver, C. S. and Scheier, M. F. (1981). *Attention and Self-Regulation: A Control Theory Approach to Human Behavior*. New York: Springer.
- Carver, C. S. and Scheier, M. F. (1998). *On the Self-regulation of Behaviour*. New York: Cambridge University Press.
- Carver, C. S. and Scheier, M. F. (2005). Optimism. In C. R. Snyder and S. J. Lopez (Eds.), *Handbook of Positive Psychology* (pp. 231–43). Oxford: Oxford University Press.
- Carver, C. S., Scheier, M. F. and Pozo, C. (1992). Conceptualizing the process of coping with health problems. In H. S. Friedman (Ed.), *Hostility, Coping and Health*. Washington: American Psychological Association.
- Carver, C. S., Scheier, M. F. and Weintraub, J. K. (1989). Assessing coping strategies: a theoretically based approach. *Journal of Personality and Social Psychology*, 56: 267–83.
- Casey, D., De Civita, M. and Dasgupta, K. (2010). Understanding physical activity facilitators and barriers during and following a supervised exercise programme in Type 2 diabetes: a qualitative study. *Diabetic Medicine*, 27: 79–84.
- Cassel, J. (1974). An epidemiological perspective of psychosocial factors in disease etiology. *American Journal of Public Health*, 64: 1040–3.
- Cassell, E. J. (1976). Disease as an 'it': concepts of disease revealed by patients' presentation of symptoms. *Social Science and Medicine*, 10: 143–6.
- Cassell, E. J. (1982). Paracetamol plus supplementary doses of codeine. An analgesic study of repeated doses. *European Journal of Clinical Pharmacology*, 23: 315–19.
- Cassell, J. A., Mercer, C. H., Imriell, J. et al. (2006). Who uses condoms with whom? Evidence from national probability sample surveys. *Sexually Transmitted Infections*, 82: 467–73.
- Cassileth, B. R., Lusk, E. J., Brown, L. L. and Cross, PA (1985). Psychosocial status of cancer patients and next of kin: normative data from the profile of mood states. *Journal of Psychosocial Oncology*, 3: 99–1 05.
- Castillo-Richmond, A., Schneider, R. H., Alexander, C. N. et al. (2000). Effects of stress reduction on carotid atherosclerosis in hypertensive African Americans. *Stroke*, 31: 568–73.
- Catz, S. L., Gore-Felton, C. and McClure, J. B. (2002). Psychological distress among minority and low-income women living with HIV. *Behavioral Medicine*, 28: 53–60.
- Cavalaars, A. E. J. M., Kunst, A. E. and Mackenbach, J. P. (1997). Socio-economic differences in risk factors for

- morbidity and mortality in the European Community. *Journal of Health Psychology*, 2: 353–72.
- Cella, D. F., Tulsky, D. S., Gray, G. et al. (1993). The Functional Assessment of Cancer Therapy scale: development and validation of the general measure. *Journal of Clinical Oncology*, 11: 570–9.
- Centers for Disease Control and Prevention (1996). Community-level prevention of human immunodeficiency virus infection among high-risk populations: the AIDS Community Demonstration Projects. *MMWR Morbidity and Mortality Weekly Reports*, 45 (RR-6): 1–24.
- Cesaroni, G., Forastiere, F., Agabiti, N. et al. (2008). Effect of the Italian smoking ban on population rates of acute coronary events. *Circulation*, 117: 1183–8.
- Chacham, A. S., Maia, M. B., Greco, M. et al. (2007). Autonomy and susceptibility to HIV/AIDS among young women living in a slum in Belo Horizonte, Brazil. *AIDS Care*, 19 (suppl. 1): S12–22.
- Chadha, N. K. and Repanos, C. (2004). How much do healthcare professionals know about informed consent? A Bristol experience. *Surgeon*, 2: 328–33, 360.
- Chadha, N. K. and Repanos, C. (2006). Patients' understanding of words used to describe lumps: a cross-sectional study. *Journal of Laryngology and Otology*, 120: 125–8.
- Chaix, B., Rosvall, M. and Merlo, J. (2007). Neighborhood socioeconomic deprivation and residential instability: effects on incidence of ischemic heart disease and survival after myocardial infarction. *Epidemiology*, 18: 104–11.
- Chalmers, B. (1996). Western and African conceptualisations of health. *Psychology and Health*, 12: 1–10.
- Champion, V. L. (1990). Breast self-examination in women 35 and older: a prospective study. *Journal of Behavioural Medicine*, 13: 523–38.
- Champion, V. L. and Miller, T. K. (1992). Variables related to breast self-examination. *Psychology of Women Quarterly*, 16: 81–96.
- Chan, D. S., Callahan, C. W., Hatch-Pigott, V.B. et al. (2007). Internet-based home monitoring and education of children with asthma is comparable to ideal office-based care: results of a 1-year asthma in-home monitoring trial. *Pediatrics*, 119: 569–78.
- Chan, D. S. and Fishbein, M. (1993). Determinants of women's intentions to tell their partner to use condoms. *Journal of Applied Social Psychology*, 23: 1455–70.
- Chandrashekhara, S., Jayashree, K., Veeranna, H. B. et al. (2007). Effects of anxiety on TNF- α levels during psychological stress. *Journal of Psychosomatic Research*, 63: 65–9.
- Chapman, S. and Martin, M. (2011). Attention to pain words in irritable bowel syndrome: increased orienting and speeded engagement. *British Journal of Health Psychology*, 16: 47–60.
- Charmaz, K. (1983). Loss of self: a fundamental form of suffering in the chronically ill. *Sociology of Health and Illness*, 5: 168–95.
- Charmaz, K. (1991). *Good Days, Bad Days: The Self in Chronic Illness and Time*. New Brunswick, NJ: Rutgers University Press.
- Charmaz, K. (1994). Identity dilemmas of chronically ill men. *Sociological Quarterly*, 35: 269–88.
- Chassin, C., Presson, C. C., Rose, J. S. et al. (1996). The natural history of cigarettes from adolescence to adulthood: demographic predictors of continuity and change. *Health Psychology*, 15: 478–84.
- Chatkin, J. M., Blanco, D. C., Scaglia, N. et al. (2006). Impact of a low-cost and simple intervention in enhancing treatment adherence in a Brazilian asthma sample. *Journal of Asthma*, 43: 263–6.
- Cheing, G. L. and Hui-Chan, C. W. (1999). Transcutaneous electrical nerve stimulation: nonparallel antinociceptive effects on chronic clinical pain and acute experimental pain. *Archives of Physical Medicine and Rehabilitation*, 80: 305–12.
- Cheing, G. L., Tsui, A. Y., Lo, S. K. et al. (2003). Optimal stimulation duration of TENS in the management of osteoarthritic knee pain. *Journal of Rehabilitation Medicine*, 35: 62–8.
- Chen, J. Y., Fox, S. A., Cantrell, C. H. et al. (2007). Health disparities and prevention: racial/ethnic barriers to flu vaccinations. *Journal of Community Health*, 32: 5–20.
- Chen, S. -L., Tsai, J. -C., Lee, W. -L. (2008). Psychometric validation of the Chinese version of the Illness Perception Questionnaire-Revised for patients with hypertension. *Journal of Advanced Nursing*, 64: 524–34.
- Chen, S. Y., Gibson, S., Katz, M. H. et al. (2002). Continuing increases in sexual risk behavior and sexually transmitted diseases among men who have sex with men: San Francisco, Calif., 1999–2001. *American Journal of Public Health*, 92: 1387–8.
- Cheng, C. (2000). Seeking medical consultation: perceptual and behavioural characteristics distinguishing consultants and nonconsulters with functional dyspepsia. *Psychosomatic Medicine*, 62: 844–52.
- Cheng, T. L., Savageau, J. A., Sattler, A. L. et al. (1993). Confidentiality in health care: a survey of knowledge, perceptions, and attitudes among high school students. *Journal of the American Medical Association*, 269: 1404–7.
- Chesney, M. A. (2003). Adherence to HAART regimes. *AIDS Patient Care and STDs*, 17: 169–77.
- Chesney, M. A., Folkman, S. and Chambers, D. (1996). Coping effectiveness training for men living with HIV: preliminary findings. *International Journal of STDs and AIDS, suppl. 2*: 75–82.
- Cho, H. and Salmon, C. T. (2006). Fear appeals for individuals in different stages of change: intended and unintended effects and implications on public health campaigns. *Health Communication*, 20: 91–9.
- Chochinov, H. M., Hack, T., Hassard, T. et al. (2002). Dignity in the terminally ill: a cross-sectional, cohort study. *The Lancet*, 360: 2026–30.
- Chochinov, H. M., Tataryn, D. J., Wilson, K. G. et al. (2000). Prognostic awareness and the terminally ill. *Psychosomatics*, 41: 500–4.
- Choi, W. S., Harris, K. J., Okuyemi, K. et al. (2003). Predictors of smoking initiation among college-bound high school students. *Annals of Behavioral Medicine*, 26: 69–74.

- Choiniere, R., Lafontaine, P. and Edwards, A. C. (2000). Distribution of cardiovascular disease risk factors by socioeconomic status among Canadian adults. *Canadian Medical Association Journal*, 162 (9 suppl.): S13–24.
- Chou, R., Huffman, L. H. American Pain Society; American College of Physicians (2007). Nonpharmacologic therapies for acute and chronic low back pain: a review of the evidence for an American Pain Society/American College of Physicians clinical practice guideline. *Annals of Internal Medicine*, 147: 492–504.
- Christensen, A. J., Edwards, D. L., Wiebe, J. S. et al. (1996). Effect of verbal self-disclosure on natural killer cell activity: moderating influence of cynical hostility. *Psychosomatic Medicine*, 58: 150–5.
- Christensen, C., Larson, J. R., Jr, Abbott, A. et al. (2000). Decision making of clinical teams: communication patterns and diagnostic error. *Medical Decision Making*, 20: 45–50.
- Chronister, J. and Chan, F. (2006). A stress process model of caregiving for individuals with traumatic brain injury. *Rehabilitation Psychology*, 51: 190–201.
- Chun, M., Knight, B. G. and Youn, G. (2007). Differences in stress and coping models of emotional distress among Korean, Korean American and White-American caregivers. *Aging and Mental Health*, 11: 20–9.
- CIA Central Intelligence Agency (2008). *World Factbook, 2008*. Washington, DC: CIA.
- Cioffi, D. (1991). Beyond attentional strategies: a cognitive-perceptual model of somatic interpretation. *Psychological Bulletin*, 109: 25–41.
- Clark, A. (2003). 'It's like an explosion in your life...': lay perspectives on stress and myocardial infarction. *Journal of Clinical Nursing*, 12: 544–53.
- Clark, R. and Gochett, P. (2006). Interactive effects of perceived racism and coping responses predict a school-based assessment of blood pressure in black youth. *Annals of Behavioral Medicine*, 32: 1–9.
- Clark, D. B. and Sayette, M. A. (1993). Anxiety and the development of alcoholism: clinical and scientific issues. *American Journal on Addictions*, 2: 59–76.
- Clark, K. L., Loscalzo, M., Trask, P. C. et al. (2010). Psychological distress in patients with pancreatic cancer – an understudied group. *Psycho-Oncology*, 19: 1313–20.
- Clark, S. L. and Stephens, M. A. P. (1996). Stroke patients' well-being as a function of caregiving spouses' helpful and unhelpful actions. *Personal Relationships*, 3: 171–84.
- Clark-Carter, D. (2003). Effect sizes: the missing piece in the jigsaw. *The Psychologist*, 16: 636–8.
- Clarke, R. (2000). Perceptions of interethnic group racism predict increased vascular reactivity to a laboratory challenge in college women. *Annals of Behavioral Medicine*, 22: 214–22.
- Clays, E., Leynen, F., De Bacquer, D. et al. (2007). High job strain and ambulatory blood pressure in middle-aged men and women from the Belgian job stress study. *Journal of Occupational and Environmental Medicine*, 49: 360–7.
- Clayton, J. M., Butow, P. N., Tattersall, M. H. et al. (2007). Randomized controlled trial of a prompt list to help advanced cancer patients and their caregivers to ask questions about prognosis and end-of-life care. *Journal of Clinical Oncology*, 25: 715–23.
- Clifford, S., Barber, N. and Horne, R. (2008). Understanding different beliefs held by adherers, unintentional non-adherers, and intentional non-adherers: application of the Necessity-Concerns Framework. *Journal of Psychosomatic Research*, 64: 41–6.
- Clow, A. (2001). The physiology of stress. In F. Jones and J. Bright (Eds.), *Stress: Myth, Theory and Research*. Harlow: Pearson, pp. 47–72.
- Coates, T. J., McKusick, L., Kuno, R. et al. (1989). Stress management training reduced numbers of sexual partners but did not improve immune function in men infected with HIV. *American Journal of Public Health*, 79: 885–7.
- Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic Medicine*, 38: 300–14.
- Coburn-Litvak, P. S., Pothakos, K., Tata, D. A. et al. (2003). Chronic administration of corticosterone impairs spatial reference memory before spatial working memory in rats. *Neurobiology, Learning & Memory*, 80: 11–23.
- Cockburn, J., Paul, C., Tzelepis, F. et al. (2003). Delay in seeking advice for symptoms that potentially indicate bowel cancer. *American Journal of Health Behavior*, 27: 401–7.
- Cocks, K., King, M. T., Velikova, G. et al. (2008). Quality, interpretation and presentation of European Organisation for Research and Treatment of Cancer quality of life questionnaire core data in randomised controlled trials. *European Journal of Cancer*, 44: 1793–8.
- Cocquyt, V. F., Blondeel, P. N., Depypere, H. T. et al. (2003). Better cosmetic results and comparable quality of life after skin-sparing mastectomy and immediate autologous breast reconstruction compared to breast conservative treatment. *The British Association of Plastic Surgeons*, 56: 462–70.
- Cohen, F. and Lazarus, R. (1979). Coping with the stresses of illness. In G. C. Stone, F. Cohen and N. E. Adler (Eds.), *Health Psychology: A Handbook*. San Francisco, CA: Jossey-Bass.
- Cohen, H. J., Pieper, C. F., Harris, T., Rao, K. and Currie, M. M. K. (1997). The association of plasma IL-6 levels with functional disability in community-dwelling elderly. *Journal of Gerontology. A: Biological Science and Medical Science*, 52: M201–8.
- Cohen, L. A. (1987). Diet and cancer. *Scientific American*, 102, 42–8.
- Cohen, M., Hoffman, R. G., Cromwell, C. et al. (2002). The prevalence of distress in persons with human immunodeficiency virus infection. *Psychosomatics*, 43: 10–15.
- Cohen, S. (1988). Psychosocial models of the role of social support in the etiology of physical disease. *Health Psychology*, 7: 269–97.
- Cohen, S. (2004). Social relationships and health. *American Psychologist*, 59: 676–84.
- Cohen, S. (2005). Keynote presentation at the eighth International Congress of Behavioral Medicine. *Journal of Behavioral Medicine*, 12: 123–1.

- Cohen, S., Doyle, M. J., Skoner, D. P. et al. (1995). State and trait negative affect as predictors of objective and subjective symptoms of respiratory viral infections. *Journal of Personality and Social Psychology*, 68: 159–69.
- Cohen, S., Doyle, W. J., Turner, R. et al. (2003). Sociability and susceptibility to the common cold. *Psychological Science*, 14: 389–95.
- Cohen, S., Evans, G. W., Stokols, D. and Krantz, D. S. (1986). *Behavior, Health and Environmental Stress*. New York: Plenum.
- Cohen, S., Frank, E., Doyle, W. J. et al. (1998). Types of stressors that increase susceptibility to the common cold in healthy adults. *Health Psychology*, 17: 214–23.
- Cohen, S. and Herbert, T. B. (1996). Health psychology: psychological factors and physical disease from the perspective of human psychoneuroimmunology. *Annual Review of Psychology*, 47: 113–42.
- Cohen, S. and Hoberman, H. (1983). Positive events and social support as buffers of life change stress. *Journal of Applied Social Psychology*, 13: 99–125.
- Cohen, S., Kamarck, T. and Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behaviour*, 24: 385–96.
- Cohen, S., Tyrell, D. A. and Smith, A. P. (1993a). Life events, perceived stress, negative affect and susceptibility to the common cold. *Journal of Personality and Social Psychology*, 64: 131–40.
- Cohen, S., Tyrell, D. A. and Smith, A. P. (1993b). Psychological stress and susceptibility to the common cold. *New England Journal of Medicine*, 325: 606–12.
- Cohen, S. and Williamson, G. M. (1991). Stress and infectious disease in humans. *Psychological Bulletin*, 109: 5–24.
- Cohen, S. and Wills, T. A. (1985). Stress, social support and the buffering hypothesis. *Psychological Bulletin*, 98: 310–57.
- Cole, S. W., Kemeny, M. E., Taylor, S. E. et al. (1996). Elevated physical health risk among gay men who conceal their homosexual identity. *Health Psychology*, 15: 23–51.
- Coleman, D. L. (1979). Obesity genes: beneficial effects in heterozygous mice. *Science*, 203: 663–5.
- Coleman, P. G. (1999). Identity management in later life. In R. T. Woods (Ed.), *Psychological Problems of Ageing: Assessment, Treatment and Care*. Chichester: Wiley.
- Callicutt, J. (2011). Psychology, religion and spirituality. *The Psychologist*, 24: 250–51.
- Collins, S. (2005). Explanations in consultations: the combined effectiveness of doctors' and nurses' communication with patients. *Medical Education*, 39: 785–96.
- COMMIT (1995). Community intervention trial for smoking cessation (COMMI'I): II. Changes in adult cigarette smoking prevalence. *American Journal of Public Health*, 85: 193–200.
- Committee on Understanding and Eliminating Racial and Ethnic Disparities in Health Care, Institute of Medicine, National Academy of Sciences, Smedley, B. D., Stith, A. Y. and Nelson, A. R. (Eds.) (2002). *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: National Academy Press.
- Compas, B. E., Stoll, M. F., Thomsen, A. H. et al. (1999). Adjustment to breast cancer: age-related differences in coping and emotional distress. *Breast Cancer Research and Treatment*, 54: 195–203.
- Conner, M. and Armitage, C. J. (1998). Extending the theory of planned behaviour: a review and avenues for further research. *Journal of Applied Social Psychology*, 28: 1429–64.
- Conner, M. and Godin, G. (2007). Temporal stability of behavioural intention as a moderator of intention-health behaviour relationships. *Psychology & Health*, 22: 875–97.
- Conner, M. and Higgins, A. R. (2010). Long-term effects of implementation intentions on prevention of smoking uptake among adolescents: a cluster randomized controlled trial. *Health Psychology*, 29: 529–38.
- Conner, M. and Norman, P. (1996). *Predicting Health Behaviour: Research and Practice with Social Cognition Models*. Buckingham: Open University Press.
- Conner, M. and Sparks, (2005). Theory of planned behaviour and health behaviour. In M. Conner and P. Norman (Eds.), *Predicting Health Behaviour*. London: Open University Press, pp. 170–222.
- Conner, M., Sutherland, E., Kennedy, F., Grealley, C. and Berry, C. (2008). Impact of alcohol on sexual decision making: intentions to have unprotected sex. *Psychology & Health*, 23: 909–34.
- Connor, J. L., Kypri, K., Bell, M. L. et al. (2010). Alcohol outlet density, levels of drinking and alcohol-related harm in New Zealand: a national study. *Journal of Epidemiology and Community Health*, 2010 Oct 14.
- Consedine, N. S., Horton, D., Magai, C. et al. (2007). Breast screening in response to gain, loss, and empowerment framed messages among diverse, low-income women. *Journal of Health Care for the Poor and Underserved*, 18: 550–66.
- Constans, J. I., Mathews, A., Brantley, P. J. et al. (1999). Attentional reactions to an MI: the impact of mood state, worry, and coping style. *Journal of Psychosomatic Research*, 46: 415–23.
- Cook, B. J. and Hausenblas, H. A. (2008). The role of exercise dependence for the relationship between exercise behavior and eating pathology: mediator or moderator? *Journal of Health Psychology*, 13: 495–502.
- Cook, R. F., Billings, D. W., Hersch, R. et al. (2007). A field test of a web-based workplace health promotion program to improve dietary practices, reduce stress, and increase physical activity: randomized controlled trial. *Journal of Medical Internet Research*, 9: e17.
- Cooper, C. L. and Payne, R. (Eds.) (1988). *Causes, Coping and Consequences of Stress at Work*. Chichester: Wiley.
- Cooper, M. L., Agocha, V. S. and Sheldon, M. S. (2000). A motivational perspective on risky behaviours: the role of personality and affect regulatory processes. *Journal of Personality*, 68: 159–69.
- Cope, C. D., Lyons, A. C., Donovan, V. et al. (2003). Providing and audiotapes to supplement a prenatal diagnostic consultation: effects on later distress and recall. *Prenatal Diagnosis*, 23: 1060–7.

- Cordova, M., Andrykowski, M., Kenady, D. et al. (1995). Frequency and correlates of posttraumatic-stress-disorder-like symptoms after treatment for breast cancer. *Journal of Consulting and Clinical Psychology, 63*: 981–6.
- Costa, P. T., Jr and McCrae, R. R. (1987). Neuroticism, somatic complaints and disease: is the bark worse than the bite? *Journal of Personality, 55*: 299–316.
- Costa, P. T. and McCrae, R. R. (1992a). Four ways five factors are basic. *Personality and Individual Differences, 13*: 653–65.
- Costa, P. T. and McCrae, R. R. (1992b). *Revised NEO Personality Inventory (NEO PI-R) and NEO Five factor Inventory (NEO FFI) Professional Manual*. Odessa, FL: Psychological Assessment Resources.
- Costanzo, E. S., Lutgendorf, S. K. and Roeder, S. (2011). Common-sense beliefs about cancer and health practices among women completing treatment for breast cancer. *Psycho-Oncology, 20*: 53–61.
- Costanzo, E. S., Lutgendorf, S. K., Bradley, S. L., Rose, S. and Anderson, B. (2005). Cancer attributions, distress, and health practices among gynecologic cancer survivors. *Psychosomatic Medicine, 67*: 972–80.
- Costanzo, E. S., Lutgendorf, S. K., Mattes, M. L. et al. (2007). Adjusting to life after treatment: distress and quality of life following treatment for breast cancer. *British Journal of Cancer, 97*: 1625–31.
- Cotman, C. W. and Engesser-Cesar, C. (2002). Exercise enhances and protects brain function. *Exercise Sport Science Reviews, 30*: 75–9.
- Courtenay, W. H. (2000). Constructions of masculinity and their influence on men's well-being: a theory of gender and health. *Social Science and Medicine, 50*: 1385–401.
- Covic, T., Adamson, B., Spencer, D. and Howe, G. (2003). A biopsychosocial model of pain and depression in rheumatoid arthritis: a 12-month longitudinal study. *Rheumatology, 42*: 176–85.
- Cowburn, G. and Stockley, L. (2005). Consumer understanding and use of nutrition labelling: a systematic review. *Public Health & Nutrition, 8*: 21–8.
- Cowburn, G. and Stockley, L. (2006). Consumer understanding and use of nutrition labelling: a systematic review. *Journal of the American Dietetic Association, 106*: 917–20.
- Cox, D. S., Cox, A. D., Sturm, L. and Zimet, G. (2010). Behavioural interventions to increase HPV vaccination acceptability among mothers of young girls. *Health Psychology, 29*: 29–39.
- Cox, K. (2003). Assessing the quality of life of patients in phase I and II anti-cancer drug trials: interviews versus questionnaires. *Social Science and Medicine, 56*: 921–34.
- Cox, K. L., Gorely, T. J., Puddey, I. B., Burke, V. and Beilin, L. J. (2003). Exercise behaviour change in 40- to 65-year-old women: the SWEAT study (Sedentary Women Exercise Adherence Trial). *British Journal of Health Psychology, 8*: 477–95.
- Cox, W. M. and Klinger, E. (2004). A motivational model of alcohol use: determinants of use and change. In W. M. Cox and E. Klinger (Eds.), *Handbook of Motivational Counselling: Concepts, Approaches, and Assessments*. Chichester: John Wiley, pp. 121–38.
- Coyne, J. and Fiske, V. (1992). Couples coping with chronic and catastrophic illness. In T. J. Akamatsu, M. P. Stephens, S. E. Hobfoll and J. H. Crowther (Eds.), *Family Health Psychology*. Washington, DC: Hemisphere Publishing.
- Coyne, J. C., Benazon, N. R., Rohrbaugh, M. J. et al. (2003). Patient and spousal attitude in couples living with chronic heart failure. Symposium paper presented at the 17th Conference of the European Health Psychology Society, September, Kos.
- Coyne, J. C. and Racioppo, M. W. (2000). Never the twain shall meet? Closing the gap between coping research and clinical intervention research. *American Psychologist, 55*: 655–64.
- Coyne, J. C. and Smith, D. A. F. (1991). Couples coping with a myocardial infarction: a contextual perspective on wives' distress. *Journal of Personality and Social Psychology, 61*: 404–12.
- Cramer, J. A. (1998). Enhancing patient compliance in the elderly. Role of packaging aids and monitoring. *Drugs and Aging, 12*: 7–15.
- Cramer, J. A. (2004). A systematic review of adherence with medications for diabetes. *Diabetes Care, 27*: 1218–24.
- Cramp, F. and Daniel, J. (2008). Exercise for the management of cancer-related fatigue in adults. *Cochrane Database of Systematic Reviews*, issue 2, art. no.: CD006145. doi: 10.1002/14651858.CD006145.
- Crepaz, N., Pasin, W. F., Herbst, J. H. et al. (2008). Meta-analysis of cognitive behavioural interventions on HIV positive persons' mental health and immune functioning. *Health Psychology, 27*: 4–14.
- Creuss, D. G., Antoni, M. H., McGregor, B. A. et al. (2000). Cognitive-behavioral stress management reduces serum cortisol by enhancing benefit finding among women being treated for early stage breast cancer. *Psychosomatic Medicine, 62*: 304–8.
- Crisp, A., Sedgwick, P., Halek, C. et al. (1999). Why may teenage girls persist in smoking? *Journal of Adolescence, 22*: 657–72.
- Crossley, M. L. (2000). *Rethinking Health Psychology*. Buckingham: Open University Press.
- Crossley, M. L. and Small, N. (1998). *Evaluation of HIV/AIDS Education Training Services Provided by London Lighthouse at St. Ann's Hospice*. Stockport Health Authority.
- Crowe, F. L., Key, T. J., Appleby, P. N. et al. (2008). Dietary fat intake and risk of prostate cancer in the European: prospective investigation into cancer and nutrition. *American Journal of Clinical Nutrition, 87*: 1405–13.
- Croyle, R. T. and Barger, S. D. (1993). Illness cognition. In S. Maes, H. Leventhal and M. Johnston (Eds.), *International Review of Health Psychology*, Vol. II. Chichester: Wiley.
- Croyle, R. T. and Ditto, P. M. (1990). Illness cognition and behavior: an experimental approach. *Journal of Behavioral Medicine, 13*: 31–52.
- Csof, R. -M., Hood, R., Keler, B. et al. (2009). *Deconversion*. Goettingen: Vandenhoech & Ruprecht.

- Culver, J. L., Arena, P. L., Antoni, M. H. and Carver, C. S. (2002). Coping and distress among women under treatment for early stage breast cancer: comparing African Americans, Hispanics and non-Hispanics whites. *Psycho-Oncology*, 11: 495–504.
- Cummings, J. H. and Bingham, S. A. (1998). Diet and the prevention of cancer. *British Medical Journal*, 317: 1636–40.
- Curbow, B., Somerfield, M. R., Baker, F. et al. (1993). Personal changes, dispositional optimism, and psychological adjustment to bone marrow transplantation. *Journal of Behavioral Medicine*, 16: 423–43.
- Curry, S. J. and Emmons, K. M. (1994). Theoretical models for predicting and improving compliance with breast cancer screening. Mini-series: advances in behavioural medicine research on breast cancer. *Annals of Behavioral Medicine*, 16: 302–16.
- Cutrona, C. E. (1996). *Social Support in Couples*. Thousand Oaks, CA: Sage.
- Cutrona, C. E. and Russeii, D. 'vV. (1987). The provision of social relationships and adaptation to stress. In W. H. Jones and D. Perlman (Eds.), *Advances in Personal Relationships*, Vol. 1. Greenwich, CT: JAI Press.
- Cutrona, C. E. and Russell, D. W. (1990). Type of social support and specific stress: toward a theory of optimal matching. In B. A. Sarason, I. G. Sarason and G. R. Pierce (Eds.), *Social Support: An Interactional View*. New York: Wiley.
- Currow, D. C., Agar, M., Plummer, J. L. et al. (2010). Chronic pain in South Australia – population levels that interfere extremely with activities of daily living. *Australia and New Zealand Journal of Public Health*, 34: 232–9.
- Culver, J. L., Arena, P. L., Wimberly, S. R., Antoni, M. H. and Carver, C. S. (2004). Coping among African American, Hispanic, and non-Hispanic white women recently treated for early stage breast cancer. *Psychology and Health*, 19: 157–66.
- Dababneh, A. J., Swanson, N. and Shell, R. L. (2001). Impact of added rest breaks on the productivity and well-being of workers. *Ergonomics*, 44: 1 64–74.
- Dagan, M., Sanderman, R., Schokker, M. C. et al. (2011). Spousal support and changes in distress over time in couples coping with cancer: the role of personal control. *Journal of Family Psychology*, 25: 31 0–18.
- Dalton, S. O., Boesen, E. H., Ross, L. et al.. (2002). Mind and cancer: do psychological factors cause cancer? *European Journal of Cancer*, 38: 1313–23.
- Daly, J. M., Hartz, A. J., Xu, Y. et al. (2009). An assessment of attitudes, behaviors, and outcomes of patients with type 2 diabetes. *Journal of the American Board of Family Medicine*, 22: 280–90.
- Damjanovic, A. K., Yang, Y., Glaser, R. et al.. (2007). Accelerated telomere erosion is associated with a declining immune function of caregivers of Alzheimer's disease patients. *Journal of Immunology*, 179: 4249–54.
- Dancey, C. P., Taghavi, M. and Fox, R. J. (1998). The relationship between daily stress and symptoms of irritable bowel: a time-series approach. *Journal of Psychosomatic Research*, 44 (5): 537–45.
- Dantzer, R. and Kelley, K. W. (1989). Stress and immunity: an integrated view of relationships between the brain and the immune system. *Life Sciences*, 44: 1995–2008.
- Darnley, S. E., Kennedy, T., Jones, R. et al.. (2002). A randomised controlled trial of the addition of cognitive behavioural therapy (CBT) to antispasmodic therapy for irritable bowel syndrome (IBS) in primary care. *Gastroenterology*, 122: A-69.
- Dauchet, L., Amouyel, P and Dallongeville, J. (2009). Fruits, vegetables and coronary heart disease. *Nature Reviews Cardiology*, 6: 599–608.
- Davey-Smith, G., Ebrahim, S. and Frankel, S. (2001). How policy informs the evidence: 'evidence-based' thinking can lead to debased policy making (editorial). *British Medical Journal*, 322: 184–5.
- Davey-Smith, G., Wentworth, D., Neaton, J. D. et al. (1996). Socio-economic differentials in mortality risk among men screened for the Multiple Risk Factor Intervention Trial, 2: black men. *American Journal of Public Health*, 86: 497–504.
- David, J. P. and Suls, J. (1996). Coping efforts in daily life: role of big five traits and problem appraisals. *Journal of Personality*, 67: 265–94.
- Davidson, K. W., Gidron, Y., Mostofsky, E. and Trudeau, K. J. (2007). Hospitalization cost offset of a hostility intervention for coronary heart disease patients. *Journal of Consulting and Clinical Psychology*, 75: 657–62.
- Davidson, K. W., MacGregor, M. E., Stuhr, J. et al.. (2000). Constructive anger verbal behaviour predicts blood pressure in a population-based sample. *Health Psychology*, 19: 55–64.
- Davidson, P.R. and Parker, K. C. H. (2001). Eye movement desensitization and reprocessing (EMDR): a meta-analysis. *Journal of Consulting and Clinical Psychology*, 69: 305–16.
- Davies, J. B. and Baker, R. (1987). The impact of self- presentation and interviewer bias on self-reported heroin use. *British Journal of Addiction*, 82: 907–12.
- Deary, I. J., Clyde, Z. and Frier, B. M. (1997). Constructs and models in health psychology: the case of personality and illness reporting in diabetes mellitus. *British Journal of Health Psychology*, 2: 35–54.
- DeBoer, M. F., Ryckman, R. M., Pruyn, J. F. et al.. (1999). Psychosocial correlates of cancer relapse and survival: a literature review. *Patient Education and Counselling*, 37: 215–30.
- Deci, E. L. and Ryan, R. M. (2000). The 'what' and 'why' of goal pursuits: human needs and the self-determination of behavior. *Psychological Inquiry*, 11: 227–68.
- Deeg, D. J. H. and Kriegsman, D. M. W. (2003). Concepts of self-rated health: specifying the gender difference in mortality risk. *The Gerontologist*, 43: 376–86.
- DeFries, G. and Woomert, A. (1983). Self-care among the US elderly. *Research on Aging*, 5: 3–23.
- De Haes, H. and Koedoot, N. (2003) Patient centered decision making in palliative cancer treatment: a world of paradoxes. *Patient Education and Counselling*, 50: 43–9.

- Dehghani, M., Sharpe, L. and Nicholas, M. K. (2003). Selective attention to pain-related information in chronic musculoskeletal pain patients. *Pain*, 105: 37–46.
- Deimling, G. T., Bowman, K. F., Sterns, S. et al. (2006). Cancer-related health worries and psychological distress among older adult long-term cancer survivors. *Psycho-Oncology*, 15: 306–20.
- de Lange, A. H., Taris, T. W., Kompier, M. A. et al. (2003). The very best of the millennium: longitudinal research and the demand-control- (support) model. *Journal of Occupational Health Psychology*, 8: 282–305.
- Delaney-Black, V., Chiodo, L. M., Hannigan, J. H. et al. (2010). Just say 'I don't': lack of concordance between teen report and biological measures of drug use. *Pediatrics*, 126: 887–93.
- De Longis, A., Folkman, S. and Lazarus, R. S. (1997). The impact of daily stress on health and mood: psychological and social resources as mediators. *Journal of Personality and Social Psychology*, 54: 486–95.
- Dembrowski, T. M., MacDougall, J. M., Costa, P. T. et al. (1989). Components of hostility as predictors of sudden death and myocardial infarction in the Multiple Risk Factor Intervention Trial. *Psychosomatic Medicine*, 51: 514–22.
- Dempster, M. and McCorry, N. K. (2011). The factor structure of the Revised Illness Perception Questionnaire in a population of oesophageal cancer survivors. *Psycho-Oncology*, doi: 10.1002/pon.1927.
- De Moor, C., Sterner, J., Hall, M. et al. (2002). A pilot study of the effects of expressive writing on psychological and behavioral adjustment in patients enrolled in a phase II trial of vaccine therapy for metastatic renal cell carcinoma. *Health Psychology*, 21: 615–19.
- De Neve, K. M. and Cooper, H. (1998). The happy personality: A meta-analysis of 137 personality traits and subjective wellbeing. *Psychological Bulletin*, 124: 197–229.
- Denollet, J. (1998). Personality and coronary heart disease: the type-D scale-16 (DS16). *Annals of Behavioral Medicine*, 20: 209–15.
- Denollet, J. and dePotter, B. (1992). Coping subtypes for men with coronary heart disease: relationship to well-being, stress and type-A behavior. *Psychological Medicine*, 22: 667–84.
- Denollet, J., Pedersen, S. S., Vrints, C. J. and Conraads, V. M. (2006). Usefulness of Type D personality in predicting five-year cardiac events above and beyond concurrent symptoms of stress in patients with coronary heart disease. *The American Journal of Cardiology*, 97: 970e3.
- Denollet, J., Sys, S. U., Stroobant, N. et al. (1996). Personality as an independent predictor of long-term mortality in patients with coronary heart disease. *The Lancet*, 347: 417–21.
- Denscombe, M. (2001). Peer group pressure, young people and smoking: new developments and policy implications. *Drugs: Education, Prevention and Policy*, 8: 7–32.
- de Nooijer, J., de Vet, E., Brug, J. and de Vries, N. K. (2006). Do implementation intentions help to turn good intentions into higher fruit intakes? *Journal of Nutrition Education and Behavior*, 38: 25–9.
- de Nooijer, J., Lechner, L. and de Vries, H. A. (2001). Qualitative study on detecting cancer symptoms and seeking medical help: an application of Andersen's model of total patient delay. *Patient Education and Counseling*, 42: 145–57.
- Department of Health (1991). *The Health of the Nation*. London: HMSO.
- Department of Health (1992). *The Health of the Nation: A Strategy for Health in England*. London: HMSO.
- Department of Health (1995). *Obesity: Reversing the Increasing Problem of Obesity in England*. Report from the Nutrition and Physical Activity Task Forces. London: HMSO.
- Department of Health (1999) *Saving Lives: Our Healthier Nation*. London: Department of Health.
- Department of Health (2000a). *Health Survey for England*. London: National Centre for Social Research & the National Foundation for Educational Research.
- Department of Health (2000b) Statistics on smoking: England 1978 onwards. *Statistical Bulletin 200/17*. London: Department of Health.
- Department of Health (2001a). *The 2000 Health Survey for England: The Health of Older People (aged 65+)*. London: Department of Health.
- Department of Health (2001 b). *The Expert Patient: A New Approach to Chronic Disease Management for the 21st Century*. London: Department of Health.
- Department of Health (2001c). *Involving Patients and the Public in Healthcare*. Available from: www.dh.gov.uk/PolicyAndGuidance/OrganisationPolicy/PatientAndPublicInvolvement/InvolvingPatientsPublicHealthcare/fs/en.
- Department of Health (2003). *Tackling Health Inequalities: A Programme for Action*. London: Department of Health.
- Department of Health (2004). *At Least Five a Week: Evidence on the Impact of Physical Activity and its Relationship to Health*. A Report from the Chief Medical Officer London: Department of Health.
- Department of Health (2007). *Tackling Health Inequalities: 2007 Status Report on the Programme for Action*. London: Department of Health.
- Department of Health and Human Services (1996). *Report of final mortality statistics, 1994*. Monthly Vital Statistics Report, 45 (3 suppl.). Hyattsville, MD: Public Health Service.
- Department of Health and Human Services (1998). *Health, United States, 1998: Socio-economic Status and Health*. Chartbook. Hyattsville, MD: National Center for Health Statistics.
- Derbyshire, S. W. (2000). Exploring the pain 'neuro-matrix'. *Current Reviews of Pain*, 4: 467–77.
- De Ridder, D., Fournier, M. and Bensing, J. (2004). Does optimism affect symptom report in chronic disease? What are its consequences for self-care behaviour and physical functioning? *Journal of Psychosomatic Research*, 56: 341–50.
- De Ridder, D. and Schreurs, K. (2001). Developing interventions for chronically ill patients: Is coping a helpful concept? *Clinical Psychology Review*, 21: 205–40.

- Descartes, R. (1664). *Traite de l'homme*. Paris: Angot.
- Deshler, A. M., Fee-Schroeder, K. C., Dowdy, J. L. et al. (2006). A patient orientation program at a comprehensive cancer center. *Oncology Nursing Forum*, 33: 569–78.
- Detmar, S. B., Aaronson, N. K., Wever, L. D. et al. (2000). How are you feeling? Who wants to know? Patients' and oncologists preferences for discussing health-related quality of life issues. *Journal of Clinical Oncology*, 18: 3295–301.
- Devanesen, D. (2000). *Traditional Aboriginal medicine practice in the Northern Territory*. In International Symposium on Traditional Medicine, Awaji Islands, Japan. Available from: [www. nt. gov. au/health/comm_health/abhealthstrategy?Traditionai%20Aboriginai%20Medicine%20-%20Japan%20Paper.pdf](http://www.nt.gov.au/health/comm_health/abhealthstrategy?Traditionai%20Aboriginai%20Medicine%20-%20Japan%20Paper.pdf).
- De Vellis, R. F., Lewis, M. A. and Sterba, K. R. (2003). Interpersonal emotional processes in adjustment to chronic illness. In J. Suls and K. A. Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Malden, MA: Blackwell.
- De Vet, E., De Nooijer, J., DeVries, N. K. and Brug, J. (2007). Comparing stage of change and behavioral intention to understand fruit intake. *Health Education Research*, 22: 599–608.
- De Vet, E., Gebhardt, W. A., Sinnige, J. et al. (2011). Implementation intentions for buying, carrying, discussing and using condoms: the role of the quality of the plans. *Health Education Research*, 26: 443–55.
- Devine, C. M., Jastran, M., Jabs, J. et al. (2006). 'A lot of sacrifices': work-family spillover and the food choice coping strategies of low-wage employed parents. *Social Science and Medicine*, 63: 2591–603.
- Devins, G. M., Mendelssohn, D. C., Barre, P. E. et al. (2003). Predialysis psychoeducational intervention and coping styles influence time to dialysis in chronic kidney disease. *American Journal of Kidney Diseases*, 42: 693–703.
- de Vries, H., Candel, M., Engles, R. et al. (2006). Challenges to the peer influence paradigm: results for 12–13 year olds from six European countries from the European Smoking Prevention Framework Approach study. *Tobacco Control*, 15: 83–9.
- Dew, M. A., Di Martini, A. F., Dabbs, A., de V. et al. (2007). Rates and risk factors for non-adherence to the medical regimen after adults solid organ transplantation. *Transplantation*, 83: 858–73.
- Dey, P., Bundred, N., Gibbs, A. et al. (2002). Costs and benefits of a one stop clinic compared with a dedicated breast clinic: randomised controlled trial. *British Medical Journal*, 324: 507.
- Deyo, R. A. (1986). Early diagnostic evaluation of lower back pain. *Journal of General Internal Medicine*, 1: 328–38.
- Deyo, R. A. (1991). Fads in the treatment of low back pain. *New England Journal of Medicine*, 325: 1039–40.
- Deyo, R. A., Walsh, N. E., Martin, D. C. et al. (1990). A controlled trial of transcutaneous electrical nerve stimulation (TENS) and exercise for chronic low back pain. *New England Journal of Medicine*, 322: 1627–34.
- di Clemente, C. C. and Prochaska, J. O. (1982). Self-change and therapy change of smoking behavior: a comparison of processes of change in cessation and maintenance. *Addictive Behaviours*, 7: 1 33–42.
- di Clemente, C. C., Prochaska, J. O., Fairhurst, S. K. et al. (1991). The process of smoking cessation: an analysis of precontemplation, contemplation, and preparation stages of change. *Journal of Consulting and Clinical Psychology*, 59: 295–304.
- di Clemente, C. C. and Velicer, W. F. (1997). The trans-theoretical model of health behavior change. *American Journal of Health Promotion*, 12: 11–12.
- Didlake, R. H., Dreyfus, K., Kerman, R. H. et al. (1988). Patient noncompliance: a major cause of late graft failure in cyclosporine-treated renal transplants. *Transplant Proceedings*, 20: 63–9.
- Diefenbach, M. A., Leventhal, E. A., Leventhal, H. et al. (1995). Negative affect relates to cross-sectional but not longitudinal symptom reporting: data from elderly adults. *Health Psychology*, 15: 282–8.
- Diener, E., Emmons, R. A., Larsen, R. J. and Griffen, S. (1985). The satisfaction with life scale. *Journal of Personality Assessment*, 49: 71–5.
- Diener, E., Lucas, R. E. and Scollon, C. N. (2006). Beyond the hedonic treadmill: revising the adaptation theory of well-being. *American Psychologist*, 61 (4): 305–14.
- Digiusto, E. and Bird, K. D. (1995). Matching smokers to treatment: self-control versus social support. *Journal of Consulting and Clinical Psychology*, 63: 290–95.
- Dijkstra, A., Conijn, B. and DeVries, H. (2006). A mismatch test of a stage model of behavior change in tobacco smoking. *Addiction*, 101: 1035–43.
- Dijkstra, P. U., Geertzen, J. H., Stewart, R. et al. (2002). Phantom pain and risk factors: a multivariate analysis. *Journal of Pain Symptom Management*, 24: 578–85.
- Dillay, J. W., McFarland, W., Woods, W. J. et al. (2002). Thoughts associated with unprotected anal intercourse among men at high risk in San Francisco 1997–1999. *Psychology and Health*, 17: 235–46.
- DiMatteo, M. R. (2004a). Variations in patients' adherence to medical recommendations: a quantitative review of 50 years of research. *Medical Care*, 42: 200–9.
- DiMatteo, M. R. (2004b). The role of effective communication with children and their families in fostering adherence to pediatric regimes. *Patient Education and Counselling*, 55: 339–44.
- DiMatteo, M. R., Haskard, K. B. and Williams, S. L. (2007). Health beliefs, disease severity, and patients adherence: a meta-analysis. *Medical Care*, 45: 521–8.
- DiMatteo, M. R., Lepper, H. D. and Croghan, T. W. (2000). Depression is a risk factor for non-compliance with medical treatment: meta-analysis of the effects of anxiety and depression on patient adherence. *Archives of Internal Medicine*, 160: 2101–7.
- Dimigen, G. and Ferguson, K. (1993). An investigation into the relationship of children's cognitive development and their concepts of illness. *Psychologia*, 36: 97–102.

- Ding, A. (2003). Youth are more sensitive to price changes in cigarettes than adults. *Yale Journal of Biology and Medicine*, 76: 11 5–24.
- Ditto, P. H., Druley, J. A., Moore, K. A. et al. (1996). Fates worse than death: the role of valued life activities in health state evaluations. *Health Psychology*, 15: 332–43.
- Ditto, T. T. and Jemmott, J. B., III (1989). From rarity to evaluative extremity: effects of prevalence information on evaluations of positive and negative characteristics. *Journal of Personality and Social Psychology*, 57: 16–26.
- Dodds, J. and Mercey, D. (2002). *London Gay Men's Survey: 2001 Results*. London: Department of STDs, Royal Free and University College Medical School.
- Dodds, J. P., Mercey, D. E., Parry, J. V. et al. (2004). Increasing risk behaviour and high levels of undiagnosed HIV infection in a community sample of homosexual men. *Sexually Transmitted Infections*, 80: 236–40.
- Doherty, S. R., Jones, P. D., Davis, L. et al. (2007). Evidence-based implementation of adult asthma guidelines in the emergency department: a controlled trial. *Emergency Medicine Australasia*, 19: 31–8.
- Dohrenwend, B. S. and Dohrenwend, B. P. (1982). Some issues in research on stressful life events. In T. Millon, C. Green and R. Meagher (Eds.), *Handbook of Clinical Health Psychology*. New York: Plenum.
- Dolansky, M. A., Stepanczuk, B., Charvat, J. M. et al. (2010). Women's and men's exercise adherence after a cardiac event. *Research in Gerontological Nursing*, 3: 30–8.
- Doll, R. and Hill, A. B. (1954). The mortality of doctors in relation to their smoking habits: a preliminary report. *British Medical Journal*, 1: 1451–5.
- Doll, R. and Peto, R. (1981). *The Cause of Human Cancer*. Oxford: Oxford University Press.
- Doll, R., Peto, R., Bareham, J. and Sutherland, I. (2004). Mortality in relation to smoking: 50 years' observations on male British doctors. *British Medical Journal*, 328: 1519–28.
- Doll, R., Peto, R., Hall, E. et al. (1994). Mortality in relation to consumption of alcohol: 13 years' observation on male British doctors. *British Medical Journal*, 309: 911–18.
- Dooley, D., Fielding, J. and Levi, L. (1996). Health and unemployment. *Annual Review of Public Health*, 17: 449–65.
- Doyal, L. (2001). Sex, gender, and health: the need for a new approach. *British Medical Journal*, 323: 1061–3.
- Dragano, N., Verde, P. E. and Siegrist, J. (2005). Organisational downsizing and work stress: testing synergistic health effects in employed men and women. *Journal of Epidemiology and Community Health*, 59: 694–9.
- Droomers, M., Schrijvers, C. T. M. and Mackenbach, J. P. (2002). Why do lower educated people continue smoking? Explanations from the longitudinal GLOBE study. *Health Psychology*, 21: 263–72.
- Drossaert, C. H., Boer, H. and Seydel, E. R. (1996). Health education to improve repeat participation in the Dutch breast cancer screening programme: evaluation of a leaflet tailored to previous participants. *Patient Education and Counselling*, 8: 121–31.
- Duff, A. J. (2001). Psychological interventions in cystic fibrosis and asthma. *Paediatric Respiratory Reviews*, 2: 350–7.
- Duffy, L. C., Zielezny, M. A., Marshall, J. R. et al. (1991). Relevance of major stress events as an indicator of disease activity prevalence in inflammatory bowel disease. *Behavioral Medicine, Fall*: 101–10.
- Duncan, S.C., Strycker, L. A. and Duncan, T. E. (1999). Exploring association in developmental trends of adolescent substance use and risky sexual behavior in a high risk population. *Journal of Behavioral Medicine*, 22: 21–34.
- Dundas, R., Morgan, M. and Redfern, J. (2001). Ethnic differences in behavioural risk factors for stroke: implications for health promotion. *Ethnicity and Health*, 6: 95–103.
- Dunbar-Jacob, J., Burke, L. E. and Pucznski, S. (1995). Clinical assessment and management of adherence to medication regimens. In P. M. Nicassio and T. W. Smith (Eds.), *Managing Chronic Illness: A Bio-psychosocial Perspective*. Washington, DC: American Psychological Association.
- Dunton, G. F. and Vaughan, E. (2008). Anticipated affective consequences of physical activity adoption and maintenance. *Health Psychology*, 27: 703–10.
- Dusseldorp, E., van Elderen, T., Maes, S. et al. (1999). A meta-analysis of psycho-educational programs for coronary heart disease patients. *Health Psychology*, 18: 506–19.
- Dutta-Bergman, M. J. (2003). A descriptive narrative of healthy eating: a social marketing approach using psychographics in conjunction with interpersonal, community, mass media and new media activities. *Health Marketing Quarterly*, 20: 81–101.
- Dzewaltowski, D. A. (1989). Toward a model of exercise motivation. *Journal of Sport and Exercise Psychology*, 11: 251–69.
- Eagly, A. H. and Chaiken, S. (1993). *The Psychology of Attitudes*. Orlando, FL: Harcourt Brace Jovanovich.
- Eaker, E. D., Sullivan, L. M., Kelly-Hayes, M. et al. (2004). Does job strain increase the risk for coronary heart disease or death in men and women? *American Journal of Epidemiology*, 159: 950–8.
- Earl, A. and Albarracin, D. (2007). Nature, decay, and spiraling of the effects of fear-inducing arguments and HIV counseling and testing: a meta-analysis of the short- and long-term outcomes of HIV-prevention interventions. *Health Psychology*, 26: 496–506.
- Eccleston, C. and Crombez, G. (1999). Pain demands attention: a cognitive-affective model of the interruptive function of pain. *Psychological Bulletin*, 125: 356–66.
- Echabe, A. E., Guillen, C. S. and Ozamiz, J. A. (1992). Representations of health, illness and medicines: coping strategies and health promoting behaviour. *British Journal of Clinical Psychology*, 31: 339–49.
- Echteld, M. A., Maes, S. and van Elderen, T. M. T. (1998). Predictors of quality of life in PTCA* patients: avoiding stressors increases quality of life. In R. Schwarzer (Ed.), *Advances in Health Psychology*. Berlin: Berlin Free University.

- Echteld, M. A., van Elderen, T. M. T. and van der Kamp, L. J. T. (2001). How goal disturbance, coping and chest pain relate to quality of life: a study among patients waiting for PTCA. *Quality of Life Research*, 10: 487–501.
- Echteld, M. A., van Elderen, T. and van der Kamp, L. J. Th. (2003). Modeling predictors of quality of life after coronary angioplasty. *Annals of Behavioral Medicine*, 26: 49–60.
- Edelmann, R. (1999). *Psychosocial Aspects of the Health Care Process*. Harlow: Prentice Hall.
- Edwards, A. and Elwyn, G. (2009). *Shared Decision-making in Health Care. Achieving Evidence-based Patient Choice*. Oxford: Oxford University Press.
- Edwards, A., Elwyn, G., Covey, J. et al. (2001). Presenting risk information: a review of the effects of 'framing' and other manipulations on patient outcomes. *Journal of Health Communication*, 6: 61–82.
- Edwards, W. (1954). The theory of decision making. *Psychological Bulletin*, 51: 380–417.
- Egan, G. (1998). *The Skilled Helper: Models, Skills, and Methods for Effective Helping*. Monterey, CA: Brooks/Cole.
- Egan, G. (2006). *The Skilled Helper: A Problem-management and Opportunity Development Approach to Helping*. Belmont, CA: Wadsworth.
- Eiser, C. (1985). *The Psychology of Childhood Illness*. New York: Springer Verlag.
- Eiser, C. (1990). *Chronic Childhood Disease: An Introduction to Psychological Theory and Research*. Cambridge: Cambridge University Press.
- Eiser, C. (2004). *Children with Cancer: Their Quality of Life*. NJ: Lawrence Erlbaum.
- Eiser, C. and Havermans, T. (1992). Mothers' and fathers' coping with chronic childhood disease. *Psychology and Health*, 7: 249–57.
- Eiser, C. and Morse, R. (2001). The measurement of quality of life in children: past and future perspectives. *Journal of Developmental and Behavioral Pediatrics*, 22: 248–56.
- Eiser, C., Patterson, D. and Tripp, J. H. (1984). Diabetes and developing knowledge of the body. *Archives of Disease in Childhood*, 59: 167–9.
- Eiser, J. R. (1996). Reconnecting the individual and the social in health psychology. *Psychology and Health*, 11: 605–18.
- Eiser, J. R., Eise, C. and Pauwels, C. (1993). Skin cancer: assessing perceived risk and behavioral attitudes. *Psychology and Health*, 8: 393–404.
- Ekkekakis, P., Hall, E. E. and Petruzzello, S. J. (2008). The relationship between exercise intensity and affective responses demystified: to crack the 40-year-old nut, replace the 40-year-old nutcracker! *Annals of Behavioural Medicine*, 35: 136–49.
- Elfstrom, M. L. and Kreuter, M. (2006). Relationships between locus of control, coping strategies, and emotional wellbeing in persons with spinal cord injury. *Journal of Clinical Psychology in Medical Settings*, 13: 93–103.
- Ellaway, A., McKay, L., Macintyre, S., Kearns, A. and Hiscock, R. (2004). Are social comparisons of homes and cars related to psychosocial health? *International Journal of Epidemiology*, 33: 1065–71.
- Ellington, L. and Wiebe, D. J. (1999). Neuroticism, symptom presentation, and medical decision making. *Health Psychology*, 18: 634–43.
- Ellis, A. (1977). The basic clinical theory of rational-emotive therapy. In A. Ellis and R. Grieger (Eds.), *Handbook of Rational-Emotive Therapy*. New York: Springer Verlag.
- Elmer, P. J., Grimm, R., Jr, Laing, B. et al. (1995). Lifestyle intervention: results of the Treatment of Mild Hypertension Study (TOMHS). *Preventive Medicine*, 24: 378–88.
- Elstein, A. S. and Schwarz, A. (2002). Clinical problem solving and diagnostic decision making: selective review of the cognitive literature. *British Medical Journal*, 324: 729–32.
- Elwyn, G., Edwards, A., Kinnersley, P. et al. (2000). Shared decision making and the concept of equipoise: the competences of involving patients in healthcare choices. *British Journal of General Practice*, 50: 892–9.
- Emanuel, L., Bennett, K. and Richardson, V. E. (2007). The dying role. *Journal of Palliative Medicine*, 10: 159–68.
- Emery, S., Wakefield, M. A., Terry-McElrath, Y. et al. (2007). Using message framing to promote acceptance of the human papillomavirus vaccine. *Health Psychology*, 26: 745–52.
- Emler, N. (1984). Delinquency and reputation. *Progress in Experimental Personality Research*, 13: 174–230.
- Endler, N. S. and Parker, J. O. A. (1993). The multi-dimensional assessment of coping: concepts, issues, measurement. In G. L. Van Heck, P. Bonaiuto, I. J. Deary and W. Nowack (Eds.), *Personality Psychology in Europe*, Vol. 4. Netherlands: Tilburg University Press.
- Endler, N. S., Parker, J. O. A. and Summerfeldt, L. J. (1998). Coping with health problems developing a reliable and valid multidimensional measure. *Psychological Assessment*, 10: 195–205.
- Eng, J. J. and Martin-Ginis, K. A. (2007). Using the theory of planned behaviour to predict leisure time physical activity among people with chronic kidney disease. *Rehabilitation Psychology*, 52: 435–42.
- Engbers, L. H., van Poppel, M. N., Chin, A. et al. (2006). The effects of a controlled worksite environmental intervention on determinants of dietary behavior and self-reported fruit, vegetable and fat intake. *BMC Public Health*, 6: 253.
- Engel, G. L. (1977). The need for a new medical model: a challenge for biomedicine. *Science*, 196: 129–36.
- Engel, G. L. (1980). The clinical application of the bio-psychosocial model. *American Journal of Psychiatry*, 137: 535–44.
- Engler, M. B. and Engler, M. M. (2006). The emerging role of flavonoid-rich cocoa and chocolate in cardiovascular health and disease. *Nutrition*, 64: 109–18.
- Epton, T. and Harris, P. R. (2008). Self-affirmation promotes health behavior change. *Health Psychology*, 27: 746–52.
- Erens, B., McManus, S., Prescott, A. et al. (2003). *National Survey of Sexual Attitudes and Lifestyles II: Reference Tables and Summary Report*. London: National Centre for Social Research.
- Eriksen, H. R., Ihlebaek, C., Mikkelsen, A. et al. (2002). Improving subjective health at the worksite: a randomized controlled trial of stress management training, physical exercise and an integrated health programme. *Occupational Medicine*, 52: 383–91.
- Eriksen, J., Jensen, M. K., Sjogren, P. et al. (2003). Epidemiology of chronic non-malignant pain in Denmark. *Pain*, 106: 221–8.
- Erikson, E. H. (1959). Identity and the life cycle. *Psychological Issues*, 1: 1–171.

- Erikson, E. H. (1980). *Identity and the Life Cycle: A Reissue*. New York: W. W. Norton.
- Erikson, E. H., Erikson, J. M. and Kivnick, H. Q. (1986). *Vital Involvement in Old Age: The Experience of Old Age in Our Time*. New York: W. W. Norton.
- Esterling, B. A., LAbate, L., Murray, E. J. et al. (1999). Empirical foundations for writing in prevention and psychotherapy: mental and physical health outcomes. *Clinical Psychology Review*, 19: 79–96.
- European Commission (1999). *A Pan-EU Survey of Consumer Attitudes to Physical Activity, Body Weight and Health*. Luxembourg: EC. DGV/F. 3.
- European Commission (2006) *FACTSHEET: Alcohol-related harm in Europe – key data*. Brussels, European Communities.
- Euroqol Group (1990). Euroqol: a new facility for the measurement of health related quality of life. *Health Policy*, 16: 199–208.
- Eurostat (2007). *GP Utilisation*. Retrieved from <http://www.euphix.org>
- Evandrou, M. (2006). Inequalities among older people in London: the challenge of diversity. In V. R. Rodwin and M. K. Gusmano (Eds.). *Growing Older in World Cities: New York, London, Paris and Tokyo*. Nashville, TN: Vanderbilt University Press, pp. 173–98.
- Evans, D. and Norman, P. (2002). Improving pedestrian road safety among adolescents: an application of the theory of planned behaviour. In D. Rutter and L. Quine (Eds.). *Changing Health Behaviour*. Buckingham: Open University Press.
- Evans, G. W. and Stecker, R. (2004). Motivational consequences of environmental stress. *Journal of Environmental Psychology*, 24: 143–65.
- Evans, R. L. and Bishop, D. S. (1990). Psychosocial outcomes in stroke survivors. *Stroke*, 21 (suppl. II): 11–48–11–49.
- Evans, S., Fishman, B., Spielman, L. and Haley, A. (2003). Randomized trial of cognitive behaviour therapy versus supportive psychotherapy for HIV-related peripheral neuropathic pain. *Psychosomatics*, 44: 44–50.
- Evans-Whipp, T. J., Bond, L., Ukoumunne, O. C. et al. (2010). The impact of school tobacco policies on student smoking in Washington State, United States and Victoria, Australia. *International Journal of Environmental Research and Public Health*, 7: 698–710.
- Evers, A. W., Kraaimaat, F. W., Geenen, R. et al. (2003). Pain coping and social support as predictors of long-term functional disability and pain in early rheumatoid arthritis. *Behaviour Research and Therapy*, 41: 1295–310.
- Evers, A. W., Kraaimaat, F. W., van Riel, P. L. and de Jong, A. J. (2002). Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial. *Pain*, 100: 141–53.
- Everson, SA, Goldberg, D. E., Kaplan, GA et al. (1996). Hopelessness and risk of mortality and incidence of myocardial infarction and cancer. *Psychosomatic Medicine*, 58: 113–24.
- Everson, SA, McKey, B. S. and Lovallo, W. R. (1995). Effects of trait hostility on cardiovascular responses to harassment in young men. *International Journal of Behavioral Medicine*, 2: 172–91.
- Eves, F. F., Webb, O. J. and Mutrie, N. (2006). A workplace intervention to promote stair climbing: greater effects in the overweight. *Obesity (Silver Spring)*, 14: 2210–6.
- Expert Group (2004). Research in the behavioural and social sciences to improve cancer control and care: a strategy for development. *European Journal of Cancer*, 40: 316–25.
- Ey, S., Hadley, W., Allen, D. N. et al. (2005). A new measure of children's optimism and pessimism: the youth life orientation test. *Journal of Child Psychology & Psychiatry*, 46: 548–58.
- Eysenck, H. J. (1970). *The Structure of Human Personality*, 3rd edn. London: Methuen.
- Eysenck, H. J. (1982). *Personality, Genetics and Behaviour*. New York: Praeger.
- Eysenck, H. J. (1985). Personality, cancer and cardiovascular disease: a causal analysis. *Personality and Individual Differences*, 6: 535–56.
- Eysenck, H. J. (1991). Dimensions of personality: 16, 5, or 3? Criteria for a taxonomic paradigm. *Personality and Individual Differences*, 12: 773–90.
- Eysenck, H. J. and Grossarth-Maticek, R. (1989). Prevention of cancer and coronary heart disease and the reduction in the cost of the National Health Service. *Journal of Social, Political and Economic Studies*, 14: 25–47.
- Ezer, H., Chachamovich, J. L. R. and Chachamovich, E. (2011). Do men and their wives see it the same way? Congruence within couples during the first year of prostate cancer. *Psycho-Oncology*, 20: 155–64.
- Fadardi, J. S. and Cox, W. M. (2009). Reversing the sequence: reducing alcohol consumption by overcoming alcohol attentional bias. *Drug & Alcohol Dependence*, 101: 137–45.
- Fagerli, RA, Lien, M. E. and Wandel, M. (2007). Health worker style and trustworthiness as perceived by Pakistani-born persons with type 2 diabetes in Oslo, Norway. *Health (London)*, 11: 109–29.
- Fahrenwald, N. L. and Walker, S. N. (2003). Application of the transtheoretical model of behavior change to the physical activity behavior of WIC mothers. *Public Health Nursing*, 20: 307–17.
- Faller, H. and Bulzebruck, H. (2002). Coping and survival in lung cancer: a 10-year follow-up. *American Journal of Psychiatry*, 159: 2105–7.
- Faller, H., Schilleing, S. and Lang, H. (1995). Causal attribution and life threatening disease. *Journal of Psychosomatic Research* 39: 619–27.
- Fallowfield, L. J., Hall, A., Maguire, G. P. et al. (1990). Psychological outcomes of different treatment policies in women with early breast cancer outside a clinical trial. *British Medical Journal*, 301: 575–80.
- Fallowfield, L. and Jenkins, V. (2004). Communicating sad, bad, and difficult news in medicine. *Lancet*, 363: 31219.
- Fallowfield, L., Jenkins, V., Farewell, V. et al. (2002). Efficacy of a Cancer Research UK communication skills training model for oncologists: a randomised controlled trial. *The Lancet*, 359: 650–6.
- Fallowfield, L., Ratcliffe, D., Jenkins, V. and Saul, J. (2001). Psychiatric morbidity and its recognition by doctors

- in patients with cancer. *British Journal of Cancer*, 84: 1011–15.
- Family Heart Study Group (1994). Randomised controlled trial evaluating cardiovascular screening and intervention in general practice: principal results of British family heart study. *British Medical Journal*, 308: 313–20.
- Farber, N. J., Urban, S. Y., Collier, V. U. et al. (2002). The good news about giving bad news to patients. *Journal of General Internal Medicine*, 17: 914–22.
- Farquhar, J., Fortmann, S., Flora, J. et al. (1990a). Effects of community-wide education on cardiovascular disease risk factors. *Journal of the American Medical Association*, 264: 359–65.
- Farquhar, J. W., Fortmann, S. P., Flora, J. A. et al. (1990b). Effects of community-wide education on cardiovascular disease risk factors. The Stanford Five-City Project. *Journal of the American Medical Association*, 264: 359–65.
- Farquhar, J., Maccoby, N. and Wood, P. (1977). Community education for cardiovascular disease. *The Lancet*, 1: 1192–5.
- Faulkner, A. (1998). *When the News is Bad*. Cheltenham: Stanley Thorne.
- Faulkner, A., Argent, J., Jones, A. and O'Keeffe, C. (1995). Improving the skills of doctors in giving distressing information. *Medical Education*, 29: 303–7.
- Fauerbach, J. A., Lawrence, J. W., Haythornthwaite, J. A. and Richter, L. (2002). Coping with the stress of a painful medical procedure. *Behaviour Research and Therapy*, 40: 1003–15.
- Fawzy, F. I., Canada, A. L. and Fawzy, N. W. (2003). Malignant melanoma: effects of a brief, structured psychiatric intervention on survival and recurrence at 10-year follow-up. *Archives of General Psychiatry*, 60: 100–3.
- Fawzy, F. I. and Fawzy, N. W. (1998). Psychoeducational interventions. In J. Holland (Ed.), *Textbook of Psycho-Oncology*. New York: Oxford University Press.
- Fawzy, F. I., Fawzy, N. W., Hyun, C. S., Elashoff, R. et al. (1993). Malignant melanoma: effects of an early structured psychiatric intervention, coping, and affective state on recurrence and survival 6 years later. *Archives of General Psychiatry*, 50: 681–9.
- Fedele, L., Marchini, M., Acaia, B. et al. (1989). Dynamics and significance of placebo response in primary dysmenorrhea. *Pain*, 36: 43–7.
- Feldman, C. T., Bensing, J. M. and de Rujter, A. (2007). Worries are the mother of many diseases: General practitioners and refugees in the Netherlands on stress, being ill, and prejudice. *Patient Education and Counselling*, 65: 369–80.
- Feldman, P. J., Cohen, S., Doyle, W. J. et al. (1999). The impact of personality on the reporting of unfounded symptoms and illness. *Journal of Personality and Social Psychology*, 77: 370–8.
- Felsten, G. (2004). Stress reactivity and vulnerability to depressed mood in college students. *Personality and Individual Differences*, 36: 789–800.
- Fenton, K. A., Korovessis, C., Johnson, A. M. et al. (2001). Sexual behaviour in Britain: reported sexually transmitted infections and prevalence of genital *Chlamydia trachomatis* infection. *The Lancet*, 358: 1851–4.
- Ferguson, E. (2000). Hypochondriacal concerns and the five factor model of personality. *Journal of Personality*, 68: 705–24.
- Ferrie, J. E., Martikainen, P., Shipley, M. J. et al. (2001). Employment status and health after privatisation in white collar civil servants: prospective cohort study. *British Medical Journal*, 322: 647.
- Ferro, J. M. and Crespo, M. (1994). Prognosis after transient ischemic attack and ischemic stroke in young adults. *Stroke*, 25: 1611–16.
- Ferruci, L., Baldasseroni, S., Bandinelli, D. et al. (2000). Disease severity and health-related quality of life across different chronic conditions. *Journal of the American Geriatrics Society*, 48: 1490–95.
- Festinger, L. (1954). A theory of social comparison processes. *Human Relations*, 7: 117–40.
- Festinger, L. (1957). *A Theory of Cognitive Dissonance*. Stanford, CA: Stanford University Press.
- Figueiras, M. J. and Weinman, J. (2003). Do similar patient and spouse perceptions of myocardial infarction predict recovery? *Psychology and Health*, 18: 201–16.
- Figueiras, M. J., Cortes, M. A., Marcelino, D. and Weinman, J. (2010). Lay views about medicines: the influence of the illness label for the use of generic versus brand. *Psychology & Health*, 25: 1121–8.
- Filakti, H. and Fox, J. (1995). Differences in mortality by housing tenure and by car access from the OPCS Longitudinal Study. *Population Trends*, 81: 27–30.
- Fine, P. G., Roberts, W. J., Gillette, R. G. and Child, T. R. (1993). Slowly developing placebo responses confound tests of intravenous phentolamine to determine mechanisms underlying idiopathic chronic low back pain. *Pain*, 56: 235–42.
- Finkelstein, D. M., Kubzansky, L. D., Capitman, J. et al. (2006). Socioeconomic differences in adolescent stress: the role of psychological resources. *Journal of Adolescent Health*, 40: 127–34.
- Finnegan, J. R., Jr, Meischke, H., Zapka, J. G. et al. (2000). Patient delay in seeking care for heart attack symptoms: findings from focus groups conducted in five U. S. regions. *Preventive Medicine*, 31: 205–13.
- Finney, L. J. and Iannotti, R. J. (2002). Message framing and mammography screening: a theory-driven intervention. *Behavioral Medicine*, 28: 5–14.
- Fischer, M., Scharloo, M., Abbink, J. et al. (2010). The dynamics of illness perceptions: testing assumptions of Leventhal's common-sense model in a pulmonary rehabilitation setting. *British Journal of Health Psychology*, 15: 887–903.
- Fishbein, M. (1967). Attitude and the prediction of behavior. In M. Fishbein (Ed.), *Readings in Attitude Theory and Measurement*. New York: Wiley.
- Fishbein, M. and Ajzen, I. (1985). *Belief, Attitude, Intention and Behavior: An Introduction to Theory and Research*. Reading, MA: Addison-Wesley.
- Fisher, J. D., Bell, P. A. and Baum, A. (1984). *Environmental Psychology*, 2nd edn. New York: Holt, Rinehart & Winston.
- Fisher, K. and Johnston, M. (1996a). Emotional distress as a mediator of the relationship between pain and disability: an experimental study. *British Journal of Health Psychology*, 1: 207–18.

- Fisher, K. and Johnston, M. (1996b). Experimental manipulation of perceived control and its effect on disability. *Psychology and Health*, 11: 657–69.
- Fisher, K. and Johnston, M. (1998). Emotional distress and control cognitions as mediators of the impact of chronic pain on disability. *British Journal of Health Psychology*, 3: 225–36.
- Fiske, S. T. and Taylor, S. E. (1991). *Social Cognition*, 2nd edn. New York: McGraw-Hill.
- Fitzell, A. and Pakenham, K. (2010). Application of a stress-coping model to positive and negative adjustment outcomes in colorectal cancer caregiving. *Psycho-Oncology*, 19: 1171–8.
- Fleishman, J. A., Sherbourne, C. D., Cleary, P. D. et al. (2003). Patterns of coping among persons with HIV infection: configurations, correlates, and change. *American Journal of Community Psychology*, 32: 187–204.
- Fletcher, S. W., Black, W., Harris, R. et al. (1993). Report of the international workshop on screening for breast cancer. *Journal of the National Cancer Institute*, 85: 1644–56.
- Fletcher, S. W., Harris, R. P., Gonzalez, J. J. et al. (1993). Increasing mammography utilization: a controlled study. *Journal of the National Cancer Institute*, 20: 11 2–20.
- Flor, H., Breitenstein, C., Birbaumer, N. and Fuerst, M. (1993). A psychophysiological analysis of spouse solicitousness towards pain behaviours, spouse interaction and physical consequences. *Behavior Therapy*, 26: 255–72.
- Flynn, B. S., Worden, J. K., Bunn, J. Y. et al. (2007). Youth audience segmentation strategies for smoking-prevention mass media campaigns based on message appeal. *Health Education and Behavior*, 34: 578–93.
- Faa, E. B., Rothbaum, B. O., Riggs, D. S. and Murdock, T. B. (1991). Treatment of posttraumatic stress disorder in rape victims: a comparison between cognitive and behavioural procedures and counselling. *Journal of Consulting and Clinical Psychology*, 59: 715–23.
- Foley, E., Baillie, A., Huxter, M. et al. (2010). Mindfulness-based cognitive therapy for individuals whose lives have been affected by cancer: a randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 78: 72–9.
- Folkman, S. (1984). Personal control and stress and coping processes: a theoretical analysis. *Journal of Personality and Social Psychology*, 46: 839–52.
- Folkman, S. (2008). The case for positive emotions in the stress process. *Anxiety, Stress and Coping*, 21: 3–14.
- Folkman, S. (2010). Stress, coping and hope. *Psycho-Oncology*, 19: 901–8.
- Folkman, S. and Chesney, M. (1995). Coping with HIV infection. In M. Stain and A. Baum (Eds.), *Chronic Diseases. Perspectives in Behavioral Medicine*. Hillsdale, NJ: Lawrence Erlbaum.
- Folkman, S. and Lazarus, R. S. (1980). An analysis of coping in a middle-aged community sample. *Journal of Health and Social Behavior*, 21: 219–39.
- Folkman, S. and Lazarus, R. S. (1985). If it changes it must be a process: study of emotion and coping during three stages of a college examination. *Journal of Personality and Social Psychology*, 48: 150–70.
- Folkman, S. and Lazarus, R. S. (1988). *Manual for the Ways of Coping Questionnaire*. Palo Alto, CA: Consulting Psychologists Press.
- Folkman, S. K. and Moskowitz, J. T. (2000). Positive affect and the other side of coping. *American Psychologist*, 55: 647–54.
- Folkman, S. and Moskowitz, J. T. (2004). Coping: pitfalls and promise. *Annual Review of Psychology*, 55: 745–74.
- Food Standards Agency (2000). *National Diet and Nutrition Survey: Young People Aged 4–18 Years*. London: Stationery Office.
- Ford, S., Fallowfield, L. and Lewis, S. (1996). Doctor-patient interactions in oncology. *Social Science and Medicine*, 42: 1511–19.
- Ford, S., Schofield, T. and Hope, T. (2003). What are the ingredients for a successful evidence-based patient choice consultation? A qualitative study. *Social Science and Medicine*, 56: 589–602.
- Fordyce, W. E. (1976). *Behavioural Methods for Chronic Pain and Illness*. St Louis, MO: Mosby.
- Fordyce, W. E. (1982). The modification of avoidance learning in pain behaviors. *Journal of Behavioral Medicine*, 5: 405–14.
- Fordyce, W. E. (1986). Learning processes in pain. In R. A. Sternbach (Ed.), *The Psychology of Pain*, 2nd edn. New York: Raven Press.
- Forrest, G., Plumb, C., Ziebland, S. et al. (2006). Breast cancer in the family-children's perceptions of their mother's cancer and its initial treatment: qualitative study. *British Medical Journal*, 332: 998–1003.
- Forsberg-Warleby, G., Moiler, A. and Blomstrand, C. (2001). Spouses of first-ever stroke patients: psychological well-being in the first phase after stroke. *Stroke*, 32: 1 646–56.
- Farwell, G. D. (1993). *Glasgow's Health: Old Problems – New Opportunities*. A report by the Director of Public Health. Glasgow: Department of Public Health.
- Fournier, M., de Ridder, D. and Bensing, J. (2002). Optimism and adaptation to chronic disease: the role of optimism in relation to self-care options in type 1 diabetes mellitus, rheumatoid arthritis and multiple sclerosis. *British Journal of Health Psychology*, 7: 409–32.
- Frankl, V. E. (2006). *Man's Search for Meaning* (Lasch, I. Trans., 5th edn). Boston, MA: Bacon Press (original work published in 1946).
- Franzkowiak, P. (1987). Risk taking and adolescent development. *Health Promotion*, 2: 51–60.
- Frasere-Smith, N. (1991). In-hospital symptoms of psychological stress as predictors of long-term outcome after acute myocardial infarction in men. *American Journal of Cardiology*, 67: 121–7.
- Frasere-Smith, N., Lesperance, F., Gravel, G. et al. (2000). Social support, depression, and mortality during the first year after myocardial infarction. *Circulation*, 101: 1919–24.
- Frasere-Smith, N., Lesperance, F., Gravel, G. et al. (2002). Long-term survival differences among low-anxious, high-anxious and repressive copers enrolled in the Montreal heart attack readjustment trial. *Psychosomatic Medicine*, 64: 571–9.

- Frasure-Smith, N., Lesperance, F., Prince, R. H. et al. (1997). Randomised trial of home-based psychosocial nursing intervention for patients recovering from myocardial infarction. *The Lancet*, 350: 473–9.
- Frasure-Smith, N., Lesperance, F. and Talajic, M. E. (1995). Coronary heart disease/myocardial infarction: depression and 18-month prognosis after myocardial infarction. *Circulation*, 91: 999–1005.
- Frasure-Smith, N. and Prince, R. (1985). The ischemic heart disease life stress monitoring program: impact on mortality. *Psychosomatic Medicine*, 47: 431–45.
- Frattaroli, J. (2006). Experimental disclosure and its moderators: a meta-analysis. *Psychological Bulletin*, 132: 823–65.
- Frayling, T. M., Timpson, N. J., Weedon, M. N. et al. (2007). A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science*, 316: 889–94.
- Freda, M. C. (2005). The readability of American Academy of Pediatrics patient education brochures. *Journal of Pediatric Health Care*, 19: 1 51–6.
- Fredman, L., Hawkes, W. G., Black, S. et al. (2006). Elderly patients with hip fracture with positive affect have better functional recovery over 2 years. *Journal of the American Geriatric Society*, 54: 1074–81.
- Fredrickson, B. L. (1998). What good are positive emotions? *Review of General Psychology*, 2: 300–19.
- Fredrickson, B. L. (2001). The role of positive emotions in positive psychology: the broaden-and-build theory of positive emotions. *American Psychologist*, 56: 218–26.
- Fredrickson, M. and Matthews, K. A. (1990). Cardiovascular responses to behavioral stress and hypertension: a meta-analytic review. *Annals of Behavioral Medicine*, 12: 30–9.
- Freedland, K. E., Carney, R. M., Hance, M. L. et al. (1996). Cognitive therapy for depression in patients with coronary artery disease. *Psychosomatic Medicine*, 58: 93.
- Freedman, L. S., Kipnis, V., Schatzkin, A. et al. (2008). Methods of epidemiology: evaluating the fat-breast cancer hypothesis: comparing dietary instruments and other developments. *Cancer Journals* 14: 69–74.
- Freidson, E. (1961). *Patients' Views of Medical Practice*. New York: Russell Sage Foundation.
- French, D. P., Cooper, A. and Weinman, J. (2006). Illness perceptions predict attendance at cardiac rehabilitation following acute myocardial infarction: a systematic review with meta-analysis. *Journal of Psychosomatic Research*, 61: 757–767.
- French, D. P., Senior, V., Weinman, J. and Marleau, T. (2001). Causal attributions for heart disease. *Psychology and Health*, 16: 77–98.
- French, D. P., Marteau, T., Senior, V. et al. (2002). The structure of beliefs about the causes of heart attack: a network analysis. *British Journal of Health Psychology*, 7: 463–79.
- French, J. R. P., Jr, Caplan, R. D. and Van Harrison, R. (1982). *The Mechanisms of Job Stress and Strain*. Chichester: Wiley.
- French, S. A., Perry, C. L., Leon, G. R. and Fulkerson, J. A. (1993). Weight concerns, dieting behaviour, and smoking initiation among adolescents: a prospective study. *American Journal of Public Health*, 84: 1818–20.
- Freud, S. and Breuer, J. (1895). Studies on hysteria. In J. Strachey (Ed.), *The Standard Edition of the Complete Psychological Works of Sigmund Freud*. London: Hogarth Press.
- Friedman, H. S. (2003). Healthy life-style across the life-span: the heck with the Surgeon General! In J. Suls and K. A. Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Malden, MA: Blackwell.
- Friedman, H. S. and Booth-Kewley, S. (1987). The 'disease-prone personality'. A meta-analytic view of the construct. *American Psychologist*, 42: 539–55.
- Friedman, H. S., Tucker, J. S., Schwartz, J. E. et al. (1995). Childhood conscientiousness and longevity: health behaviors and cause of death. *Journal of Personality and Social Psychology*, 68: 696–703.
- Friedman, M. and Rosenman, R. H. (1959). Association of specific overt behavior pattern with blood and cardiovascular findings. *Journal of American Medical Association*, 169: 1286–97.
- Friedman, M. and Rosenman, R. H. (1974). *Type A Behavior and Your Heart*. New York: A. A. Knopf.
- Friedman, M., Thoresen, C. E., Gill, J. J. et al. (1986). Alteration of Type A behavior and its effect on cardiac recurrences in post myocardial infarction patients: summary results of the Recurrent Coronary Prevention Project. *American Heart Journal*, 11 2: 653–65.
- Friesner, S., Curry, D. and Moddeman, G. (2006). Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone. *Heart and Lung*, 35 (4): 269–76.
- Fromm, K., Andrykowski, M. A. and Hunt, J. (1996). Positive and negative psychosocial sequelae of bone marrow transplantation: implications for quality of life assessment. *Journal of Behavioral Medicine*, 19: 221–40.
- Fukui, S., Kugaya, A., Okamura, H. et al. (2000). A psychosocial group intervention for Japanese women with primary breast carcinoma. *Cancer*, 89: 1026–36.
- Fulkerson, J. A. and French, S. A. (2003). Cigarette smoking for weight loss or control among adolescents: gender and racial/ethnic differences. *Journal of Adolescent Health*, 32: 306–13.
- Funk, S. C. (1992). Hardiness: a review of theory and research. *Health Psychology*, 11: 335–45.
- Furnham, A. (1990). The Type A behaviour pattern and perception of self. *Personality and Individual Differences*, 11: 841–51.
- Furnham, A. (1997). Lay theories of work stress. *Work & Stress*, 11: 68–78.
- Gadsby, J. G. and Flowerdew, M. W. (2000). Transcutaneous nerve stimulation and acupuncture-like transcutaneous nerve stimulation for chronic low back pain. In *The Cochrane Library*, issue 2. Oxford: Update Software.
- Galavotti, C., Pappas-DeLuca, K. A. and Lansky, A. (2001). Modeling and reinforcement to combat HIV: the MARCH approach to behavior change. *American Journal of Public Health*, 91: 1602–7.

- Gall, T. L. and Cornblatt, M. W. (2002). Breast cancer survivors give voice: a qualitative analysis of spiritual factors in long-term adjustment. *Psycho-Oncology*, 11: 524–35.
- Gall, T. L., Miguez de Renart, R. M. and Boonstra, B. (2000). Religious resources in long-term adjustment to breast cancer. *Journal of Psychosocial Oncology*, 18: 21–37.
- Gallacher, J. E. J., Hopkinson, C. A., Bennett, P. et al. (1997). Effect of stress management on angina. *Psychology and Health*, 12: 523–32.
- Gallacher, J. E. J., Yarnell, J. W. G., Sweetnam, P. M. et al. (1999). Anger and incident heart disease in the Caerphilly study. *Psychosomatic Medicine*, 61: 446–53.
- Gamble, J., Fitzsimons, D., Lynes, D. et al. (2007). Difficult asthma: people's perspectives on taking corticosteroid therapy. *Journal of Clinical Nursing*, 16: 59–67.
- Gander, PH., Merry, A., Millar, M. M. et al. (2000). Hours of work and fatigue-related error: a survey of New Zealand anaesthetists. *Anaesthetics and Intensive Care*, 28: 178–83.
- Gardner-Nix, J., Backman, S., Barbati, J. et al. (2008). Evaluating distance education of a mindfulness-based meditation programme for chronic pain management. *Journal of Telemedicine and Telecare*, 14: 88–92.
- Garratt, A., Schmidt, L., Mackintosh, A. M. and Fitzpatrick, R. (2002). Quality of life measurement: bibliographic study of patient assessed health outcome measures. *British Medical Journal*, 324: 1417–21.
- Garssen, B. (2004). Psychological factors and cancer development. Evidence after 30 years of research. *Clinical Psychology Review*, 24: 115–338.
- Gascoigne, P., Mason, M. D. and Roberts, E. (1999). Factors affecting presentation and delay in patients with testicular cancer: results of a qualitative study. *Psycho-Oncology*, 8: 144–54.
- Gauce, A. M., Comer, J. P. and Schwartz, D. (1987). Longterm effect of a systems orientated school prevention program. *American Journal of Ortho-psychiatry*, 57: 127–31.
- Gaughler, J. E., Davey, A., Pearlin, L. I. et al. (2000). Modeling caregiver adaptation over time: the longitudinal impact of behaviour problems. *Psychology and Aging*, 15: 437–50.
- Gawande, A. A., Zinner, M. J., Studdert, D. M. et al. (2003). Analysis of errors reported by surgeons at three teaching hospitals. *Surgery*, 133: 614–21.
- Geirdal, A. O., Reichelt, J. G., Dahl, A. A. et al. (2005). Psychological distress in women at risk of hereditary breast/ovarian or HNPCC cancers in the absence of demonstrated mutations. *Family Cancer*, 4: 121–6.
- Gellert, G., Maxwell, R. M. and Siegel, B. S. (1993). Survival of breast cancer patients receiving adjunctive psychosocial support therapy: a 10-year follow-up study. *Journal of Clinical Oncology*, 11: 66–9.
- General Medical Council (2002). *Tomorrow's Doctors, Recommendations on Undergraduate Medical Education*. London: General Medical Council.
- Gerbert, B. (1984). Perceived likeability and competence of simulated patients: influence on physician's management plans. *Social Science and Medicine*, 18: 1053–60.
- Gerend, M. A., Aiken, L. S. and West, S. G. (2004). Personality factors in older women's perceived susceptibility to diseases of aging. *Journal of Personality*, 72: 243–70.
- Gerend, M. A. and Shepherd, J. E. (2007) Using message framing to promote acceptance of the human papillomavirus vaccine. *Health Psychology*, 26: 745–52.
- German, J. B. and Walzem, R. L. (2000). The health benefits of wine. *Annual Review of Nutrition*, 20: 561–93.
- Gibbons, C., Dempster, M. and Moutray, M. (2008). Stress and eustress in nursing students. *Journal of Advanced Nursing*, 61: 282–29.
- Gibson, P. G., Coughlan, J., Wilson, A. J. et al. (2000). Limited (information only) patient education programs for adults with asthma. *Cochrane Database Systematic Review*, issue 1, art. no.: CD001005. doi: 10. 1002/14651858. CD001005.
- Giese-Davis, J., Koopman, C., Butler, L. D. et al. (2002). Change in emotion-regulation strategy for women with metastatic breast cancer following supportive-expressive group therapy. *Journal of Consulting and Clinical Psychology*, 70: 916–25.
- Gifford, A. L., Laurent, D. D., Gonzales, V. M. et al. (1998). Pilot randomized trial of education to improve self-management skills of men with symptomatic HIV/AIDS. *Retrovirology*, 18: 136–44.
- Gil, K. M., Keefe, F. J., Grisson, J. E. et al. (1987). Social support and pain behavior *Pain*, 29: 209–17.
- Gil, K. M., Williams, D. A., Keefe, F. J. et al. (1990). The relationship of negative thoughts to pain and psychological distress. *Behavior Therapy*, 21: 349–62.
- Gill, P., Kaur, J. S., Rummans, T. et al. (2003). The hospice patient's primary caregiver. What is their quality of life? *Journal of Psychosomatic Research*, 55: 445–51.
- Gillam, S., Jarman, B., White, P. and Law. R. (1989). Ethnic differences in consultation rates in urban general practice. *British Medical Journal*, 299: 953–7.
- Gillies, PA (1991). HIV infection, alcohol and illicit drugs. *Current Opinion in Psychiatry*, 4: 448–53.
- Gilpin, E. A., Pierce, J. P, Johnson, M. et al. (1993) Physician advice to quit smoking: results from the 1990 California Tobacco Survey. *Journal of General Internal Medicine*, 8: 549–53.
- Ginandes, C., Brooks, P., Sando, W. et al. (2003). Can medical hypnosis accelerate post-surgical wound healing? Results of a clinical trial. *American Journal of Clinical Hypnosis*, 45: 333–51.
- Giummarra, M. J., Gibson, S. J., Georgiou-Karistianis, N. et al. (2007). Central mechanisms in phantom limb perception: the past, present, and future. *Brain Research Reviews*, 54: 219–32.
- Glanz, K., Grove, J., Lerman, C. et al. (1999). Correlates of intentions to obtain genetic counseling and colorectal cancer gene testing among at-risk relatives from three ethnic groups. *Cancer Epidemiology Biomarkers and Prevention*, 8: 329–36.
- Glanz, K., Lankenau, B., Foerster, S. et al. (1995). Environmental and policy approaches to cardiovascular disease prevention through nutrition: opportunities for state and local action. *Health Education Quarterly*, 22: 512–27.
- Glaser, R. and Kiecolt-Glaser, J. K. (2005). Stress-induced immune dysfunction: implications for health. *National Reviews in Immunology*, 5: 243–51.

- Glaser, R., Rice, J., Sheridan, J. et al. (1987). Stress-related immune suppression: health implications. *Brain, Behavior and Immunity*, 1: 7–20.
- Glasgow, R. E., Boles, S. M., McKay, H. G. et al. (2003). The D-Net diabetes self-management program: long-term implementation, outcomes, and generalization results. *Preventive Medicine*, 36: 410–19.
- Glasgow, R. E., Hollis, J. F., Ary, D. V. et al. (1993). Results of a year-long incentives based worksite smoking cessation program. *Addictive Behaviors*, 18: 209–16.
- Glasgow, R. E., Toobert, D. J. and Hampson, S. E. (1996). Effects of a brief office-based intervention to facilitate diabetes dietary self-management. *Diabetes Care*, 19: 835–42.
- Glenister, D. (1996). Exercise and mental health: a review. *Journal of the Royal Society of Health*, 116: 7–13.
- Glenton, C. (2002). Developing patient-centred information for back pain sufferers. *Health Expectations*, 5: 319–29.
- Goddard, E. (2006). *The General Household Survey: Smoking and Drinking Among Adults 2005*. London: Office of National Statistics.
- Goddard, M. and Smith, P. (1998). *Equity of Access to Health Care*. York: University of York.
- Godin, G., Belanger-Gravel, A., Eccles, M. and Grimshaw, J. (2006). Healthcare professionals' intentions and behaviours: A systematic review of studies based on social cognitive theories. *Implementation Science*, 3: 36.
- Godin, G. and Kok, G. (1996). The theory of planned behavior: a review of its applications to health-related behaviours. *American Journal of Health Promotion*, 11: 87–98.
- Godin, G., Lambert, L. -D., Owen, N. et al. (2004). Stages of motivational readiness for physical activity: a comparison of different algorithms of classification. *British Journal of Health Psychology*, 9: 253–67.
- Godin, G., Sheeran, P., Conner, M. and Germain, M. (2008). Asking questions changes behavior: mere measurement effects on frequency of blood donation. *Health Psychology*, 27: 179–84.
- Godin, G., Valois, P., Lepage, L. and Desharnais, R. (1992). Predictors of smoking behaviour: an application of Ajzen's theory of planned behaviour. *British Journal of Addiction*, 87: 1335–43.
- Gokee LaRose, J., Tate, D. F., Gorin, A. A. et al. (2010). Preventing weight gain in young adults: a randomized controlled pilot study. *American Journal of Preventive Medicine*, 39: 63–8.
- Goldberg, D. (1997). *General Health Questionnaire (GHQ-72)*. Windsor: NFER-Nelson.
- Goldberg, D. and Williams, P. (1988). *A User's Guide to the General Health Questionnaire*. Windsor: NFER-Nelson.
- Goldberg, L. R. and Strycker, L. A. (2002). Personality traits and eating habits: the assessment of food preferences in a large community sample. *Personality and Individual Differences*, 32: 49–65.
- Goldberg, R. J., Steg, P. G., Sadiq, I. et al. (2002). Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). *American Journal of Cardiology*, 89: 791–6.
- Goldman, S. L., Whitney-Saltiel, D., Granger, J. et al. (1991). Children's representations of 'everyday' aspects of health and illness. *Journal of Pediatric Psychology*, 16: 747–66.
- Gollwitzer, P.M. (1999). Implementation intentions: strong effects of simple plans. *American Psychologist*, 54: 493–503.
- Gollwitzer, P.M. and Brandstatter, V. (1997). Implementation intentions and effective goal pursuit. *Journal of Personality and Social Psychology*, 73: 186–99.
- Gollwitzer, P. M. and Oettingen, G. (1998). The emergence and implementation of health goals. *Psychology and Health*, 13: 687–715.
- Gollwitzer, P. M. and Oettingen, G. (2000). The emergence and implementation of health goals. In P. Norman and C. Abraham (Eds.), *Understanding and Changing Health Behaviour: From Health Beliefs to Self Regulation*. Amsterdam: Harwood Academic Press, pp. 229–60.
- Gollwitzer, P. M. and Schaal, B. (1998). Metacognition in action: the importance of implementation intentions. *Personality and Social Psychology Review*, 2: 124–36.
- Gollwitzer, P. M. and Sheeran, P. (2006). Implementation intentions and goal achievement: a meta-analysis of effects and processes. *Advances in Experimental Social Psychology*, 38: 69–119.
- Gomel, M., Oldenburg, B., Simpson, J. M. et al. (1993). Worksite cardiovascular risk reduction: a randomized trial of health risk assessment, education, counseling, and incentives. *American Journal of Public Health*, 83: 1231–8.
- Gomez, C. R., Nomellini, V., Faunce, D. E. and Kovacs, E. J. (2006). Innate immunity and aging. *Experimental Gerontology*, 43: 718–28.
- Good, A. and Abraham, C. (2007). Measuring defensive responses to threatening messages: a meta-analysis of measures. *Health Psychology Review*, 1: 208–29.
- Goode, K. T., Haley, W. E., Roth, D. L. et al. (1998). Predicting longitudinal changes in caregiver physical and mental health: a stress process model. *Health Psychology*, 17: 190–8.
- Goodkin, K., Feaster, D. J., Asthana, D. et al. (1998). A bereavement support group intervention is longitudinally associated with salutary effects on the CD4 cell count and number of physician visits. *Clinical and Diagnostic Laboratory Immunology*, 5: 382–91.
- Goodkin, K., Baldewicz, T. T., Asthana, D. et al. (2001). A bereavement support group intervention affects plasma burden of human immunodeficiency virus type 1. Report of a randomized controlled trial. *Journal of Human Virology*, 4: 44–54.
- Goodwin, D., Boggs, S. and Graham-Pole, J. (1994). Development and validation of the Pediatric Oncology Quality of Life Scale. *Psychological Assessment*, 6: 321–8.
- Goodwin, P. J., Leszcz, M., Ennis, M. et al. (2001). The effect of group psychosocial support on survival in metastatic breast cancer. *New England Journal of Medicine*, 345: 1719–26.
- Gordon, C. L., Arnette, R. A. N. M. and Smith, R. E. (2011). Have you thanked your spouse today? Felt and expressed gratitude among married couples. *Personality and Individual Differences*, 50: 3339–43.

- Gottlieb, B. H. and Bergen, A. E. (2010). Social support concepts and measures. *Journal of Psychosomatic Research*, 69: 511–20.
- Gouin, J. P., Kiecolt-Giaser, J. K., Malarkey, W. B. and Glaser, R. (2008). The influence of anger expression on wound healing. *Brain, Behavior and Immunity*, 22: 699–708.
- Goyder, E. C., McNally, P. G. and Botha, J. L. (2000). Inequalities in access to diabetes care: evidence from a historical cohort study. *Quality in Health Care*, 9: 85–9.
- Graham, H. (1994). Gender and class as dimensions of smoking behaviour in Britain: insights from a survey of mothers. *Social Science and Medicine*, 38: 691–8.
- Graham, J., Ramirez, A., Love, S. et al. (2002). Stressful life experiences and risk of relapse of breast cancer: observational cohort study. *British Medical Journal*, 324: 1420–3.
- Graham, J. E., Christian, L. M. and Kiecolt-Giaser, J. K. (2006). Stress, age and immune function: toward a lifespan approach. *Journal of Behavioral Medicine*, 29: 389–400.
- Gratton, L., Povey, R. and Clark-Carter, D. (2007). Promoting children's fruit and vegetable consumption: interventions using the Theory of Planned Behaviour as a framework. *British Journal of Health Psychology*, 12: 39–50.
- Gray, S. E. and Rutter, D. R. (2007). Illness representations in young people with Chronic Fatigue Syndrome. *Psychology and Health*, 22: 159–74.
- Greco, P., Pendley, J. S., McDonell, K. et al. (2001). A peer group intervention for adolescents with type 1 diabetes and their best friends. *Journal of Pediatric Psychology*, 26: 485–90.
- Green, B. L., Rowland, J. H., Krupnick, J. L. et al. (1998). Prevalence of posttraumatic stress disorder in women with breast cancer. *Psychosomatics*, 39: 102–11.
- Green, C. R., Baker, T. A., Sato, Y. et al. (2003). Race and chronic pain: a comparative study of young black and white Americans presenting for management. *Journal of Pain*, 4: 176–83.
- Greenglass, E., Fiksenbaum, L. and Eaton, J. (2006). The relationship between coping, social support, functional disability and depression in the elderly. *Anxiety, Stress, and Coping*, 19: 5–31.
- Greenwood, C. R., Carta, J. J. and Kamps, D. (1990). Teacher versus peer-mediated instruction: a review of educational advantages and disadvantages. In H. Foot, M. Morgan and R. Shute (Eds.), *Children Helping Children*. Chichester: Wiley.
- Greenwood, D. C., Muir, K. R., Packham, C. J. et al. (1996). Coronary heart disease: a review of the role of psychosocial stress and social support. *Journal of Public Health Medicine*, 18: 221–31.
- Greer, S. (1999). Mind-body research in psycho-oncology. *Advances in Mind-Body Medicine*, 15: 236–81.
- Greer, S., Morris, T. and Pettingale, K. (1979). Psychological responses to breast cancer: effect on outcome. *The Lancet*, 2: 940–9.
- Greer, S., Morris, T., Pettingale, K. and Haybittle, J. (1990). Psychological response to breast cancer and 15 year outcome. *The Lancet*, 335: 49–50.
- Grey, M., Boland, E. A., Davidson, M. et al. (2000). Coping skills training for youths with diabetes mellitus has long-lasting effects on metabolic control and quality of life. *Journal of Pediatrics*, 137: 107–13.
- Griffin-Blake, C. S. and DeJoy, D. M. (2006). Evaluation of social-cognitive versus stage-matched, self-help physical activity interventions at the workplace. *American Journal of Health Promotion*, 20: 200–9.
- Griffith, G. L., Morrison, V., Williams, J. M. G. and Tudor Edwards, R. (2009). Can we assume that research participants are utility maximisers? *European Journal of Health Economics*, 10: 187–96.
- Grigsby, A. B., Anderson, R. J., Freedland, K. E. et al. (2002). Prevalence of anxiety in adults with diabetes. A systematic review. *Journal of Psychosomatic Research*, 53: 1053–60.
- Griva, K., Myers, L. B. and Newman, S. (2000). Illness perceptions and self-efficacy beliefs in adolescents and young adults with insulin dependent diabetes mellitus. *Psychology and Health*, 15: 733–50.
- Grodstein, F., Chen, J. and Willett, W. C. (2003). High-dose antioxidant supplements and cognitive function in community-dwelling elderly women. *American Journal of Clinical Nutrition*, 77: 975–84.
- Gross, C. R., Kreitzer, M. J., Thomas, W. et al. (2010). Mindfulness-based stress reduction for solid organ transplant recipients: a randomized controlled trial. *Alternative Therapies in Health and Medicine*, 16: 36–44.
- Grossardt, B. R., Bower, J. H., Geda, Y. E. et al. (2009). Pessimistic, anxious, and depressive personality traits predict all-cause mortality: the Mayo Clinic cohort study of personality and ageing. *Psychosomatic Medicine*, 71: 491–500.
- Grossarth-Maticek, R., Bastiaans, J. et al. (1985). Psychosocial factors as strong predictors of mortality from cancer, ischemic heart disease and stroke: the Yugoslav prospective study. *Journal of Psychosomatic Research*, 29: 167–76.
- Grundy, E. and Bowling, A. (1999). Enhancing the quality of extended life years: identification of the oldest old with a very good and very poor quality of life. *Ageing and Mental Health*, 3: 199–212.
- Grunfeld, E. A., Hunter, M. S., Ramirez, A. J. et al. (2003). Perceptions of breast cancer across the lifespan. *Journal of Psychosomatic Research*, 54: 141–6.
- Gudbergsson, S. B., Fossa, S. D., Sanne, B. et al. (2007). A controlled study of job strain in primary-treated cancer patients without metastases. *Acta Oncologica*, 46: 534–44.
- Gudmundsdottir, H., Johnston, M., Johnston, D. et al. (2001). Spontaneous, elicited and cued causal attributions in the year following a first myocardial infarction. *British Journal of Health Psychology*, 6: 81–96.
- Gulland, A. (2002). BMA steps up call for ban on smoking in public places. *British Medical Journal*, 325: 1058.
- Guthrie, R. M. (2001). The effects of postal and telephone reminders on compliance with pravastatin therapy in a national registry: results of the first myocardial infarction risk reduction program. *Clinical Therapeutics*, 23: 970–80.

- Gutteling, J. J., Darlington, A-S. E., Janssen, H. L. A. et al. (2007). Effectiveness of health-related quality of life measurement in clinical practice: a prospective, randomized controlled trial in patients with chronic liver disease and their physicians. *Quality of Life Research*, 17: 195–205.
- Haan, M. H. (2003). Can vitamin supplements prevent cognitive decline and dementia in old age? (editorial). *American Journal of Clinical Nutrition*, 77: 762–3.
- Haan, M. N. and Kaplan, G. A. (1985). The contribution of socio-economic position to minority health. In M. Heckler (Ed.), *Report of the Secretary's Task Force on Black and Minority Health: Crosscutting Issues in Health and Human Services*. Washington, DC: US Department of Health and Human Services.
- Haas, D. C., Davidson, K. W., Schwartz, D. J. et al. (2005). Depressive symptoms are independently predictive of carotid atherosclerosis. *American Journal of Cardiology*, 95: 547–50.
- Haberman, D. and Bloomfield, D. S. F. (1988). Social class differences in mortality in Great Britain around 1981. *Journal of the Institute of Actuaries*, 115: 495–517.
- Habra, M. E., Linden, W., Anderson, J. C. et al. (2003). Type D personality is related to cardiovascular and neuroendocrine reactivity to acute stress. *Journal of Psychosomatic Research*, 55: 235–45.
- Hack, T. F. and Degner, L. F. (2004). Coping responses following breast cancer diagnosis predicts psychological adjustment 3 years later. *Psycho-Oncology*, 13: 235–47.
- Hagedoorn, M., Dagan, M., Puterman, E. et al. (2010). Relationship satisfaction in couples confronted with colorectal cancer: the interplay of past and current spousal support. *Journal of Behavioral Medicine*, doi: 10.1007/s10865-010-9311-7
- Hagedoorn, M., Dagan, M., Puterman, E. et al. (2011). Relationship satisfaction in couples confronted with colorectal cancer: the interplay of past and current spousal support. *Journal of Behavioral Medicine* [Epub ahead of print]. doi: 10.1007/s10865-010-9311-7.
- Hagedoorn, M., Sandermann, R., Buunk, B. P. et al. (2002). Failing in spousal caregiving: the 'identity-relevant stress' hypothesis to explain sex differences in caregiver distress. *British Journal of Health Psychology*, 7: 481–94.
- Hagger, M. (2010). Editorial: Self-regulation: an important construct in health psychology research and practice. *Health Psychology Review*, 4: 57–65.
- Hagger, M., Chatzisarantis, N., Biddle, S. J. H. et al. (2001). Antecedents of children's physical activity intentions and behaviour: predictive validity and longitudinal effects. *Psychology and Health*, 16: 391–407.
- Hagger, M., Chatzisarantis, N., Biddle, S. J. H. (2002). A meta-analytic review of the theories of reasoned action and planned behavior in physical activity: predictive validity and the contribution of additional variables. *Journal of Sport and Exercise Psychology*, 24: 3–28.
- Hagger, M. S. and Orbell, S. (2003). A meta-analytic review of the common-sense model of illness representations. *Psychology and Health*, 18: 141–84.
- Hagger, M. S., Wood, C., Stiff, C. and Chatzisarantis, N. L. D. (2007). The strength model of self-regulation failure and health-related behaviour. *Health Psychology Review*, 3: 208–38.
- Hagger, M., Wood, C., Stiff, C. and Chatzisarantis, N. L. (2010). Ego depletion and the strength model of self-control: a meta-analysis. *Psychological Bulletin*, 136: 495–525.
- Hajek, P., Taylor, T. Z. and Mills, P. (2002). Brief intervention during hospital admission to help patients to give up smoking after myocardial infarction and bypass surgery: randomised controlled trial. *British Medical Journal*, 324: 87–9.
- Hakama, M., Coleman, M. P., Alexe, D. M. and Auvien, A. (2008). Cancer screening: evidence and practice in Europe 2008. *European Journal of Cancer*, 44: 1404–13
- Hakim, A. A., Petrovitch, H., Burchfield, C. M. et al. (1998). Effects of walking on mortality among non-smoking retired men. *New England Journal of Medicine*, 338: 94–9.
- Hale, G. (1996). The social construction of grief. In N. Cooper, C. Stevenson and G. Hale (Eds.), *Integrating Perspectives on Health*. Buckingham: Open University Press.
- Hale, S., Grogan, S. and Willott, S. (2007). Patterns of self-referral in men with symptoms of prostate disease. *British Journal of Health Psychology*, 12: 403–19.
- Halford, J. C. G. and Blundell, J. E. (2000). Serotonin drugs and the treatment of obesity. In T. G. Heffner and D. H. Lockwood (Eds.), *Obesity Pathology and Therapy*. Berlin: Springer Verlag.
- Hall, A. M., Kamper, S. J., Maher, C. G. et al. (2011). Symptoms of depression and stress mediate the effect of pain on disability. *Pain*, 152: 1044–51.
- Hall, E. E., Ekkekakis, P. and Petruzzello, S. J. (2002). The affective beneficence of vigorous exercise revisited. *British Journal of Health Psychology*, 7: 47–66.
- Hall, J. A., Roter, D. L. and Katz, N. R. (1988). Meta-analysis of correlates of provider behavior in medical encounters. *Medical Care*, 26: 657–75.
- Hall, J. A. and Roter, D. L. (2002). Do patients talk differently to male and female physicians? A meta-analytic review. *Patient Education and Counseling*, 48: 217–24.
- Hall, K. L. and Rossi, J. S. (2008). Meta-analytic examinations of the strong and weak principles across 48 health behaviours. *Preventive Medicine*, 46: 266–74.
- Haij, R. A. and Fong, G. T. (2007). Temporal self-regulation theory: a model for individual health behavior. *Health Psychology Review*, 1: 6–52.
- Hall, S. M., Humfleet, G. L., Munoz, R. F. et al. (2009). Extended treatment of older cigarette smokers. *Addiction*, 104: 1043–52.
- Hall, S. and Marteau, T. M. (2003). Causal attributions following serious unexpected negative events: a systematic review. *Journal of Social and Clinical Psychology*, 22: 515–36.
- Hall, S. M., Tunstall, C., Rugg, D., Jones, R. T. and Benowitz, N. (1985). Nicotine gum and behavioral treatment in smoking cessation. *Journal of Consulting and Clinical Psychology*, 53: 256–8.

- Hallal, P. C., Victora, C. G., Azevedo, M. R. et al. (2006). Adolescent physical activity and health: a systematic review. *Sports Medicine*, 36: 1019–30.
- Hallaraker, E., Arefjord, K., Havik, O. E. and Maeland, J. G. (2001). Social support and emotional adjustment during and after a severe life event: a study of wives of myocardial infarction patients. *Psychology and Health*, 16: 343–56.
- Halstead, M. T. and Fernsler, J. I. (1994). Coping strategies of long-term cancer patients. *Cancer Nursing*, 17: 94–100.
- Hamer, M. and Karageorghis, C. (2007). Psychological mechanisms of exercise dependence. *Sports Medicine*, 37: 477–85.
- Hammerfald, K., Eberle, C., Grau, M. et al. (2006). Persistent effects of cognitive-behavioral stress management on cortisol responses to acute stress in healthy subjects: a randomized controlled trial. *Psychoneuroendocrinology*, 31: 333–9.
- Hammig, O., Gutzwiller, F. and Bauer, G. (2009). Work-life conflict and associations with work- and nonwork-related factors and with physical and mental health outcomes: a nationally representative cross-sectional study in Switzerland. *BMC Public Health*, 30: 435.
- Hampson, S. E., Glasgow, R. E. and Toobert, D. J. (1990). Personal models of diabetes and their relation to self-care activities. *Health Psychology*, 9: 632–46.
- Hampson, S. E., Glasgow, R. E. and Zeiss, A. (1994). Personal models of osteoarthritis and their relation to self-management activities and quality of life. *Journal of Behavioural Medicine*, 17: 143–58.
- Han, K. S. (2002). The effect of an integrated stress management program on the psychologic and physiologic stress reactions of peptic ulcer in Korea. *International Journal of Nursing Studies*, 39: 539–48.
- Hankonen, N., Absetz, P., Ghisletta, P., Renner, B. and Uutela, A. (2010). Gender differences in social cognitive determinants of exercise adoption. *Psychology & Health*, 25: 55–69.
- Hanson, R. W. and Gerber, K. E. (1990). *Coping with Chronic Pain. A Guide to Patient Self-management*. New York: Guilford Press.
- Harburg, E. J. C., Chape, C., Erfurt, J. C. et al. (1973). Socio-ecological stressor areas and black and white blood pressure: Detroit. *Journal of Chronic Disease*, 26: 595–611.
- Harcourt, D., Ambler, N., Rumsey, N. et al. (1998). Evaluation of a one-stop breast lump clinic: a randomised controlled trial. *The Breast*, 7: 314–19.
- Harcourt, D., Rumsey, N. and Ambler, N. (1999). Same-day diagnosis of symptomatic breast problems: psychological impact and coping strategies. *Psychology, Health & Medicine*, 4: 57–71.
- Harding, S. and Maxwell, R. (1997). Differences in mortality of migrants. In F. Drever and M. Whitehead (Eds.), *Health Inequalities: Decennial Supplement*. London: HMSO.
- Harkapaa, K., Jarvikoski, A., Mellin, G., Hurri, H. and Luoma, J. (1991). Health locus of control beliefs and psychological distress as predictors for treatment outcome in low-back pain patients: results of a 3-month follow-up of a controlled intervention study. *Pain*, 46: 35–41.
- Harland, J., White, M., Drinkwater, C., Chinn, D., Farr, L. and Howel, D. (1999). The Newcastle Exercise Project: a randomised controlled trial of methods to promote physical activity in primary care. *British Medical Journal*, 319: 828–32.
- Harris, A. H., Thoresen, C. E., Humphreys, K. et al. (2005). Does writing affect asthma? A randomized trial. *Psychosomatic Medicine*, 67: 130–6.
- Harris, D. M. and Guten, S. (1979). Health-protective behaviour: an exploratory study. *Journal of Health and Social Behavior*, 20: 17–29.
- Harris, P. and Middleton, W. (1994). The illusion of control and optimism about health: on being less at risk but no more in control than others. *British Journal of Social Psychology*, 33: 369–86.
- Harris, T., Ferrucci, L., Tracy, R. et al. (1999). Associations of elevated interleukin-6 and C-reactive protein levels with mortality and the elderly. *American Journal of Medicine*, 106: 506–12.
- Harrison, J. A., Mullen, P. D. and Green, L. W. (1992). A metaanalysis of studies of the health belief model with adults. *Health Education Research, Theory and Practice*, 7: 107–16.
- Harrison, M. O., Koenig, H. G., Hays, J. C. et al. (2001). The epidemiology of religious coping: a review of recent literature. *International Reviews in Psychiatry*, 13: 86–93.
- Hart, C. L., Davey-Smith, G., Hole, D. J. and Hawthorne, V. M. (1999). Alcohol consumption and mortality from all causes, coronary disease, and stroke: results from a prospective cohort study of Scottish men with 21 years of follow-up. *British Medical Journal*, 318: 133–40.
- Hart, H., Bilo, H., Redekop, W. et al. (2003). Quality of life in patients with type 1 diabetes mellitus. *Quality of Life Research*, 12: 1089–97.
- Hartford, K., Wong, C. and Zakaria, D. (2002). Randomized controlled trial of a telephone intervention by nurses to provide information and support to patients and their partners after elective coronary artery bypass graft surgery: effects of anxiety. *Heart and Lung*, 31: 199–206.
- Haste, H. (2004). *My Body, My Self: Young People's Values and Motives about Healthy Living, Report 2*. London: Nestle Social Research Programme.
- Hatava, P., Olsson, G. L. and Lagerkranser, M. (2000). Preoperative psychological preparation for children undergoing ENT operations: a comparison of two methods. *Paediatric Anaesthesia*, 10: 477–86.
- Hathaway, D. (1986). Effect of preoperative instruction on postoperative outcomes: a meta-analysis. *Nursing Research*, 35: 269–75.
- Hausenblas, H. A. and Symons Downs, D. (2002). How much is too much? The development and validation of the Exercise Dependence Scale. *Psychology and Health*, 17: 387–404.
- Havik, O. E. and Maeland, J. G. (1988). Changes in smoking behavior after a myocardial infarction. *Health Psychology*, 7: 403–20.
- Hayes, N. and Joseph, S. (2003). Big 5 correlates of three measures of subjective wellbeing. *Personality and Individual Differences*, 34: 723–27.
- Hayes, L., White, M., Unwin, N. et al. (2002). Patterns of physical activity and relationship with risk markers for cardiovascular disease and diabetes in Indian, Pakistani, Bangladeshi and European adults in a UK population. *Journal of Public Health Medicine*, 24: 170–8.

- Hayes, S. C., Strosahl, K. D., Bunting, K. et al. (2004). What is acceptance and commitment therapy? In S. C. Hayes and K. D. Strosahl (Eds.), *A Practical Guide to Acceptance and Commitment Therapy*. New York: Springer.
- Haynes, B. and Haines, A. (1998). Barriers and bridges to evidence-based clinical practice. *British Medical Journal*, 317: 273–6.
- Haynes, G. and Feinleib, M. (1980). Women, work, and coronary heart disease: prospective findings from the Framingham heart study. *American Journal of Public Health*, 70: 133–41.
- Haynes, R. B., Ackloo, E., Sahota, N. et al. (2008). Interventions for enhancing medication adherence. *Cochrane Database of Systematic Reviews*, issue 4, art. no.: CD000011. doi: 10.1002/14651858.CD000011
- Haynes, R. B., McKibbon, A. and Kanani, R. (1996). Systematic review of randomized trials of interventions to assist patients to follow prescriptions for medications. *The Lancet*, 384: 383–5.
- Haynes, S. G., Feinleib, M. and Kannel, W. B. (1980). The relationship of psychosocial factors to coronary heart disease in the Framingham study. III. Eight year incidence of coronary heart disease. *American Journal of Epidemiology*, 111: 37–58.
- Health Development Agency Magazine (2005). *Smoking Out Pregnant Teenagers*, Issue 25, Feb/March.
- Health Education Authority (1997). *Guidelines: Promoting Physical Activity with Black and Minority Ethnic Groups*. London: Health Education Authority.
- Health Education Authority (1998). *Young and Active? Policy Framework for Young People and Health – Enhancing Physical Activity*. London: Health Education Authority.
- Health Promotion Authority for Wales (1996). *Lifestyle Changes in Wales. Health in Wales Survey 7996*, Technical Report no. 27. Cardiff: Health Promotion Authority for Wales.
- Health Protection Agency (2010). *HIV in the United Kingdom: 2010 Report*. HPA. Also available online at: www.hpa.org.uk/topics/infectiousdiseases/infectionsAZ/HIV.
- Health Survey for England (2006). <http://www.ic.nhs.uk/statistics-and-data-collections/healthand-lifestyles-related-surveys/health-survey-for-england/health-survey-for-england-2006-latest-trends>.
- Health Survey for England (2007). Leeds: Health and Social Care Information Centre (2008), available from www.ic.nhs.uk.
- Health Survey for England (2008). Trend Tables. The NHS Information Centre, 2009. http://www.ic.nhs.uk/webfiles/publications/HSE/HSE08trends/Health_Survey_for_england_trend_tables_2008.pdf.
- Health Utilisation Research Alliance (2006). Ethnicity, socioeconomic deprivation and consultation rates in New Zealand general practice. *Journal of Health Service Research and Policy*, 11: 141–9.
- Healy, C. M. and McKay, M. F. (2000). Nursing stress: the effects of coping strategies and job satisfaction in a sample of Australian nurses. *Journal of Advanced Nursing*, 31: 681–8.
- Heather, N. and Robertson, I. (1997). *Problem Drinking*. Oxford: Oxford University Press.
- Heaven, C. M. and Maguire, P. (1998). The relationship between patients' concerns and psychological distress in a hospice setting. *Psycho-Oncology*, 7: 502–7.
- Hedges, J. R., Mann, N. C., Meischke, H. et al. (1998). Assessment of chest pain onset and out-of-hospital delay using standardised interview questions: the REACT pilot study. *Academic Emergency Medicine*, 5: 773–80.
- Heider, F. (1958). *The Psychology of Interpersonal Relations*. New York: Wiley.
- Heijmans, M. (1998). Coping and adaptive outcome in chronic fatigue syndrome: importance of illness cognitions. *Journal of Psychosomatic Research*, 45: 39–51.
- Heijmans, M. and de Ridder, D. (1998). Structure and determinants of illness representation in chronic disease: a comparison of Addison's disease and chronic fatigue syndrome. *Journal of Health Psychology*, 3: 523–37.
- Heijmans, M., de Ridder, D. and Bensing, J. (1999). Dissimilarity in patients' and spouses' representations of chronic illness: explorations of relations to patient adaptation. *Psychology and Health*, 14: 451–66.
- Heim, E., Augustiny, K., Blaser, A. and Burki, C. (1987). Coping with breast cancer: a longitudinal prospective study. *Psychotherapy and Psychosomatics*, 48: 44–59.
- Heine, S. J. and Lehman, D. R. (1995). Cultural variation in unrealistic optimism: does the West feel more invulnerable than the East? *Journal of Personality and Social Psychology*, 68: 595–607.
- Helder, D. I., Bakker, B., deHeer, P., van der Veen, F., Vossen, J. M. J. J., Wit, J. M. and Kaptein, A. A. (2004). Quality of life in adults following bone marrow transplantation during childhood. *Bone Marrow Transplantation*, 33: 329–36.
- Helgeson, V.S., Reynolds, K. A. and Tomich, P.L. (2006). A meta-analytic review of benefit-finding and growth. *Journal of Consulting and Clinical Psychology*, 74: 797–816.
- Helman, C. (1978). Feed a cold starve a fever: folk models of infection in an English suburban community and their relation to medical treatment. *Culture, Medicine and Psychiatry*, 2: 107–37.
- Henderson, L., Gregory, J. and Swan, G. (2002). *The National Diet and Nutrition Survey: Adults Aged 79 to 64 years*. London: HMSO.
- Henselmans, I., Fleer, J., de Vries, J. et al. (2010). The adaptive effect of personal control when facing breast cancer: cognitive and behavioural mediators. *Psychology & Health*, 25: 1023–40.
- Heloma, A. and Jaakola, M. S. (2003). Four-year follow-up of smoke exposure, attitudes and smoking behaviour following enactment of Finland's national smoke-free work-place law. *Addiction*, 98: 1111–17.
- Hemingway, H. and Marmot, M. (1999). Psychosocial factors in the aetiology and prognosis of coronary heart disease: systematic review of prospective cohort studies. *British Medical Journal*, 318: 1460–7.
- Hendry, L. B. and Kloep, M. (2002). *Lifespan Development: Resources, Challenges, Risks*. London: Thomson Learning.
- Hennessy, D. A., Lanni-Manley, E. and Maiorana, N. (2006). The effects of fatal vision goggles on drinking and driving intentions in college students. *Journal of Drug Education*, 36: 59–72.
- Hennrikus, D. J., Jeffery, R. W., Lando, H. A. et al. (2002). The SUCCESS project: the effect of program format and incentives on participation and cessation in worksite smoking cessation programs. *American Journal of Public Health*, 92: 274–9.
- Herbert, T. B. and Cohen, S. (1993). Stress and immunity in humans: a meta-analytic review. *Psychosomatic Medicine*, 55: 364–79.

- Herman, P.M. and Walsh, M. E. (2010). Hospital admissions for acute myocardial infarction, angina, stroke, and asthma after implementation of Arizona's comprehensive Statewide Smoking Ban. *American Journal of Public Health*, 101: 491–6.
- Herrman, C. and Wortman, C. (1985). Action control and the coping process. In J. Kuhl and J. Beckman (Eds.), *Action Control: From Cognition to Behavior*. New York: Springer-Verlag.
- Herzlich, C. (1973). *Health and Illness: A Social Psychological Analysis*. London: Academic Press.
- Herzog, T. A. (2008). Analysing the transtheoretical model using the framework of Weinstein, Rothman and Sutton (1996): the example of smoking cessation. *Health Psychology*, 27: 548–56.
- Hewitt, D., McDonald, M., Portenoy, R., Rosenfield, B., Passik, S. and Breitbart, W. (1997). Pain syndromes and etiologies in ambulatory AIDS patients. *Pain*, 70: 17–23.
- Higginson, I. J. and Carr, A. J. (2001). Using quality of life measures in the clinical setting. *British Medical Journal*, 322: 1297–300.
- Hillier, S. M. and Jewell, J. A. (1983). *Health care and traditional medicine in China, 7800–7982*. London: Routledge.
- Hingson, R. M., Heeren, T., Winter, M. R. and Wechsler, H. (2002). Early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking. *Pediatrics*, 111: 34–41.
- Hinton, J. (1999). The progress of awareness and acceptance of dying assessed in cancer patients and their caring relatives. *Palliative Medicine*, 13: 19–35.
- Ho, S. M. Y., Chan, C. L. W. and Ho, R. T. H. (2004). Post-traumatic growth in Chinese cancer survivors. *Psycho-Oncology*, 13: 377–89.
- Hoare, J. and Flatley, J. (2008). *Drug Misuse Declared: Findings from the 2007/08 British Crime Survey*. Home Office Statistical Bulletin 13/08. London: Home Office. Available from: <http://www.homeoffice.gov.uk/rds/pdfs08/hosb1308.pdf>.
- Hobfoll, S. E. (1989). Conservation of resources: a new attempt at conceptualizing stress. *American Psychologist*, 44: 513–24.
- Hobfoll, S. (1991). Traumatic stress: a theory based on rapid loss of resources. *Anxiety Research*, 4: 187–97.
- Hobfoll, S. E. (2001). The influence of culture, community, and the nested-self in the stress processes: advancing conservation of resources theory. *Applied Psychology: An International Review*, 50: 337–421.
- Hobfoll, S. E., Jackson, A. P., Lavin, J., Britton, P. J. and Shepherd, J. B. (1994). Women's barriers to safer sex. *Psychology and Health*, 9: 233–52.
- Hobfoll, S. E. and Lilly, R. S. (1993). Conservation of resources; a new attempt at conceptualising stress. *American Psychologist*, 44: 513–24.
- Hodgson, S. and Maher, E. (1999). *A Practical Guide to Human Cancer Genetics*. Cambridge: Cambridge University Press.
- Hoffman, S., O'Sullivan, L. F., Harrison, A et al. (2006). HIV risk behaviors and the context of sexual coercion in young adults' sexual interactions: results from a diary study in rural South Africa. *Sexually Transmitted Diseases*, 33: 52–8.
- Hofmann, W., Friese, M. and Wiers, R. W. (2007). Impulsive versus reflective influences on health behavior: a theoretical framework and empirical review. *Health Psychology Review*, 2: 111–37.
- Hogbin, B. and Fallowfield, L. (1989). Getting it taped: the 'bad news' consultation with cancer patients. *British Journal of Hospital Medicine*, 41: 330–3.
- Holick, M. F. (2004). Sunlight and vitamin D for bone health and prevention of autoimmune disease, cancers and cardiovascular disease. *American Journal of Clinical Nutrition*, 80 (suppl. 6), S1 678–1688.
- Holland, J. C. and Goen-Piels, J. (2000). Principles of psycho-oncology. In J. C. Holland and E. Frei (Eds.), *Psychological Care of the Patient with Cancer*. New York: Oxford University Press.
- Holland, W. W. and Stewart, S. (2005). *Screening in Disease Prevention: What Works?* Oxford: Radcliffe.
- Hollis, J. F., Connett, J. E., Stevens, V. J. and Greenlick, M. R. (1990). Stressful life events. Type A behaviour, and the prediction of cardiovascular disease and total mortality over six years. *Journal of Behavioral Medicine*, 13: 263–81.
- Holmes, T. H. and Rahe, R. H. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, 11: 213–18.
- Holmes, T. H. and Masuda, M. (1974). Life change and illness susceptibility. In B. S. Dohrenwend and B. P. Dohrenwend (Eds.), *Stressful Life Events: Their Nature and Effects*. New York: Wiley.
- Holroyd, K. A. and Lipchik, G. L. (1999). Psychological management of recurrent headache disorders: progress and prospects. In R. J. Gatchel and D. C. Turk (Eds.), *Psychosocial Factors in Pain*. New York: Guilford Press.
- Holroyd, K. A., O'Donnell, F. J., Stensland, M. et al. (2001). Management of chronic tension-type headache with tricyclic antidepressant medication, stress management therapy, and their combination. *Journal of the American Medical Association*, 285: 2208–15.
- Holtzman, S., Newth, S. and DeLangis, A. (2004). The role of social support in coping with daily pain among patients with rheumatoid arthritis. *Journal of Health Psychology*, 9: 749–67.
- Holzner, B., Kemmler, G., Cella, D. et al. (2004). Normative data for functional assessment of cancer therapy: general scale and its use for the interpretation of quality of life scores in cancer survivors. *Acta Oncologica*, 43: 153–60.
- Hood, K. K., Peterson, C., Rohan, J. M. and Drotar, D. (2009). Association between adherence and glycemic control in pediatric Type 1 diabetes: a meta-analysis. *Pediatrics*, 24: e1171–e1179.
- Hooker, K., Monahan, D., Shifren, K. et al. (1992). Mental and physical health of spouse caregivers: the role of personality. *Psychology and Aging*, 7: 367–75.
- Hooper, L., Bartlett, C., Davey-Smith, G. et al. (2002). Systematic review of long-term effects of advice to reduce dietary salt in adults. *British Medical Journal*, 325: 628–32.
- Hoorens, V. and Buunk, B. P. (1993). Social comparisons of health risks: locus of control, the person-positivity bias, and unrealistic optimism. *Journal of Applied Social Psychology*, 23: 291–302.

- Hopwood, P. (1997). Psychological issues in cancer genetics: current research and future priorities. *Patient Education and Counselling*, 32: 19–31.
- Horgan, R. P. and Kenny, L. C. (2007). Management of teenage pregnancy. *The Obstetrician and Gynaecologist*, 9: 153–8.
- Horne, P. J., Hardman, C. A., Lowe, C. F. et al. (2009). Increasing parental provision and children's consumption of lunchbox fruit and vegetables in Ireland: the Food Dudes intervention. *European Journal of Clinical Nutrition*, 63: 613–18.
- Horne, P. J., Tapper, K., Lowe, C. F., Hardman, C. A., Jackson, M. C. and Woolner, J. (2004). Increasing children's fruit and vegetable consumption: a peer modelling and rewards-based intervention. *European Journal of Clinical Nutrition*, 58: 1649–60.
- Horne, R. (1997). Representations of medication and treatment: advances in theory and measurement. In K. J. Petrie and J. Weinman (Eds.), *Perceptions of Health and Illness*. Chur, Switzerland: Harwood.
- Horne, R. (2001). Compliance, adherence and concordance. In K. Taylor and G. Harding (Eds.), *Pharmacy Practice*. London: Taylor & Francis, pp. 165–84.
- Horne, R. (1999). Patients' beliefs about treatment: the hidden determinant of treatment outcome? *Journal of Psychosomatic Research*, 47: 491–5.
- Horne, R. and Weinman, J. (1999). Patients' beliefs about prescribed medicines and their role in adherence to treatment in chronic physical illness. *Journal of Psychosomatic Research*, 47: 555–67.
- Horne, R. and Weinman, J. (2002). Self-regulation and self-management in asthma: exploring the role of illness perceptions and treatment beliefs in explaining non-adherence to preventer medication. *Psychology and Health*, 17: 17–32.
- Hosking, S. G., Marsh, N. V. and Friedman, P. J. (1996). Post-stroke depression: prevalence, course and associated factors. *Neuropsychological Review*, 6: 107–33.
- Hath, K. F., Wamboldt, F. S., Bowler, R. et al. (2011). Attributions about cause of illness in chronic obstructive pulmonary disease. *Journal of Psychosomatic Research*, 70: 465–72.
- Hotopf, M., Chidgey, J., Addington-Hall, J. and Ly, K. L. (2002). Depression in advanced disease: a systematic review. Part 1: Prevalence and case finding. *Palliative Medicine*, 16: 81–97.
- House, A., Dennis, M., Mogridge, L., Warlow, C., Hawton, K. and Jones, L. (1991). Mood disorders in the year after first stroke. *British Journal of Psychiatry*, 2: 211–21.
- House, J. S. (1987). Chronic stress and chronic disease in life and work: conceptual and methodological issues. *Work and Stress*, 1: 129–34.
- House, J. S., Kessler, R., Herzog, A. R., Mero, R., Kinney, A. and Breslow, M. (1991). Social stratification, age, and health. In K. W. Scheie, D. Blazer and J. S. House (Eds.), *Aging, Health Behaviours, and Health Outcomes*. Hillsdale, NJ: Lawrence Erlbaum.
- House, J. S., Robbins, C. and Metzner, H. L. (1982). The association of social relationships and activities with mortality: prospective evidence from the Tecumseh Community Health Study. *American Journal of Epidemiology*, 116: 123–40.
- Houston, B. K., Chesney, M. A., Black, G. W., Cates, D. S. and Hecker, M. H. L. (1992). Behavioral clusters and coronary heart disease. *Psychosomatic Medicine*, 54: 447–61.
- Houston, M. (2004). Commissioner denies plans for a Europe-wide smoking ban. *British Medical Journal*, 328: 544.
- Hu, F. B. (2003). Overweight and obesity in women: health risks and consequences. *Journal of Women's Health* 12: 163–72.
- Hu, F. B., Willett, W. C., Colditz, G. A., Ascherio, A., Speizer, F. E., Rosner, B., Hennekens, C. H. and Stampfer, M. J. (1996). Prospective study of snoring and risk of hypertension in women. *American Journal of Epidemiology*, 150: 806–16.
- Hu, F. B., Willett, W. C., Manson, J. E., Colditz, G. A., Rimm, D. B., Speizer, F. E., Hennekens, C. H. and Stampfer, M. J. (1996). Snoring and risk of cardiovascular disease in women. *Journal of the American College of Cardiology*, 35: 308–13.
- Hu, T.-W., Sung, H.-Y. and Keeler, T. E. (1995). Reducing cigarette consumption in California: tobacco taxes vs. an anti-smoking media campaign. *American Journal of Public Health*, 85: 1 218–22.
- Huberty, J. L., Ransdell, L. B., Sidman, C. et al. (2008). Explaining long-term exercise adherence in women who complete a structured exercise program. *Research Quarterly for Exercise & Sport*, 79: 374–84.
- Hudson, M. M., Mertens, A. C., Yasui, Y. et al. (2003). Health status of adult long-term survivors of childhood cancer: a report from the Childhood Cancer Survivor Study. *JAMA*, 290: 1583–92.
- Huerta, M. C. and Borgonovi, F. (2010). Education, alcohol use and abuse among young adults in Britain. *Social Science & Medicine*, 71: 1 43–51.
- Hughes, G., Bennett, K. M. and Hetherington, M. (2004). Old and alone: barriers to healthy eating in older men living on their own. *Appetite*, 43: 269–276.
- Huijbrechts, P., Duivenvoorden, H. J., Deckers, J. W. et al. (1993). Modification of smoking habits five months after myocardial infarction: relationship with personality characteristics. *Journal of Psychosomatic Research*, 40: 369–78.
- Humphrey, N. (2002). Great expectations: the evolutionary psychology of faith-healing and the placebo effect. In C. von Hofsten and L. Backman (Eds.), *Psychology at the Turn of the Millennium, Vol. 2: Social, Developmental, and Clinical Perspectives*. Hove: Psychology Press.
- Hunt, S. M. and Martin, C. J. (1988). Health related behaviour change: a test of a new model. *Psychology and Health*, 2: 209–30.
- Hunt, S. M., McEwan, J. and McKenna, S. P. (1986). *Measuring Health Status*. Beckenham: Croom Helm.
- Hunter, M. S., Grunfeld, E. A. and Ramirez, A. J. (2003). Help-seeking intentions for breast-cancer symptoms: a comparison of self-regulation model and the theory of planned behaviour. *British Journal of Health Psychology*, 8: 319–34.

- Huskisson, E. C. (1974). Measurement of pain. *Lancet*, Nov 9; 2 (7889): 1127–31.
- Hyland, A., Wakefield, M., Higbee, C. et al. (2006). Anti-tobacco television advertising and indicators of smoking cessation in adults: a cohort study. *Health Education Research*, 21: 296–302.
- Hyland, M. E., Bellesis, M., Thompson, P. J. and Keenyon, CAP. (1996). The constructs of asthma quality of life: psychometric, experimental and correlational evidence. *Psychology and Health*, 12: 101–21.
- Illinois Racial and Ethnic Health Disparities Council. <http://app.idph.state.il.us/iph/docs/DraftFinal.pdf>.
- Ingledeu, D. K. and Ferguson, E. (2007). Personality and riskier sexual behaviour: motivational mediators. *Psychology & Health*, 22: 291–315.
- Ingledeu, D. K. and McDonagh, G. (1998). What coping functions are served when health behaviours are used as coping strategies? *Journal of Health Psychology*, 3: 195–213.
- Ingraham, BA, Bragdon, B. and Nohe, A. (2008). Molecular basis for the potential of vitamin D to prevent cancer. *Current Medical Research and Opinion*, 24: 139–49.
- Ingram, K. M., Jones, DA, Fass, R. J., Neideig, J. L. and Song, Y. S. (1999). Social support and unsupportive social interactions: their association with depression among people living with HIV. *AIDS Care*, 11: 313–29.
- Ingram, L., Morrison, V., Soulsby, J. et al. (2008). Mindfulness-based cognitive therapy for oncology outpatients and their family carers: a qualitative evaluation.
- Inoue, S., Saeki, T., Mantani, T., Okamura, H. and Yamawaki, S. (2003). Factors related to patients' mental adjustment to breast cancer: patient characteristics and family functioning. *Support Care Cancer*, 11: 178–84.
- Inouye, J., Flannelly, L. and Flannelly, K. J. (2001). The effectiveness of self-management training for individuals with HIV/AIDS. *Journal of the Association of Nurses in AIDS Care*, 12: 71–82.
- International Center for Alcohol Policies (ICAP) (1998). *Report 5*. Washington, DC: ICAP.
- International Obesity Taskforce and European Association for the Study of Obesity (2002). *Obesity in Europe: The Case for Action*. London: International Obesity Taskforce.
- Iribarren, C., Darbinian, JA, Lo, J. C. et al. (2006). Value of the sagittal abdominal diameter in coronary heart disease risk assessment: Cohort study in a large, multiethnic population. *American Journal of Epidemiology*, 164: 115–59.
- Isen, A. M. (1987). Positive affect, cognitive processes, and social behaviour. In L. Berkowitz (Ed.), *Advances in Experimental Social Psychology* 20. New York: Academic Press.
- Isikhan, V., Gomez, T., Danis, M. Z. (2004). Job stress and coping strategies in health care professionals working with cancer patients. *European Journal of Oncology Nursing*, 8: 234–44.
- Ison, E. (2009). The introduction of health impact assessment in the WHO European Healthy Cities Network. *Health Promotion International*, 24 (suppl. 1): i64–i71.
- Iversen, M. D., Hammond, A. and Betteridge, N. (2010). Self-management of rheumatic diseases: state of the art and future perspectives. *Annals of Rheumatic Disease*, 69: 955–63.
- Iwasaki, M., Otani, T., Sunaga, R. et al. (2002). Social networks and mortality based on the Komo-Ise cohort study in Japan. *International Journal of Epidemiology*, 31: 1208–18.
- Jackson, R., Scragg, R. and Beaglehole, R. (1991). Alcohol consumption and risk of coronary heart disease. *British Medical Journal*, 303: 211–16.
- Jacobs, D. R., Jr, Luepker, R. V., Mittelmark, M. B., Folsom, A. R., Pirie, PL, Mascioli, S. R., Hannan, P. J., Pechacek, T. F., Bracht, N., Carlaw, R., Kline, F. G. and Blackburn, H. (1985). Community-wide prevention strategies: evaluation design of the Minnesota Heart Health Program. *Journal of Chronic Diseases*, 39: 775–88.
- Jacobs, SA, de Beer, H. and Larney, M. (2010). Adult consumers' understanding and use of information on food labels: a study among consumers living in the Potchefstroom and Klerksdorp regions, South Africa. *Public Health Nutrition*, 13: 1–13.
- Jacobsen, P. B. and Hahn, DM. (1998). Cognitive behavioral programmes. In J. Holland (Ed.), *Textbook of Psycho-Oncology*. New York: Oxford University Press.
- Jacobson, E. (1938). *Progressive Relaxation*. Chicago, IL: University of Chicago Press.
- Jaffe, H. (1997). Dying for dollars. *Men's Health*, 12: 132–7.
- Jaffe, L., Lutter, J. M., Rex, J., Hawkes, C. and Bucaccio, P. (1998). Incentives and barriers to physical activity for working women. *American Journal of Health Promotion*, 13 (4): 215–18.
- Jago, R., Baranowski, T., Zakeri, I. et al. (2005). Observed environmental features and the physical activity of adolescent males. *American Journal of Preventive Medicine*, 29: 98–104.
- James, J. E. (2004). Critical review of dietary caffeine and blood pressure: a relationship that should be taken more seriously. *Psychosomatic Medicine*, 66: 63–71.
- James, J. E. and Hardardottir, D. (2002). Influence of attention focus and trait anxiety on tolerance of acute pain. *British Journal of Health Psychology*, 7: 149–62.
- James, J., Thomas, P. and Kerr, D. (2007). Preventing childhood obesity: two year follow-up results from the Christchurch obesity prevention programme in schools (CHOPPS). *British Medical Journal*, 335: 841.
- James, SA, LaCroix, A. Z., Kleinbaum, D. G. and Strogatz, D. S. (1984). John Henryism and blood pressure differences among black men. II. The role of occupational stressors. *Journal of Behavioral Medicine*, 7: 259–75.
- Janlert, U, Asplund, K. and Weinehall, L. (1992). Unemployment and cardiovascular risk indicators. Data from the MONICA survey in northern Sweden. *Journal of Social Medicine*, 20: 14–18.
- Janse, A. J., Gemke, R. J. B. J., Uiterwaal, C. S. PM., van der Tweel, I., Kimpen, J. L. I. and Sinnema, G. (2004). Quality of life: patients and doctors don't always agree. *Journal of Clinical Epidemiology*, 57: 653–61.

- Janz, N. K. and Becker, M. H. (1984). The health belief model: a decade later. *Health Education Quarterly*, 11: 1–17.
- Janz, N. K., Zimmerman, MA, Wren, PA, Israel, BA, Freudenberg, N. and Carter, R. J. (1996). Evaluation of 37 AIDS prevention projects: successful approaches and barriers to program effectiveness. *Health Education Quarterly*, 23: 80–97.
- Janzon, E., Hedblad, B., Berglund, G. and Engstrom, G. (2002). Changes in blood pressure and body weight following smoking cessation in women. *Journal of Internal Medicine*, 255: 266–72.
- Jarvis, M. J. (2004). Why people smoke. *British Medical Journal*, 328: 277–9.
- Jatoi, I., Zhu, K., Shah, M. et al. (2006). Psychological distress in U. S. women who have experienced false-positive mammograms. *Breast Cancer Research and Treatment*, 100: 191–200.
- Jay, S. M., Elliott, C. H. and Fitzgibbons, I. (1995). A comparative study of cognitive behavior therapy versus general anaesthesia for painful medical procedures in children. *Pain*, 62: 3–9.
- Jellinek, E. M. (1960). *The Disease Concept of Alcoholism*. New Haven, CT: Hillhouse Press.
- Jemmott, J. B., Croyle, R. T. and Ditto, P. H. (1988). Commonsense epidemiology: self-based judgements from laypersons and physicians. *Health Psychology*, 7 (1): 55–73.
- Jenkins, P. R., Jenkins, R. A., Nannis, E. D., McKee, K. T., Jr and Temoshok, L. R. (2000). Reducing risk of sexually transmitted disease (STD) and human immunodeficiency virus infection in a military STD clinic: evaluation of a randomized preventive intervention trial. *Clinical Infectious Diseases*, 30: 730–5.
- Jenkins, R. L., Lewis, G. and Bebbington, P. (1997). The National Psychiatric Morbidity Surveys of Great Britain: initial findings from the household survey. *Psychology and Medicine*, 27: 775–89.
- Jenkinson, C., Fitzpatrick, R., Garrat, A., Peto, V. and Stewart-Brown, S. (2001). Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF36 physical functioning scale (PF-10). *Journal of Neurology, Neurosurgery and Psychiatry*, 71: 220–4.
- Jensen, M. R., Turner, J. A. and Romano, J. M. (2001). Changes in beliefs, catastrophizing, and coping are associated with improvement in multidisciplinary pain treatment. *Journal of Consulting and Clinical Psychology*, 69: 655–62.
- Jerant, A., Chapman, B., Duberstein, P et al. (2011). Personality and medication non-adherence among older adults enrolled in a six-year trial. *British Journal of Health Psychology*, 16: 151–69.
- Jerram, K. L. and Coleman, P. G. (1999). The big five personality traits and reporting of health behaviours and health problems in old age. *British Journal of Health Psychology*, 4: 181–92.
- Jerusalem, M. and Schwarzer, R. (1992). Self-efficacy as a resource factor in stress appraisal process. In R. Schwarzer (Ed.), *Self Efficacy: Thought Control of Action*. Washington, DC: Hemisphere.
- Jessop, D. C., Herberts, C. and Soloman, L. (2005). The impact of financial circumstances on student mental health. *British Journal of Health Psychology*, 10: 42139.
- Jessor, R. and Jessor, S. L. (1977). *Problem Behavior and Psychosocial Development: A Longitudinal Study of Youth*. New York: Academic Press.
- Jewell, J. and Hupp, S. D. (2005). Examining the effects of fatal vision goggles on changing attitudes and behaviors related to drinking and driving. *Journal of Primary Prevention*, 26: 553–65.
- Jirojanakul, P, Skevington, S. M. and Hudson, J. (2003). Predicting young children's quality of life. *Social Science and Medicine*, 57: 1277–88.
- Johnson, C. L. and Barer, B. M. (1997). *Life Beyond 85 Years: The Aura of Survivorship*. New York: Springer.
- Johnson, J. V., Hall, E. M. and Theorell, T. (1989). Combined effects of job strain and social isolation on cardiovascular disease morbidity and mortality in a random sample of the Swedish male working population. *Scandinavian Journal of Work, Environment, and Health*, 15: 271–9.
- Johnson, M. I. (2001). Transcutaneous electrical nerve stimulation (TENS) and TENS-like devices: do they provide pain relief? *Pain Reviews*, 8: 121–58.
- Johnson, S. B. (1999). Commentary: psychologists' resistance to showcasing the profession's accomplishments: What is all the fuss about? *Journal of Pediatric Psychology*, 24: 329–30.
- Johnsson, K. O. and Berglund, M. (2003). Education of key personnel in student pubs leads to a decrease in alcohol consumption among patrons: a randomized controlled trial. *Addiction*, 98: 627–33.
- Johnston, D. W. (2002). Acute and chronic psychological processes in cardiovascular disease. In K. W. Schaie, H. Leventhal and S. L. Willis (Eds.), *Effective Health Behavior in Older Adults*. New York: Springer, pp. 55–64.
- Johnston, D. W. (2007). Emotions and the heart: psychological risk factors for cardiovascular disease. *European Health Psychologist*, 1: 9–11.
- Johnston, M., Bonetti, D., Joice, S. et al. (2007). Recovery from disability after stroke as a target for a behavioural intervention: results of a randomised controlled trial. *Disability and Rehabilitation*, 29: 1117–27.
- Johnston, M., Foster, M., Shennan, J. et al. (2008). The effectiveness of an Acceptance and Commitment Therapy self-help intervention for chronic pain. *Clinical Journal of Pain*, 26: 393–402.
- Johnston, M., Foster, M., Shennan, J. N. J. et al. (2010). The effectiveness of an Acceptance and Commitment Therapy self-help intervention for chronic pain. *Clinical Journal of Pain*, 26: 393–402.
- Johnston, M. and Kennedy, P. (1998). Editorial: special issue on clinical health psychology in chronic conditions. *Clinical Psychology and Psychotherapy*, 5: 59–61.
- Johnston, M., Morrison, V., MacWalter, R. and Partridge, C. (1999). Perceived control, coping and recovery from disability following stroke. *Psychology and Health*, 14: 181–92.
- Johnston, M. and Pollard, B. (2001). Consequences of disease: testing the WHO International Classification of Impairments, Disability and Handicap (ICIDH) model. *Social Science and Medicine*, 53: 1261–73.
- Johnston, M., Pollard, B., Morrison, V. and MacWalter, R. (2002). Functional limitations and survival following stroke: psychological and clinical predictors of 3 year outcome. *International Journal of Behavioral Medicine*, 11: 187–96.

- Johnston, M. and Vogeles, K. (1993). Benefits of psychological preparation for surgery: a meta-analysis. *Annals of Behavioral Medicine*, 15: 245–56.
- Joice, S., Johnston, M., Bonetti, D., Morrison, V. et al. (2010). Stroke survivors' evaluations of a stroke workbook-based intervention designed to increase perceived control over recovery. *Health Education Journal*, doi: 10.1177/0017896910383555.
- Joint Health Surveys Unit (2001). *Health Survey for England: The Health of Minority Ethnic Groups 7999*. London: HMSO.
- Jolly, K., Taylor, R., Lip, G. Y. et al. (2007). The Birmingham Rehabilitation Uptake Maximisation Study (BRUM). Home-based compared with hospital-based cardiac rehabilitation in a multi-ethnic population: cost-effectiveness and patient adherence. *Health Technology Assessment*, 11: 111–18.
- Jonas, B. S. and Mussolino, M. E. (2000). Symptoms of depression as a prospective risk factor for stroke. *Psychosomatic Medicine*, 62: 463–71.
- Jones, B. A., Reams, K., Calvo-coressi, L. et al. (2007). Adequacy of communicating results from screening mammograms to African American and White women. *American Journal of Public Health*, 97: 531–8.
- Jones, E. and Morrison, V. (2004). Patient-carer interactions following stroke: the effect on distress. BPS Division of Health Psychology Annual Conference, Edinburgh, September.
- Jones, FA, Burke, R. J. and Westman, M. (Eds.) (2006). *Work Life Balance: A Psychological Perspective*. New York: Psychology Press.
- Jones, J. M., Haslam, S. A., Jetten, J. et al. (2011). That which doesn't kill us can make us stronger (and more satisfied with life): the contribution of personal and social changes to well-being after acquired brain injury. *Psychology & Health*, 26: 353–69.
- Jones, M. A. and Johnston, D. W. (2000). A critical review of the relationship between perception of the work environment, coping and mental health in trained nurses, and patient outcomes. *Clinical Effectiveness in Nursing*, 4: 74–85.
- Jones, M., Jolly, K., Raftery, J. et al. (2007). 'DNA' may not mean 'did not participate': a qualitative study of reasons for non-adherence at home- and centre-based cardiac rehabilitation. *Family Practice*, 24: 343–57.
- Jones, J. R., Huxtable, C. S., Hodgson, J. T. et al. (2003). *Self-reported Illness in 2007/02: Results from a Household Survey*. London: Health and Safety Executive.
- Jones, R., Pearson, J., McGregor, S. et al. (2002). Does writing a list help cancer patients ask relevant questions? *Patient Education and Counseling*, 47: 369–71.
- Jones, R. A. (1990). Expectations and delay in seeking medical care. *Journal of Social Issues*, 46: 81–95.
- Jorgensen, K. J. and Gotzsche, P. C. (2004). Presentation on websites of possible benefits and harm from screening for breast cancer: a cross-sectional study. *British Medical Journal*, 328: 148–53.
- Jousilahti, P., Vartiainen, E., Tuomilehto, J., Pekkenen, J. and Puska, P. (1995). Effect of risk factors and changes in risk factors on coronary mortality in three cohorts of middle aged people in eastern Finland. *American Journal of Epidemiology*, 141: 50–60.
- Joyce, C., Hickey, H., McGee, H. et al. (2003). A theory-based method for the evaluation of individual quality of life: the SEIQoL. *Quality of Life Research*, 12: 275–80.
- Julien, R. M. (1996). *A Primer of Drug Action: A Concise, Nontechnical Guide to the Actions, Uses and Side Effects of Psychoactive Drugs*, 7th edn. New York: W. H. Freeman.
- Kabat-Zinn, J. (2001). *Full Catastrophe Living: How to Cope with Stress, Pain and Illness Using Mindfulness Meditation*. London: Piatkus Books.
- Kagee, A. and Deport, T. (2010). Barriers to adherence to antiretroviral treatment: The perspectives of patient advocates. *Journal of Health Psychology*, 15: 1001–11.
- Kahn, K. L., Pearson, M. L., Harrison, E. R. et al. (1994). Health care for black and poor hospitalized Medicare patients. *Journal of the American Medical Association*, 271: 1169–74.
- Kalichman, S. C., Benotsch, E. G., Weinhardt, L. et al. (2003). Health-related internet use, coping, social support, and health indicators in people living with HIV/AIDS: preliminary results from a community survey. *Health Psychology*, 22: 111–16.
- Kalichman, S. C., Cherry, C. and Browne-Sperling, F. (1999). Effectiveness of a video-based motivational skills-building HIV risk-reduction intervention for inner-city African American men. *Journal of Consulting and Clinical Psychology*, 67: 959–66.
- Kalichman, S. C., Cherry, C., Cain, D. et al. (2006). Internet-based health information consumer skills intervention for people living with HIV/AIDS. *Journal of Consulting and Clinical Psychology*, 74: 545–54.
- Kalnins, I. H. C., Ballantyne, P. and Quartaro, G. (1994). School based community development as a health promotion strategy for children. *Health Promotion International*, 9: 269–79.
- Kalra, L., Evans, A., Perez, I. et al. (2004). Training carers of stroke patients: randomised controlled trial. *British Medical Journal*, 328: 1099–104.
- Kang, J. H., Cook, N. R., Manson, J. E., Buring, E., ScD; Albert, C. M. and Grodstein, F. (2009). Vitamin E, vitamin C, beta carotene, and cognitive function among women with or at risk of cardiovascular disease: the Women's Antioxidant and Cardiovascular Study. *Circulation*, 119: 2772–80.
- Kanner, A. D., Coyne, J. C., Schaefer, C. and Lazarus, R. S. (1981). Comparison of two models of stress management: daily hassles and uplifts versus major 'fe' events. *Journal of Behavioral Medicine*, 4: 1–39.
- Kaplan, G. and Baron-Epel, O. (2003). What lies behind the subjective evaluation of health status? *Social Science and Medicine*, 56: 1669–76.
- Kaplan, G. A. and Reynolds, P. (1988). Depression and cancer mortality and morbidity: prospective evidence from the Alameda County study. *Journal of Behavioral Medicine*, 11: 1–14.
- Karasek, R. A. (1979). Job demands, job decision latitude and mental strain: implications for job redesign. *Administrative Science Quarterly*, 24: 285–308.
- Karasek, R. (1996). Lower health risk increased job control among white collar workers. *Journal of Organizational Behavior*, 11, 171–85.
- Karasek, R. A., Baker, D., Marxer, F., Ahlborn, A. and Theorell, T. (1981). Job decision latitude, job demands and disease: a prospective study of Swedish men. *American Journal of Public Health*, 71: 694–705.
- Karasek, R. A. and Theorell, T. (1990). *Healthy Work: Stress, Productivity and the Reconstruction of Working Life*. New York: Basic Books.

- Karasz, A. and McKinley, P.S. (2007). Cultural differences in conceptual models of fatigue. *Journal of Health Psychology*, 12: 613–26.
- Karlarnangla, A. S., Merkin, S. S., Crimmins, E. M. et al. (2010). Socioeconomic and ethnic disparities in cardiovascular risk in the United States, 2001–2006. *Annals of Epidemiology*, 20: 617–28.
- Kasl, S. V. (1996). Theory of stress and health. In C. L. Cooper (Ed.), *Handbook of Stress, Medicine and Health*. London: CRC Press.
- Kasl, S. V and Cobb, S. (1966a). Health behavior, illness behavior, and sick role behavior I. Health and illness behavior. *Archives of Environmental Health*, 12: 246–66.
- Kasl, S. V. and Cobb, S. (1966b). Health behavior, illness behavior, and sick role behavior II. Sick role behavior. *Archives of Environmental Health*, 12: 531–41.
- Katbamna, S., Ahmad, W., Bhakta, P. et al. (2004). Do they look after their own? Informal support for the South Asian carer. *Health & Social Care in the Community*, 12: 398–406.
- Katz, M. H. (1997). AIDS epidemic in San Francisco among men who report sex with men: successes and challenges of HIV prevention. *Journal of Acquired Immune Deficiency Syndrome and Human Retrovirology*, 14: S38–S46.
- Kauff, N. D., Satagopan, J. M., Robson, M. E. et al. (2002). Risk-reducing Salpingo-oophorectomy in women with a BRCA1 or BRCA2 mutation. *New England Journal of Medicine*, 346: 1609–15.
- Kawachi, I., Kennedy, B. P., Lochner, K. et al. (1997). Social capital, income inequality, and mortality. *American Journal of Public Health*, 87: 1491–8.
- Kearins, O., Walton, J., O'Sullivan, E. et al. (2009). Invitation management initiative to improve uptake of breast cancer screening in an urban UK Primary Care Trust. *Journal of Medical Screening*, 16: 81–4.
- Keating, N. L., Guadagnoli, E., Landrum, M. B. et al. (2002). Treatment decision making in early-stage breast cancer: should surgeons match patients' desired level of involvement? *Journal of Clinical Oncology*, 20: 1473–9.
- Keats, M. R., Culos-Reed, S. N., Courneya, K. S. et al. (2007). Understanding physical activity in adolescent cancer survivors: an application of the theory of planned behavior. *Psycho-Oncology*, 16: 448–57.
- Keefe, F. J., Caldwell, D. S., Williams, D. A. et al. (1990). Pain coping skills training in the management of osteoarthritis knee pain – II: follow-up results. *Behavior Therapy*, 21: 435–47.
- Keinan, G., Carmil, D. and Rieck, M. (1991). Predicting women's delay in seeking medical care after discovery of a lump in the breast: the role of personality and behaviour patterns. *Behavioral Medicine*, 17: 177–83.
- Kelly, J. A., Murphy, D. A., Sikkema, K. J. et al. (1993). Psychological interventions to prevent HIV infection are urgently needed. *American Psychologist*, 48: 1023–34.
- Kelly, J. A., Murphy, D. A., Sikkema, K. J. et al. (1997). Randomised, controlled, community-level HIV-prevention intervention for sexual-risk behaviour among homosexual men in US cities. *The Lancet*, 350: 1500–5.
- Keiyy, J. A., Murphy, D. A., Washington, C. D. et al. (1994). The effects of HIV/AIDS intervention groups for high-risk women in urban clinics. *American Journal of Public Health*, 84: 225–37.
- Kelly, J. M., Rowe, A. K., Onikpo, F. et al. (2007). Care takers' recall of Integrated Management of Childhood Illness counselling messages in Benin. *Tropical Doctor*, 37: 75–9.
- Kelly, J. A., St Lawrence, J. S., Stevenson, L. Y. et al. (1992). Community AIDS/HIV risk reduction: the effects of endorsements by popular people in three cities. *American Journal of Public Health*, 82: 1483–9.
- Kelly, P. A. and Haidet, P. (2007) Physician overestimation of patient literacy: a potential source of health care disparities. *Patient Education and Counseling*, 66: 119–22.
- Kemeny, M. E. (2003). The psychobiology of stress. *Current Directions in Psychological Science*, 12: 124–9.
- Kemeny, M. E., Weiner, H., Taylor, S. E. et al. (1994). Repeated bereavement, depressed mood, and immune parameters in HIV seropositive and seronegative homosexual men. *Health Psychology*, 13: 14–24.
- Kennedy, T., Jones, R., Darnley, S., Seed, P., Wessely, S. and Chalder, T. (2005). Cognitive behaviour therapy in addition to antispasmodic treatment for irritable bowel syndrome in primary care: randomised controlled trial. *British Medical Journal*, 331: 435.
- Kentsch, M., Rodemerk, U., Muller-Esch, G., Schnoor, U., Munzel, T., Ittel, T. H. and Mitusch, R. (2002). Emotional attitudes toward symptoms and inadequate coping strategies are major determinants of patient delay in acute myocardial infarction. *Zeitschrift zu Kardiologie*, 91: 147–55.
- Kern, M. L. and Friedman, H. S. (2008). Do conscientious individuals live longer? A quantitative review. *Health Psychology*, 27: 505–12.
- Kerns, R. D., Haythornwaite, J., Southwick, S. and Giller, E. L. (1989). The role of marital interaction in chronic pain and depressive symptom severity. *Journal of Psychosomatic Research*, 34: 401–8.
- Kerr, T., Small, W., Buchner, C. et al. (2010). Syringe sharing and HIV incidence among injection drug users and increased access to sterile syringes. *American Journal of Public Health*, 100: 1449–53.
- Key, T. J., Fraser, G. E., Thorogood, M. et al. (1998). Mortality in vegetarians and non-vegetarians: a collaborative analysis of 8, 300 deaths among 76, 000 men and women in five prospective studies. *Public Health Nutrition*, 1: 33–41.
- Khadilkar, A., Milne, S., Brosseau, L. et al. (2005). Transcutaneous electrical nerve stimulation (TENS) for chronic low-back pain. *Cochrane Database of Systematic Reviews*, issue 4, art. no.: CD003008. doi: 10.1002/14651858.CD003008.
- Khantzian, E. J. (2003). Understanding addictive vulnerability: an evolving psychodynamic perspective. *Neuropsychology*, 5: 3–35.
- Khaw, K. T., Wareham, N., Bingham, S., Welch, A., Luben, R. and Day, N. (2008). Combined impact of health behaviours and mortality in men and women: the EPIC-Norfolk prospective population study. *PLoS Medicine*, 5: e12.

- Kickbusch, I. (2003). The contribution of the World Health Organization to a new public health and health promotion. *American Journal of Public Health*, 93: 383–8.
- Kiechl, S., Egger, G., Mayr, M. et al. (2001). Chronic infections and the risk of carotid atherosclerosis: prospective results from a large population study. *Circulation*, 103: 1064–70.
- Kiecolt-Giaser, J. K., Dura, J. R., Speicher, C. E., Trask, C. E. and Glaser, R. (1991). Spousal caregivers of dementia victims: longitudinal changes in immunity and health. *Psychosomatic Medicine*, 53: 345–62.
- Kiecolt-Giaser, J. K., Garner, W., Speicher, C. et al. (1984). Psycho-social modifiers of immunocompetence in medical students. *Psychosomatic Medicine*, 46: 7–14.
- Kiecolt-Giaser, J. K. and Glaser, R. (1995). Psychological influences on immunity. *Psychosomatics*, 27: 621–4.
- Kiecolt-Giaser, J. K. and Glaser, R. (1999). Psychoneuroimmunology and cancer: fact or fiction? *European Journal of Cancer*, 35: 1603–7.
- Kiecolt-Giaser, J. K., Glaser, R., Gravenstein, S., Malarkey, W. B. and Sheridan, J. (1996). Chronic stress alters the immune response to influenza virus vaccination in older adults. *Proceedings of the National Academy of Science USA*, 93: 3043–7.
- Kiecolt-Giaser, J. K., Glaser, R., Williger, D. et al. (1985). Psychosocial enhancement of immunocompetence in a geriatric population. *Health Psychology*, 4: 25–41.
- Kiecolt-Giaser, J. K., Malarkey, W. B., Cacioppo, J. T. and Glaser, R. (1994). Stressful personal relationships: immune and endocrine function. In R. Glaser and J. K. Kiecolt-Giaser (Eds.), *Handbook of Human Stress and Immunity*. San Diego, CA: Academic Press.
- Kiecolt-Giaser, J. K., Marucha, P. T., Malarkey, W. B., Mercado, A. M. and Glaser, R. (1995). Slowing wound healing by psychosocial stress. *The Lancet*, 4: 1194–6.
- Kiecolt-Giaser, J. K., McGuire, L., Robles, T. F. et al. (2002). Psychoneuroimmunology: psychological influences on immune function and health. *Journal of Consulting and Clinical Psychology*, 70: 537–47.
- Kiecolt-Giaser, J. K. and Newton, T. L. (2001). Marriage and health: his and hers. *Psychological Bulletin*, 127: 472–503.
- Kiecolt-Giaser, J. K., Preacher, K. J., MacCallum, R. C. et al. (2002). Chronic stress and age-related increases in the pro-inflammatory cytokine IL-6. *Proceedings of the National Academy of Science*, 10: 9090–5.
- Kiernan, P. J. and Isaacs, J. B. (1981). Use of drugs by the elderly. *Journal of the Royal Society of Medicine*, 74: 196–200.
- Kim, H. S., Sherman, D. K. and Taylor, S. E. (2009). Culture and social support. *American Psychologist*, 63: 518–26.
- Kinman, G. and Jones, F. (2005). Lay representations of work stress: what do people really mean when they say they are stressed? *Work & Stress*, 19: 101–20.
- Kinmonth, A. L., Woodcock, A., Griffin, S., Spiegel, N. and Campbell, M. J. (1998). Randomised controlled trial of patient-centred care of diabetes in general practice: impact on current wellbeing and future disease risk. The Diabetes Care from Diagnosis Research Team. *British Medical Journal*, 317: 1202–8.
- Kinney, J. M., Stephens, M. A. P., Franks, M. M. and Norris, V. K. (1995). Stresses and satisfactions of family caregivers to older stroke patients. *The Journal of Applied Gerontology*, 14: 3–21.
- Kirby, S. D., Ureda, J. R., Rose, R. L. and Hussey, J. (1998). Peripheral cues and involvement level: influences on acceptance of a mammography message. *Journal of Health Communication*, 3: 19–35.
- Kirkcaldy, B. D., Athanassou, J. A. and Trimpop, R. (2000). The idiosyncratic construction of stress: examples from medical work settings. *Stress Medicine*, 16: 315–26.
- Kirkcaldy, B. D. and Cooper, C. L. (1992). Managing the stress of change: occupational stress among senior police officers in Berlin. *Stress Medicine*, 8: 219–31.
- Kitayama, S. and Cohen, D. (Eds.) (2007). *Handbook of Cultural Psychology*. New York: Guildford Press.
- Kittleson, M. M., Meoni, L. A., Wang, N. Y. et al. (2006). Association of childhood socioeconomic status with subsequent coronary heart disease in physicians. *Archives of Internal Medicine*, 166: 2356–61.
- Kivimaki, M., Elovainio, M., Kokko, K. et al. (2003). Hostility, unemployment and health status: testing three theoretical models. *Social Science and Medicine*, 56: 2139–52.
- Kivimaki, M., Ferrie, J. E., Brunner, E. et al. (2005). Justice at work and reduced risk of coronary heart disease among employees: The Whitehall II Study. *Archives of Internal Medicine*, 165 (19): 2245–51.
- Kivimaki, M., Lawlor, D. A., Davey Smith, G. et al. (2007). Socioeconomic position, co-occurrence of behavior-related risk factors, and coronary heart disease: the Finnish Public Sector study. *American Journal of Public Health*, 97: 874–9.
- Kivimaki, M., Leino-Arjas, P., Luukkonen, R. et al. (2002). Work stress and risk of cardiovascular mortality: prospective cohort study of industrial employees. *British Medical Journal*, 325: 857–60.
- Kivimaki, M., Vahtera, J., Kosekenvuo, M., Uutela, A. and Pentti, J. (1998). Response of hostile individuals to stressful changes in their working lives: test of a psychosocial vulnerability model. *Psychological Medicine*, 28: 903–13.
- Klatsky, A. L. (2008). Alcohol, wine, and vascular diseases: an abundance of paradoxes. *American Journal of Physiology: Heart and Circulatory Physiology*, 63: 582–3.
- Klein, C. T. F. and Heiweg-Larsen, M. (2002). Perceived control and the optimistic bias: a meta-analytic review. *Psychology and Health*, 17: 437–46.
- Kline, K. N. and Mattson, M. (2000). Breast self-examination pamphlets. A content analysis grounded in fear appeals research. *Health Communication*, 12: 1–21.
- Kline, P. (1993). *Personality: the Psychometric View*. London: Routledge.
- Klonoff, E. A. and Landrine, H. (1994). Culture and gender diversity in commonsense beliefs about the causes of six illnesses. *Journal of Behavioral Medicine*, 17: 407–18.
- Knapp, P., Raynor, D. K. and Jebar, A. H. et al. (2005). Interpretation of medication pictograms by adults in the UK. *Annals of Pharmacotherapy*, 39: 1 227–33.

- Knowler, W. C., Barrett-Connor, E., Fowler, S. E. et al. (2002). Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *New England Journal of Medicine*, 346: 393–403.
- Kobasa, S. C. (1979). Stressful life events, personality and health: an inquiry into hardiness. *Journal of Personality and Social Psychology*, 37: 1–11.
- Kobasa, S. C., Maddi, S. and Kahn, S. (1982). Hardiness and health: a prospective study. *Journal of Personality and Social Psychology*, 42: 1 68–77.
- Koenig, H. G., McCullough, M. E. and Larson, D. B. (2001). *Handbook of religion and health*. Oxford: Oxford University Press.
- Koenig, H. G., George, L. K., Stangl, D. and Tweed, D. L. (1993). Hospital stressors experienced by elderly medical inpatients: Developing a hospital stress index. *International Journal of Psychiatry in Medicine*, 25: 103–22.
- Koffman, D. M., Lee, J. W., Hopp, J. W. et al. (1998). The impact of including incentives and competition in a workplace smoking cessation program on quit rates. *American Journal of Health Promotion*, 13: 105–11.
- Kohl, H. W. (2001). Physical activity and cardiovascular disease: evidence for a dose-response. *Medicine and Science in Sports and Exercise*, 33: S472-S487.
- Koikkalainen, M., Lappalainen, R. and Mykkanen, H. (1996). Why cardiac patients do not follow the nutritionist's advice: barriers in nutritional advice perceived in rehabilitation. *Disability and Rehabilitation*, 13: 619–23.
- Koinis-Mitchell, D., McQuaid, E. L., Seifer, R. et al. (2009). Symptom perception in children with asthma: cognitive and psychological factors. *Health Psychology*, 28: 226–37.
- Kok, G. and Schaalma, H. (1998). Theory-based and data-based health education intervention programmes. *Psychology and Health*, 13: 747–51.
- Kole-Snijders, A. M. J., Vlaeyen, J. W. S. and Goossens, M. E. J. et al. (1999). Chronic low back pain: what does cognitive coping skills training add to operant behavioural treatment? Results of a randomized trial. *Journal of Consulting and Clinical Psychology*, 67: 931–44.
- Kolk, A. M., Hanewald, G. J. F. P., Schagen, S. and Gijbbers van Wijk, C. M. T. (2003). A symptom perception approach to common physical symptoms. *Social Science and Medicine*, 57: 2343–54.
- Konkoly Thege, B., Bachner, YG., Kushnir, T. and Kopp, M. (2006). Relationship between meaning in life and smoking status: results of a national representative survey. *Addictive Behaviours*, 34: 117–20.
- Koob, G. F. (1999). Corticotropin-releasing factor, norepinephrine, and stress. *Biological Psychiatry*, 46: 1167–1180
- Koordeman, R., Kuntsche, E., Anschutz, D. J. et al. (2009). Do we act upon what we see? Direct effects of alcohol cues in movies on young adults' alcohol drinking. *Alcohol and Alcoholism*, 46: 393–8.
- Kop, N., Euwema, M. and Schaufeli, W. (1999). Burnout, job stress and violent behaviour among Dutch police officers. *Work and Stress*, 13: 3226–340.
- Kop, W. J. and Krantz, D. S. (1997). Type A behaviour, hostility and coronary artery disease. In A. Baum, S. Newman, J. Weinman, R. West and C. McManus (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*. Cambridge: Cambridge University Press.
- Kornblith, A. B., Herndon, J. E., II, Weiss, R. B. et al. (2003). Long-term adjustment of survivors of early-stage breast carcinoma, 20 years after adjuvant chemotherapy. *Cancer*, 98: 679–89.
- Korotkov, D. and Hannah, T. E. (2004). The five factor model of personality: strengths and limitations in predicting health status, sick role and illness behaviour. *Personality and Individual Differences*, 36: 187–99.
- Kosmider, S., Shedda, S., Jones, I. T. et al. (2009). Predictors of clinic non-attendance: opportunities to improve patient outcomes in colorectal cancer. *Internal Medicine Journal*, 40: 757–63.
- Kosmider, S., Shedda, S., Jones, I. et al. (2010). Predictors of clinic non-attendance-opportunities to improve patient outcomes in colorectal cancer. *Internal Medicine Journal*, 40: 757–63.
- Kraft, P., Sutton, S. and McCreath-Reynolds, H. (1999). The transtheoretical model of behaviour change: are the stages qualitatively different? *Psychology and Health*, 14: 433–50.
- Kramer, B. J. (1997). Gain in the caregiving experience. Where are we? What next? *The Gerontologist*, 37: 218–32.
- Krantz, D. S., Glass, D. C., Shaeffer, M. A. and Davia, J. E. (1981). Behavior patterns and coronary disease: a critical evaluation. In J. T. Cacioppo and R. E. Petty (Eds.), *Perspectives in Cardiovascular Psycho-physiology*. New York: Guilford Press.
- Krantz, D. S. and Manuck, S. B. (1984). Acute psychophysiological reactivity and risk of cardiovascular disease: a review and methodological critique. *Psychological Bulletin*, 96: 435–64.
- Krantz, G. and Lundberg, U. (2006). Workload, work stress, and sickness absence in Swedish male and female white-collar employees. *Scandinavian Journal of Public Health*, 34: 238–46.
- Krantz, G. and Orth, P. (2000). Common symptoms in middle-aged women: their relation to employment status, psychosocial work conditions and social support in a Swedish setting. *Journal of Epidemiology and Community Health*, 54: 192–9.
- Krause, N. M. and Jay, G. M. (1994). What do global self-rated health items measure? *Medical Care*, 32: 930–42.
- Krieger, N., Quesenberry, C. and Peng, T. (1999). Social class, race/ethnicity, and incidence of breast, cervix, colon, lung, and prostate cancer among Asian, black, Hispanic, and white residents of the San Francisco Bay area. *Cancer Causes Control*, 10: 525–37.
- Krigsman, K., Nilsson, J. L. and Ring, L. (2007). Adherence to multiple drug therapies: refill adherence to concomitant use of diabetes and asthma/COPD medication. *Pharmacoepidemiology and Drug Safety*, 16: 1120–8.
- Krischer, M. M., Xu, P., Meade, C. D. et al. (2007). Self-administered stress management training in patients undergoing radiotherapy. *Journal of Clinical Oncology*, 25: 4657–62.

- Kriska, A. (2003). Can a physically active lifestyle prevent type 2 diabetes? *Exercise and Sport Science Review*, 31: 132–7.
- Kristensen, T. S. (1995). The demand-control-support model: methodological challenges for future research. *Stress Medicine*, 11: 17–26.
- Krohne, H. W. (1993). Vigilance and cognitive avoidance as concepts in coping research. In H. W. Krohne (Ed.), *Attention and Avoidance: Strategies in Coping with Aversiveness*. Seattle, WA: Hogrefe and Huber.
- Krol, Y., Grootenhuis, M. A., Destree-Vonk, A. et al. (2003). Health-related quality of life in children with congenital heart disease. *Psychology and Health*, 18: 251–60.
- Krones, T., Keller, H., Sonnichsen, A. et al. (2008). Absolute cardiovascular disease risk and shared decision making in primary care: a randomized controlled trial. *Annals of Family Medicine*, 6: 218–27.
- Krukowski, R. A., Harvey-Berino, J. and Kolodinsky, J. (2006). Consumers may not use or understand calorie labeling in restaurants. *Journal of the American Dietetic Association*, 107: 33–4.
- Kubler-Ross, E. (1969). *On Death and Dying*. New York: Macmillan.
- Kuchler, T., Henne-Bruns, D., Rappat, S., Graul, J., Holst, K. and Williams, J. I. (1999). Impact of psychotherapeutic support on gastrointestinal cancer patients undergoing surgery: survival results of a trial. *Hepato-gastro- enterology*, 46: 322–35.
- Kuenzler, A., Hodgkinson, K., Zindel, A., Bargetzi, M. and Znoj, H. J. (2010). Who cares, who bears, who benefits? Female spouses vicariously carry the burden after cancer diagnosis. *Psychology and Health*. Advance online publication.
- Kuntzleman, C. T. (1985). Enhancing cardiovascular fitness of children and youth: the Feelin' Good Program. In J. E. Zins, D. I. Wagner and C. A. Maher (Eds.), *Health Promotion in the Schools: Innovative Approaches to Facilitating Physical and Emotional Well-being*. New York: Hawthorn Press.
- Kuper, H., Adams, H. O. and Trichopoulos, D. (2000). Infections as a major preventable cause of human cancer. *Journal of Internal Medicine*, 248: 171–83.
- Kuper, H. and Marmot, M. (2003). Job strain, job demands, decision latitude, and risk of coronary heart disease within the Whitehall II study. *Journal of Epidemiology and Community Health*, 57: 147–53.
- Kuper, H., Singh-Manoux, A., Siegrist, J. et al. (2002). When reciprocity fails: effort-reward imbalance in relation to coronary heart disease and health functioning within the Whitehall II study. *Occupational and Environmental Medicine*, 59: 777–84.
- Kurtz, M. A., Kurtz, J. C., Given, C. W. and Given, B. A. (2008). Patient optimism and mastery – do they play a role in cancer patients' management of pain and fatigue? *Journal of Pain and Symptom Management*, 36: 1–10.
- Kurtz, S. and Silverman, J. (1996). The Calgary-Cambridge observation guides: an aid to defining the curriculum and organising the teaching in communication training programmes. *Medical Education*, 30: 83–9.
- Kyngaes, H., Mikkonen, R., Nousiainen, E. M. et al. (2001). Coping with the onset of cancer. Coping strategies and resources of young people with cancer. *European Journal of Cancer Care*, 10: 6–11.
- Lachman, M. E. and Weaver, S. L. (1998). The sense of control as a moderator of social class differences in health and well-being. *Journal of Personality and Social Psychology*, 74: 763–73.
- Lahelma, E., Martikainen, P., Rahkonen, O. and Silventoinen, K. (1999). Gender differences in ill-health in Finland: patterns, magnitude and change. *Social Science and Medicine*, 48: 7–19.
- Lai, D. T., Cahill, K., Oin, Y. et al. (2010). Motivational interviewing for smoking cessation. *Cochrane Database of Systematic Reviews*, issue 3, art. no.: CD006936. doi: 10.1002/14651858.CD006936.
- Lamden, K. H. and Gemmell, I. (2008). General practice factors and MMR vaccine uptake: structure, process and demography. *Journal of Public Health*. 30: 251–7.
- Lancaster, T., Silagy, C., Fowler, G. and Spiers, I. (1999). Training health professionals in smoking cessation. In *The Cochrane Library*, issue 1. Oxford: Update Software.
- Landmark, B. T. and Wahl, A. (2002). Living with newly diagnosed breast cancer: a qualitative study of 10 women with newly diagnosed breast cancer. *Journal of Advanced Nursing*, 49: 112–21.
- Landolt, MA, Vollrath, M., Ribbi, K., Gnehm, H. E. and Sennhauser, F. H. (2003). Incidence and associations of parental and child posttraumatic stress symptoms in pediatric patients. *Journal of Child Psychology and Psychiatry*, 44: 1199–207.
- Landrine, H. and Klonoff, E. A. (1992). Culture and health-related schema: a review and proposal for interdisciplinary integration. *Health Psychology*, 11: 267–76.
- Landrine, H. and Klonoff, E. A. (1994). Cultural diversity in causal attributions for illness: the role of the supernatural. *Journal of Behavioral Medicine*, 17: 181–93.
- Lane, D., Beevers, D. G. and Lip, G. Y. (2002a). Ethnic differences in blood pressure and the prevalence of hypertension in England. *Journal of Human Hypertension*, 16: 267–73.
- Lane, D., Carroll, D., Ring, C. et al. (2000). Effects of depression and anxiety on mortality and quality-of-life 4 months after myocardial infarction. *Journal of Psychosomatic Research*, 49: 229–38.
- Lane, D., Carroll, D., Ring, C. et al. (2001). Predictors of attendance at cardiac rehabilitation after myocardial infarction. *Journal of Psychosomatic Research*, 51: 497–501.
- Lane, D., Carroll, D., Ring, C. et al. (2002b). The prevalence and persistence of depression and anxiety following myocardial infarction. *British Journal of Health Psychology*, 7: 11–21.
- Lang, E. V., Berbaum, K. S., Faintuch, S. et al. (2006). Adjunctive self-hypnotic relaxation for outpatient medical procedures: a prospective randomized trial with women undergoing large core breast biopsy. *Pain*, 126: 155–64.
- Lang, E. V., Joyce, J. S., Spiegel, D. et al. (1996). The role of pain behaviors in the modulation of marital conflict in chronic pain couples. *Pain*, 65: 227–33.

- Lang, T., Nicaud, V., Slama, K. et al. (2000). Smoking cessation at the workplace. Results of a randomised controlled intervention study. Worksite physicians from the AIREL group. *Journal of Epidemiology and Community Health*, 54: 349–54.
- Langer, S. L., Rudd, M. E. and Syrjala, K. L. (2007). Protective buffering and emotional desynchrony among spousal caregivers of cancer patients. *Health Psychology* 26: 635–43.
- Langewitz, W., Wossmer, B., Iseli, J. and Berger, W. (1997). Psychological and metabolic improvement after an outpatient teaching program for functional intensified insulin therapy. *Diabetes Research and Clinical Practice*, 37: 157–64.
- Larsen, R. J. and Kasimatis, M. (1991). Day-to-day physical symptoms: individual differences in the occurrence, duration, and emotional concomitants of minor daily illnesses. *Journal of Personality*, 59: 387–423.
- Larson, J. (1999). The conceptualization of health. *Medical Care and Review*, 56: 1 23–236.
- Larsson, G., Mattsson, E. and von Essen, L. (2010). Aspects of quality of life, anxiety and depression among persons diagnosed with cancer during adolescence: a long-term follow-up study. *European Journal of Cancer*, 46: 1062–8.
- Larsson, M., Boethius, G., Axelsson, S. et al. (2008). Exposure to environmental tobacco smoke and health effects among hospitality workers in Sweden: before and after the implementation of a smoke-free law. *Scandinavian Journal of Work, Environment & Health*, 34: 267–77.
- Latimer, P. (1981). Irritable bowel syndrome: a behavioral model. *Behaviour Research and Therapy*, 19: 475–83.
- Latimer, P., Sarna, S., Campbell, D., Latimer, M., Waterfall, W. and Daniel, E. E. (1981). Colonic motor and myoelectric activity: a comparative study of normal subjects, psychoneurotic patients and patients with the irritable bowel syndrome. *Gastro-enterology*, 80: 893–901.
- Lau, R. R. and Hartman, K. A (1983). Common sense representations of common illnesses. *Health Psychology*, 2: 167–85.
- Lau, R. R., Bernard, T. M. and Hartman, K. A (1989). Further explorations of common sense representations of common illnesses. *Health Psychology*, 8 (2): 195–219.
- Lauby, J. L., Smith, P. J., Stark, M., Person, B. and Adams, J. (1999). A community-level HIV prevention intervention for inner-city women: results of the Women and Infants Demonstration Projects. *American Journal of Public Health*, 90: 216–22.
- Laugesen, M. and Meads, C. (1991). Tobacco restrictions, price, income and tobacco consumption in OECD countries, 1960–1986. *British Journal of Addiction*, 86: 1343–54.
- Laux, L. and Weber, H. (1991). Presentation of self in coping with anger and anxiety: an intentional approach. *Anxiety Research*, 3: 233–55.
- Law, M. R., Frost, C. D. and Wald, N. J. (1991). By how much does dietary salt lower blood pressure? I – Analysis of observational data among populations. *British Medical Journal*, 302: 811–15.
- Law, M. R., Wald, N. J. and Thompson, S. G. (1994). By how much and how quickly does reduction in serum cholesterol concentration lower risk of ischemic heart disease? *British Medical Journal*, 308: 367–72.
- Lawlor, D. A., Ebrahim, S. and Davey Smith, G. (2002). Role of endogenous oestrogen in aetiology of coronary heart disease: analysis of age related trends in coronary heart disease and breast cancer in England and Wales and Japan. *British Medical Journal*, 325: 311–2.
- Lawrence, D., Fagan, P., Backinger, C. L. et al. (2007). Cigarette smoking patterns among young adults ages 18–24 in the U. S. *Nicotine & Tobacco Research*, 9: 687–97.
- Lawrence, E., Bunde, M., Barry, R. A. et al. (2008). Partner support and marital satisfaction: support amount, adequacy, provision and solicitation. *Personal Relationships*, 15: 445–63.
- Lawrence, V., Murray, J., Samsi, K. and Banarjee, S. (2008). Attitudes and support needs of Black Caribbean, Asian and White British carers of people with dementia in the UK. *The British Journal of Psychiatry*, 193: 240–6.
- Lawson, V. L., Lyne, PA, Bundy, C. et al. (2007). The role of illness perceptions, coping and evaluation in care-seeking among people with type 1 diabetes. *Psychology and Health*, 22: 175–91.
- Lazarus, R. S. (1966). *Psychological Stress and the Coping Process*. New York: McGraw-Hill.
- Lazarus, R. S. (1984). Puzzles in the study of daily hassles. *Journal of Behavioral Medicine*, 7: 375–89.
- Lazarus, R. S. (1991 a). *Emotion and adaptation*. New York: Oxford University Press.
- Lazarus, R. S. (1991 b). Psychological stress in the workplace. In P. Perrewe (Ed.), *Handbook on Job Stress*. Special issue of *Journal of Social Behavior and Personality*, 6: 1–13.
- Lazarus, R. S. (1993a). From psychological stress to the emotions: a history of changing outlooks. *Annual Review of Psychology*, 44: 1–21.
- Lazarus, R. S. (1993b). Coping theory and research: past, present and future. *Psychosomatic Medicine*, 55: 234–47.
- Lazarus, R. S. (1999). *Stress and Emotion: A New Synthesis*. New York: Springer Verlag.
- Lazarus, R. S. (2000). Toward better research on stress and coping. *American Psychologist*, 55: 665–73.
- Lazarus, R. S. and deLongis, A. (1983). Psychological stress and coping in aging. *American Psychologist*, 38: 245–54.
- Lazarus, R. S. and Folkman, S. (1984). *Stress, Appraisal, and Coping*. New York: Springer Verlag.
- Lazarus, R. S., Kanner, A. D. and Folkman, S. (1980). Emotions: A cognitive-phenomenological analysis. In R. Plutchik and H. Kellerman (Eds.), *Theories of emotions* (pp. 189–217). New York: Academic Press.
- Lazarus, R. S. and Launier, R. (1978). Stress related transactions between person and environment. In L. A. Pervin and M. Lewis (Eds.), *Perspectives in International Psychology*. New York: Plenum.
- Lear, S. A., Ignaszewski, A., Linden, W. et al. (2003). The Extensive Lifestyle Management Intervention (ELMI) following cardiac rehabilitation trial. *European Heart Journal*, 24: 1920–7.
- Lechner, S. C., Antoni, M. H., Lydston, D. et al. (2003). Cognitive-behavioral interventions improve quality of life in women with AIDS. *Journal of Psychosomatic Research*, 54: 253–61.

- Lee, A., Cheng, F. F., Fung, Y. et al. (2006). Can health promoting schools contribute to the better health and wellbeing of young people? The Hong Kong experience. *Journal of Epidemiology and Community Health, 60*: 530–6.
- Lee, B. T., Chen, C., Yueh, J. H. et al. (2010). Computer-based learning module increases shared decision making in breast reconstruction. *Annals of Surgical Oncology, 17*: 738–43.
- Lee, C. (1999). Health, stress and coping among women caregivers: a review. *Journal of Health Psychology, 4*: 27–40.
- Lee, C. (2001). Experiences of family caregiving among older Australian women. *Journal of Health Psychology, 6*: 393–404.
- Lee, E. -H., Chun, M., Kang, S. et al. (2004). Validation of the Functional Assessment of Cancer Therapy-General (FACT-G) scale for measuring the health-related quality of life in Korean women with breast cancer. *Japanese Journal of Clinical Oncology, 34*: 393–9.
- Lee, I. -M., Rexrode, K. M., Cook, N. R., Manson, J. E. and Buring, J. E. (2001). Physical activity and coronary heart disease in women: is 'no pain, no gain' passe? *Journal of the American Medical Association, 285*: 1447–54.
- Lee, S. J., Back, A. L., Block, S. D. and Stewart, S. K. (2002). Enhancing physician-patient communication. *Hematology, 464*–83.
- Lee, V., Cohen, S. R., Edgar, L. et al. (2006). Meaning-making intervention during breast and colorectal cancer treatment improves self-esteem, optimism, and self-efficacy. *Social Science & Medicine, 62*: 3133–45.
- Leeks, K. D., Hopkins, D. P., Soler, R. E. et al. (2010). Worksites-based incentives and competitions to reduce tobacco use: a systematic review. *American Journal of Preventive Medicine, 38* (2 Suppl): S263–74.
- Lefkowitz, R. J. and Willerson, J. T. (2001). Prospects for cardiovascular research. *Journal of the American Medical Association, 285*: 581–7.
- Leon, D. A. and McCambridge, J. (2006). Liver cirrhosis mortality rates in Britain from 1950 to 2002: an analysis of routine data. *The Lancet, 367*: 52–6.
- Lepine, J. P. and Briley, M. (2004). The epidemiology of pain in depression. *Human Psychopharmacology, 19*: S3–7.
- Lerman, C. and Croyle, R. (1994). Psychological issues in genetic testing for breast cancer susceptibility. *Archives of Internal Medicine, 154*: 609–16.
- Lerman, C., Hughes, C., Croyle, R. T. et al. (2000). Prophylactic surgery and surveillance practices one year following BRCA1/2 genetic testing. *Preventative Medicine, 1*: 75–80.
- Lerman, C., Marshall, J. and Caminerio, A. (1996). Genetic testing for colon cancer susceptibility: anticipated reactions of patients and challenges to providers. *International Journal of Cancer, 69*: 58–61.
- Leserman, J., Jackson, E. D., Petitto, J. M. et al. (1999). Progression to AIDS: The effects of stress, depressive symptoms, and social support. *Psychosomatic Medicine, 61* (3): 397–406.
- Leskin, G. A., Kaloupek, D. G. and Keane, T. M. (1998). Treatment for traumatic memories: review and recommendations. *Clinical Psychology Review, 18*: 983–1002.
- Leslie, W. S., Hankey, C. R., Matthews, D. et al. (2004). A transferable programme of nutritional counselling for rehabilitation following myocardial infarction: a randomised controlled study. *European Journal of Clinical Nutrition, 58*: 778–86.
- Letherman, C., Blackburn, D. and Davidhizar, R. (1990). How postpartum women explain their lack of obtaining adequate prenatal care. *Journal of Advanced Nursing, 15*: 256–67.
- Leung, P. Y., Chan, C. L. W. and Ng, S. M. (2007). Tranquil acceptance coping: Eastern cultural beliefs as a source of strength among Chinese women with breast cancer. Paper presented at the International Psycho-Oncology Society (IPOS) conference, London, September 2007.
- Levealahti, H., Tishelman, C. and Ohlen, J. (2007). Framing the onset of lung cancer biographically: narratives of continuity and disruption. *Psycho-Oncology, 16*: 466–73.
- Leventhal, E. A. and Crouch, M. (1997). Are there differences in perceptions of illness across the lifespan? In K. J. Petrie and J. Weinman (Eds.), *Perceptions of Health and Illness*. Amsterdam: Harwood Academic, pp. 77–102.
- Leventhal, E. A., Hansell, S., Diefenbach, M., Leventhal, H. and Glass, D. C. (1996). Negative affect and self-report of physical symptoms: two longitudinal studies of older adults. *Health Psychology, 15*: 193–9.
- Leventhal, E. A. and Prohaska, T. R. (1986). Age, symptom interpretation and health behavior. *Journal of the American Geriatric Society, 34*: 185–91.
- Leventhal, H. and Coleman, S. (1997). Quality of life: a process view. *Psychology and Health, 12*: 753–67.
- Leventhal, H. and Diefenbach, M. (1991). The active side of illness cognition. In J. A. Skelton and R. T. Croyle (Eds.), *Mental Representations in Health and Illness*. New York: Springer Verlag.
- Leventhal, H., Diefenbach, M. and Leventhal, E. (1992). Illness cognition: using common sense to understand treatment adherence and effect cognitive interactions. *Cognitive Therapy and Research, 16* (2): 143–63.
- Leventhal, H., Easterling, D. V., Coons, H., Luchterhand, C. and Love, R. R. (1986). Adaptation to chemotherapy treatments. In B. Anderson (Ed.), *Women with Cancer*. New York: Springer Verlag.
- Leventhal, H., Meyer, D. and Nerenz, D. (1980). The common sense model of illness danger. In S. Rachman (Ed.), *Medical Psychology*, Vol. 2. New York: Pergamon.
- Leventhal, H., Nerenz, D. R. and Steele, D. J. (1984). Illness representations and coping with health threats. In A. Baum, S. E. Taylor and J. E. Singer (Eds.), *Handbook of Psychology and Health: Social Psychological Aspects of Health*, Vol. 4. Hillsdale, NJ: Lawrence Erlbaum.
- Leventhal, H., Patrick-Miller, L. and Leventhal, E. A. (1998). It's long-term stressors that take a toll: comment on Cohen et al. (1998). *Health Psychology, 17*: 211–13.
- Leventhal, H. and Tomarken, A. (1987). Stress and illness: perspectives from health psychology. In S. V. Kasl and C. L. Cooper (Eds.), *Research Methods in Stress and Health Psychology*. London: Wiley.
- Levinson, D. J., Darrow, C. N., Klein, E. B., Levinson, M. H. and McKee, B. (1978). *The Seasons of a Man's Life*. New York: A. A. Knopf.

- Levine, R. M. and Reicher, S. (1996). Making sense of symptoms: self categorization and the meaning of illness/injury. *British Journal of Social Psychology*, 35: 245–56.
- Levy, L., Patterson, R. E., Kristal, A. R. and Li, S. S. (2000). How well do consumers understand percentage daily value of food labels? *American Journal of Health Promotion*, 14: 157–60.
- Lewin, B., Robertson, I. H., Irving, J. B. and Campbell, M. (1992). Effects of self-help post-myocardial-infarction rehabilitation on psychological adjustment and use of health services. *The Lancet*, 339: 1036–40.
- Lewin, R. J., Furze, G., Robinson, J., Griffith, K., Wiseman, S., Pye, M. and Boyle, R. (2002). A randomised controlled trial of a self-management plan for patients with newly diagnosed angina. *British Journal of General Practice*, 52: 194–6, 199–201.
- Lewis, C. L. and Brown, S. C. (2002). Coping strategies of female adolescents with HIV/AIDS. *The Association of Black Nursing Faculty*, 13: 72–7.
- Lewis, G., Bebbington, P., Brugha, T., Farrell, M., Gill, B., Jenkins, R. and Meltzer, H. (1998). Socioeconomic status, standard of living, and neurotic disorder. *The Lancet*, 352: 605–9.
- Lewis, S. C., Dennis, M. D., O'Rourke, S. J. and Sharpe, M. (2001). Negative attitudes among short-term stroke survivors predict worse long-term survival. *Stroke*, 32: 1640–5.
- Ley, P. (1997). Compliance among patients. In A. Baum, S. Newman, J. Weinman, R. West and C. McManus (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*. Cambridge: Cambridge University Press.
- Ley, P. (1988). *Communicating with Patients. Improving Communication, Satisfaction, and Compliance*. London: Chapman Hall.
- Lichtenstein, P. and Pedersen, N. L. (1995). Social relationships, stressful life events, and self-reported physical health: genetic and environmental influences. *Psychology and Health*, 10: 295–319.
- Lim, A. S. H. and Bishop, G. D. (2000). The role of attitudes and beliefs in differential health care utilisation among Chinese in Singapore. *Psychology and Health*, 14: 965–77.
- Lincoln, K. D., Chatters, L. M. and Taylor, R. J. (2003). Psychological distress among Black and White Americans: differential effects of social support, negative interaction and personal control. *Journal of Health and Social Behavior*, 44: 390–407.
- Linden, W., Gerin, W. and Davidson, K. (2003). Cardiovascular reactivity: status quo and a research agenda for the new millennium. *Psychosomatic Medicine*, 65: 5–8.
- Linden, W., Stossel, C. and Maurice, J. (1996). Psychosocial treatment for cardiac patients: a meta-analysis. *Archives of Internal Medicine*, 156: 745–62.
- Lindsay, S., Smith, S., Bellaby, P. et al. (2009). The health impact of an online heart disease support group: a comparison of moderated versus unmoderated support. *Health Education Research*, 24: 646–54.
- Linegar, J., Chesson, C. and Nice, D. (1991). Physical fitness gains following simple environmental change. *American Journal of Preventive Medicine*, 7: 298–310.
- Linn, S., Carroll, M., Johnson, C. et al. (1993). High density lipoprotein cholesterol and alcohol consumption in US white and black adults: data from NHANES II. *American Journal of Public Health*, 83: 811–16.
- Lioffi, C., White, P., Franck, L. et al. (2007). Parental pain expectancy as a mediator between child expected and experienced procedure-related pain intensity during painful medical procedures. *The Clinical Journal of Pain*, 23: 392–9.
- Lioffi, C., White, P. and Hatira, P. (2006). Randomised clinical trial of a local anaesthetic versus a combination of self-hypnosis with a local anaesthetic in the management of paediatric procedure-related pain. *Health Psychology*, 25: 307–15.
- Lioffi, C., White, P. and Hatira, P. (2009). A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients. *Pain*, 142: 255–63.
- Lipkus, I. M., Barefoot, J. C., Williams, R. B. et al. (1994). Personality measures as predictors of smoking initiation and cessation in the UNC Alumni heart study. *Health Psychology*, 13: 149–55.
- Lipton, A. A. and Simon, F. S. (1985). Psychiatric diagnosis in a state hospital: Manhattan state revisited. *Hospital and Community Psychiatry*, 36: 368–73.
- Litt, M. D., Nye, C. and Shafer, D. (1995). Preparation for oral surgery: evaluating elements of coping. *Journal of Behavioral Medicine*, 18: 435–59.
- Little, M. and Sayers, E. -J. (2004). While there's life... hope and the experience of cancer. *Social Science and Medicine*, 59: 1329–37.
- Livingston, G. and Hincliffe, A. C. (1993). The epidemiology of psychiatric disorders in the elderly. *International Review of Psychiatry*, 5: 317–29.
- Llewellyn, C. D., McGurk, M. and Weinman, J. (2007). The relationship between the Patient Generated Index (PGI) and measures of HR-QoL following diagnosis with head and neck cancer: are illness and treatment perceptions determinants of judgment-based outcomes? *British Journal of Health Psychology*, 12: 421–37.
- Lo, B. (2006). HPV vaccine and adolescents' sexual activity. *British Medical Journal*, 332: 1106–7.
- Lo, B. (2007). Human papillomavirus vaccination programmes. *British Medical Journal*, 335: 357–8.
- Lo, R. (1999). Correlates of expected success at adherence to health regimen of people with IDDM. *Journal of Advanced Nursing*, 30: 418–24.
- Lobb, E. A., Butow, P. N., Kenny, D. T. and Tattersall, M. H. (1999). Communicating prognosis in early breast cancer: do women understand the language used? *Medical Journal of Australia*, 171: 290–4.
- Lobchuk, M. M. and Vorauer, J. D. (2003). Family caregiving, perspective-taking, and accuracy in estimating cancer patient symptom experiences. *Social Science and Medicine*, 57: 2379–84.
- Lock, K., Pomerleau, J., Causer, L., Altmann, D. R. and McKee, M. (2005). The global burden of disease attributable to low consumption of fruit and vegetables: implications for the global strategy on diet. *Bulletin of the World Health Organization*, 83: 100–8.
- Locke, E. A. and Latham, G. P. (2002). Building a practically useful theory of goal setting and task motivation: a 35-year odyssey. *American Psychologist*, 57: 705–17.
- Locke, G. R., Ill, Weaver, A. L., Melton, L. J., Ill and Talley, N. J. (2004). Psychosocial factors are linked to functional gastrointestinal disorders: a population based nested case-control study. *American Journal of Gastroenterology*, 99: 350–7.

- Ladder, L., Frets, P. G., Trijsburg, R. W. et al. (2001). Psychological impact of receiving a BRCA1 /BRCA2 test result. *American Journal of Medical Genetics*, 98: 15–24.
- Loewenthal, K. M. (2007). *Religion, culture and mental health*. Cambridge: Cambridge University Press.
- Lof, M., Sardin, S. Lagiou, P. et al. (2007). Dietary fat and breast cancer risk in the Swedish women's lifestyle and health cohort. *British Journal of Cancer*, 97: 1570–6.
- Logan, T. K., Cole, J. and Leukefeld, C. (2002). Women, sex, and HIV: social and contextual factors, meta-analysis of published interventions, and implications for practice and research. *Psychological Bulletin*, 128: 851–85.
- Lok, C. F. and Bishop, G. D. (1999). Emotion control, stress, and health. *Psychology and Health*, 14: 813–27.
- Lomas, J. (1991). Words without action? The production, dissemination, and impact of consensus recommendations. *Annual Reviews in Public Health*, 12: 41–65.
- Longabaugh, R. and Morgenstern, J. (1999). Cognitive-behavioural coping-skills therapy for alcohol dependence. *Alcohol Research and Health*, 23: 78–85.
- Longo, D. R., Johnson, J. C., Kruse, R. L., Brownson, R. C. and Hewett, J. E. (2001). A prospective investigation of the impact of smoking bans on tobacco cessation and relapse. *Tobacco Control*, 10: 267–72.
- Lorentzen, C., Ommundsen, Y. and Hole, I. (2007). Psychosocial correlates of stages of change in physical activity in an adult community sample. *European Journal of Sports Science*, 7: 93–106.
- Lorenz, F. O., Wickrama, K. A. S., Conger, R. D. and Elder, G. H. Jr. (2006). The short-term and decade-long effects of divorce on women's midlife health. *Journal of Health and Social Behavior*, 47: 11–25.
- Lorig, K. (1996). *Patient Education: A Practical Approach*. Newbury Park, CA: Sage.
- Lorig, K. and Holman, H. (1989). Long-term outcomes of an arthritis self-management study: effects of reinforcement efforts. *Social Science and Medicine*, 29: 221–4.
- Lorig, K., Ritter, P. L., Villa, F. J. et al. (2009). Community-based peer-led diabetes self-management: a randomized trial. *Diabetes Education*, 35: 641–51.
- Lorig, K., Sobel, D. S., Stewart, A. L., Brown, B. W., Jr, Bandura, A., Ritter, P. et al. (1999). Evidence suggesting that a chronic disease self-management program can improve health status while reducing hospitalisation. *Medical Care*, 37: 5–14.
- Lotrean, L. M., Dijk, F., Mesters, I. et al. (2010). Evaluation of a peer-led smoking prevention programme for Romanian adolescents. *Health Education Research*, 25: 803–14.
- Louria, D. (1988). Some concerns about educational approaches in AIDS prevention. In R. Schinazi and A. Nahmias (Eds.), *AIDS Children, Adolescents and Heterosexual Adults*. New York: Elsevier Science.
- Louw, Q. A., Morris, L. D. and Grimmer-Somers, K. (2007). The prevalence of low back pain in Africa: a systematic review. *BMC Musculoskeletal Disorders*, 8: 105.
- Lovallo, W. R. (1997). *Stress and Health: Biological and Psychological Interactions*. Newbury Park, CA: Sage.
- Lovallo, W. R., Pincomb, G. A., Brackett, D. J. et al. (1990). Heart rate reactivity as a predictor of neuroendocrine responses to aversive and appetitive challenges. *Psychosomatic Medicine*, 52: 17–26.
- Lovegrove, E., Rumsey, N., Harcourt, D. et al. (2000). Factors implicated in the decision whether or not to join the tamoxifen trial in women at high familial risk of breast cancer. *Psycho-Oncology*, 9: 193–202.
- Low, C. A., Stanton, A. L. and Danoff-Burg, S. (2006). Expressive disclosure and benefit finding among breast cancer patients: mechanisms for positive health effects. *Health Psychology*, 25: 181–9.
- Lowe, C. F., Horne, P. J., Tapper, K. et al. (2004). Effects of a peer-modelling and rewards based intervention to increase fruit and vegetable consumption in children. *European Journal of Clinical Nutrition*, 58: 510–22.
- Lowe, R., Norman, P. and Bennett, P. (2000). Coping, emotion and perceived health following myocardial infarction. *British Journal of Health Psychology*, 5: 337–50.
- Lowe, R., Vedhara, K., Bennett, P. et al. (2003). Emotion-related primary and secondary appraisals, adjustment and coping associations in women awaiting breast disease diagnosis. *British Journal of Health Psychology*, 8: 377–91.
- Lowes, J. and Tiggemann, M. (2003). Body dissatisfaction and dieting awareness in young children. *British Journal of Health Psychology*, 8: 135–47.
- Lox, C. L., Martin Ginis, K. A. and Petruzzello, S. J. (2006). *The Psychology of Exercise: Integrating Theory and Practice*, 2nd ed. Scottsdale, AZ: Holcomb Hathaway.
- Luck, A., Pearson, S., Maddern, G. et al. (1999). Effects of video information on pre-colonoscopy anxiety and knowledge: a randomised trial. *Lancet*, 354: 2032–5.
- Lundberg, U, de Chateau, P., Winberg, J. et al. (1981). Catecholamine and cortisol excretion patterns in three year old children and their parents. *Journal of Human Stress*, 7: 3–11.
- Luszczynska, A., Diehl, M., Gutierrez-Dona, B. et al. (2004). Measuring one component of dispositional self-regulation: attention control in goal pursuit. *Personality and Individual Differences*, 37: 555–66.
- Luszczynska, A. and Cieslak, R. (2009). Mediated effects of social support for healthy nutrition: fruit and vegetable intake across 8 months after myocardial infarction. *Behavioral Medicine*, 35: 30–8.
- Luszczynska, A. and Schwarzer, R. (2003). Planning and self-efficacy in the adoption and maintenance of breast self-examination: a longitudinal study on self-regulatory cognitions. *Psychology and Health*, 18: 93–108.
- Luszczynska, A., Sobczyk, A. and Abraham, C. (2007). Planning to lose weight: randomized controlled trial of an implementation intention prompt to enhance weight reduction among overweight and obese women. *Health Psychology*, 26: 507–12.
- Lyonette, C. and Yardley, L. (2003). The influence on carer wellbeing of motivations to care for older people and the relationship with the care recipient. *Ageing & Society*, 23: 487–506.
- MacBryde, C. M. and Blacklow, R. S. (1970). *Signs and Symptoms: Applied Pathologic Physiology and Clinical Interpretation*, 5th ed. Philadelphia, PA: Lippincott.
- Macdonald, S., McMillan, T.M. and Kerr, J. (2010). Readability of information leaflets given to attenders at hospital with a head injury. *Emergency Medicine Journal*, 27: 279–82.

- MacFadyen, L., Amos, A., Hastings, G. et al. (2002). They look like my kind of people: perceptions of smoking images in youth magazines. *Social Science and Medicine*, 56: 491–9.
- Macintyre, S. (1986). The patterning of health by social position in contemporary Britain: directions for sociological research. *Social Science and Medicine*, 23: 393–415.
- Macintyre, S. (1993). Gender differences in the perceptions of common cold symptoms. *Social Science and Medicine*, 36: 15–20.
- Macintyre, S. and Ellaway, A. (1998). *Ecological Approaches: Rediscovering the Role of the Physical and Social Environment*. Oxford: Oxford University Press.
- Mackay, D., Haw, S., Ayres, J. G. et al. (2010). Smoke-free legislation and hospitalizations for childhood asthma. *New England Journal of Medicine*, 363: 1139–45.
- MacKellar, D., Gallagher, K. M., Finlayson, T., Sanchez, T., Lansky, A. and Sullivan, P. S. (2007). Surveillance of HIV risk and prevention behaviors of men who have sex with men – a national application of venue based, time-space sampling. *Public Health Reports*, 122 (Suppl. 1), 39–47.
- MacNee, W. (2004). Guidelines for chronic obstructive pulmonary disease (editorial). *British Medical Journal*, 329: 361–3.
- MacNicol, S. A. M., Murray, S. M. and Austin, E. J. (2003). Relationships between personality, attitudes and dietary behaviour in a group of Scottish adolescents. *Personality and Individual Differences*, 35: 1753–64.
- Macrodimitris, D. and Endler, N. S. (2001). Coping, control, and adjustment in Type 2 diabetes. *Health Psychology*, 20: 208–16.
- Maes, S., Kittel, F., Scholten, H. and Verhoeven, C. (1990). Effects of the Brabantia project, a Dutch wellness-health programme at the worksite. *American Journal of Public Health*, 88: 1037–41.
- Maes, S., Leventhal, H. and de Ridder, D. T. (1996). Coping with chronic disease. In M. Zeidner and N. S. Endler (Eds.), *Handbook of Coping*. New York: Wiley.
- Maes, S. and van der Doef, M. (2004). *Worksite health promotion*. In A. Kaptein and J. Weinman (Eds.), *Health Psychology*. Oxford: BPS Blackwell, pp. 358–83.
- Magar, E. C. E., Phillips, L. H. and Hosie, J. A. (2008). Self-regulation and risk-taking. *Personality & Individual Differences*, 45: 153–9.
- Magarey, A., Daniels, L., Boulton, T et al. (2003). Predicting obesity in early adulthood from childhood and parental obesity. *International Journal of Obesity*, 27: 505–13.
- Magarey, A., Daniels, L. A. and Smith, A. (2001). Fruit and vegetable intakes of Australians aged 2–18 years: an evaluation of the 1995 National Nutrition Survey data. *Australian and New Zealand Journal of Public Health*, 25: 155–61.
- Mager, W. M. and Andrykowski, M. A. (2002). Communication in the cancer 'bad news' consultation: patient perceptions and psychological adjustment. *Psycho-Oncology*, 11: 35–46.
- Maggiolo, F., Ripamonti, D., Arici, C., Gregis, G., Quinzan, G., Camacho, G. A., Ravasio, L. and Suter, F. (2002). Simpler regimens may enhance adherence to antiretrovirals in HIV-infected patients. *HIV Clinical Trials*, 3: 371–8.
- Magni, G., Moreschi, C., Rigatti-Luchini, S. and Merskey, H. (1994). Prospective study on the relationship between depressive symptoms and chronic musculoskeletal pain. *Pain*, 56: 289–97.
- Magnusson, J. E. and Becker, W. J. (2003). Migraine frequency and intensity: relationship with disability and psychological factors. *Headache*, 43: 1049–59.
- Magri, F., Cravello, L., Barili, L. et al. (2006). Stress and dementia: the role of the hypothalamic-pituitary-adrenal axis. *Aging & Clinical Experimental Research*, 18: 167–70.
- Maguire, P. and Faulkner, A. (1988). How to improve the counselling skills of doctors and nurses in cancer care. *British Medical Journal*, 297: 847–9.
- Maguire, P. and Pitceathly, C. (2002). Key communication skills and how to acquire them. *British Medical Journal*, 325: 697–700.
- Mahajan, L., Wyllie, R., Steffen, R., Kay, M., Kitaoka, G., Dettorre, J., Sarigol, S. and McCue, K. (1998). The effects of a psychological preparation program on anxiety in children and adolescents undergoing gastrointestinal endoscopy. *Journal of Pediatric Gastroenterology and Nutrition*, 27: 161–5.
- Mahalik, J. R., Burns, S. M. and Syzdek, M. (2007). Masculinity and perceived normative health behaviors as predictors of men's health behaviors. *Social Science & Medicine*, 64: 2201–9.
- Maisto, S. A. and Connors, G. J. (1992). Using subject and collateral reports to measure alcohol consumption. In R. Z. Litten and J. P. Allen (Eds.), *Measuring Alcohol Consumption: Psychosocial and Biochemical Methods*. New Jersey: Humana Press.
- Malfetti, J. (1985). Public information and education sections of the report of the Presidential Commission on Drunk Driving: a critique and a discussion of research implication. *Accident Analysis and Prevention*, 17: 347–53.
- Maliski, S. L., Heilemann, M. V. and McCorkle, R. (2002). From 'death sentence' to 'good cancer': couples' transformation of a prostate cancer diagnosis. *Nursing Research*, 51: 391–7.
- Malkin, C. J., Pugh, P. J., Jones, R. D. et al. (2003). Testosterone as a protective factor against atherosclerosis- immunomodulation and influence upon plaque development and stability. *Journal of Endocrinology*, 178: 373–80.
- Maly, M. R., Costigan, PA and Olney, S. J. (2007). Self-efficacy mediates walking performance in older adults with knee osteoarthritis. *Journal of Gerontology A: Biological Sciences and Medical Sciences*, 62: 1142–6.
- Mandelblatt, J. and Kanesky, P. A. (1995). Effectiveness of interventions to enhance physician screening for breast cancer. *Journal of Family Practice*, 40: 162–71.
- Maniadakis, N. and Gray, A (2000). The economic burden of back pain in the UK. *Pain*, 84: 95–103.
- Manne, S. L., Norton, T. R., Ostroff, J. S. et al. (2007). Protective buffering and psychological distress among couples coping with breast cancer: the moderating role of relationship satisfaction. *Journal of Family Psychology* 21: 380–88.
- Manning, P. K. and Fabrega, H. (1973). The experience of self and body: health and illness in the Chiapas Highlands. In G. Psathas (Ed.), *Phenomenological Sociology: Issues and Applications*. New York: Wiley.
- Mannino, D. M. (2003). Chronic obstructive pulmonary disease: definition and epidemiology. *Respiratory Care*, 48: 11 85–91.

- Manson, J. E., Greenland, P., LaCroix, A. Z., Stefanick, M. L., Mouton, C. P., Oberman, A., Perri, M. G., Sheps, D. S., Pettinger, M. B. and Siscovick, D. S. (2002). Walking compared with vigorous exercise for prevention of cardiovascular events in women. *New England Journal of Medicine*, 347: 716–25.
- Manstead, A. S. R. (2000). The role of moral norm in the attitude-behavior relationship. In D. J. Terry and M. A. Hogg (Eds.), *Attitudes, Behavior and Social Context: The Role of Norms and Group Membership*. Mahwah, NJ: Lawrence Erlbaum.
- Mantyselka, P., Kumpusalo, E., Ahonen, R., Kumpusalo, A., Kauhanen, J., Viinamaki, H., Halonen, P. and Takala, J. (2001). Pain as a reason to visit the doctor: a study in Finnish primary health care. *Pain*, 89: 1 75–80.
- Marcell, A. V., Ford, C. A., Pleck, J. H. et al. (2007). Masculine beliefs, parental communication, and male adolescents' health care use. *Pediatrics*, 119: 966–75.
- Marcus, B. H., Rakowski, W. and Rossi, J. S. (1992). Assessing motivational readiness and decision-making for exercise. *Health Psychology*, 22: 3–16.
- Marcus, B. H., Selby, V. C., Niaura, R. S. and Rossi, J. S. (1992). Self-efficacy and the stages of exercise behaviour change. *Research Quarterly in Exercise and Sport*, 63: 60–6.
- Marinus, J., Ramaker, C., van Hilten, J. J. and Stiggelbout, A. M. (2002). Health related quality of life in Parkinson's disease: a systematic review of disease specific instruments. *Journal of Neurology, Neurosurgery and Psychiatry*, 72: 241–8.
- Markovitz, J. H., Matthews, K. A., Kannel, W. B., Cobb, J. L. and D'Agostino, R. B. (1993). Psychological predictors of hypertension in the Framingham study: is there tension in hypertension? *Journal of the American Medical Association*, 270: 2439–43.
- Marks, D. F. (Ed.) (2002). *The Health Psychology Reader*. London: Sage.
- Marks, D. F., Murray, M., Evans, B. and Willig, C. (2000). *Health Psychology: Theory, Research and Practice*. London: Sage.
- Marks, 1., Lovell, K., Noshirvani, H., Livanou, M. and Thrasher, S. (1998). Treatment of post-traumatic stress disorder by exposure and/or cognition restructuring. *Archives of General Psychiatry*, 55: 317–25.
- Marks, J. T., Campbell, M. K., Ward, D. S. et al. (2006). A comparison of Web and print media for physical activity promotion among adolescent girls. *Journal of Adolescent Health*, 39: 96–104.
- Marlatt, A (1996). Taxonomy of high-risk situations for alcohol relapse: evolution and development of a cognitive-behavioral model. *Addiction*, 91: 37–50.
- Marlatt, G. A., Baer, J. S., Donovan, D. M. and Kivlahan, D. R. (1986). Addictive behaviors: etiology and treatment. *Annual Review of Psychology*, 39: 223–52.
- Marmot, M. (2005). Social determinants of health inequalities. *Lancet*, 365: 1 099–1 04.
- Marmot, M., Atinmo, T., Byers, T. et al. (2007). *Food, Nutrition, Physical Activity, and the Prevention of Cancer: A Global Perspective*. Washington, DC: American Institute for Cancer Research.
- Marmot, M. G., Davey-Smith, G. and Stansfield, S. (1991). Health inequalities among British civil servants: the Whitehall Study II. *The Lancet*, 337: 1387–93.
- Marmot, M. G., Fuhrer, R., Ettner, S. L., Marks, N. F., Bumpass, L. L. and Ryff, C. D. (1998). Contribution of psychosocial factors to socioeconomic differences in health. *The Milbank Quarterly*, 76: 403–448.
- Marmot, M. G. and Madge, N. (1987). An epidemiological perspective on stress and health. In S. V. Kasl and C. L. Cooper (Eds.), *Research Methods in Stress and Health Psychology*. London: Wiley.
- Marmot, M., Ryff, C. D., Bumpass, L. L., Shipley, M. and Marks, N. F. (1997). Social inequalities in health: next questions and converging evidence. *Social Science and Medicine*, 44: 901–10.
- Marmot, M. G., Shipley, M. J. and Rose, G. (1984). Inequalities in health: specific explanations of a general pattern? *The Lancet*, i, 1003–6.
- Marsh, A, Smith, L., Piek, J. and Saunders, B. (2003). The Purpose in Life scale: psychometric properties for social drinkers and drinkers in alcohol treatment. *Educational & Psychological Measurement*, 63: 859–71.
- Marshall, A. L., Leslie, E. R., Bauman, A. E. et al. (2003). Print versus website physical activity programs: a randomized trial. *American Journal of Preventive Medicine*, 25: 88–94.
- Marsland, A. L., Bachen, E. A., Cohen, S. et al. (2002). Stress, immune reactivity and susceptibility to infectious diseases. *Physiology & Behaviour*, 77: 711–16.
- Marteau, T. M., Kidd, J., Cuddeford, L. and Walker, P. (1996). Reducing anxiety in women referred for colposcopy using an information booklet. *British Journal of Health Psychology*, 1: 181–9.
- Marteau, T. M. and Kinmouth, A. L. (2002). Screening for cardiovascular risk: public health imperative or matter for individual informed choice? *British Medical Journal*, 325: 78–80.
- Martin, J., Sabugal, G. M., Rubio, R., Sainz-Maza, M., Blanco, J. M., Alonso, J. L. and Dominguez, J. (2001). Outcomes of a health education intervention in a sample of patients infected by HIV, most of them injection drug users: possibilities and limitations. *AIDS Care*, 13: 467–73.
- Martin, L. M., Calle, E. E., Wingo, PA and Heath, C. W., Jr. (1996). Comparison of mammography and Pap test use from the 1987 and 1992 National Health Interview Surveys: are we closing the gaps? *American Journal Preventive Medicine*, 12: 82–90.
- Martin, P., Rosa, G., Siegler, I. C. et al. (2006). Personality and longevity: findings from the Georgia centenarian study. *Age*, 28: 343–52.
- Martin, R. and Leventhal, H. (2004). Symptom perception and health-care seeking behavior. In J. M. Raczynski and L. C. Leviton (Eds.), *Handbook of Clinical Health Psychology* (Volume 2, pp. 299–328). Washington, DC: American Psychological Association.
- Martin, R., Lemos, C., Rothrock, N., Bellman, S. B., Russell, D. et al. (2004). Gender disparities in common-sense models of illness among myocardial infarction victims. *Health Psychology*, 23: 345–53.

- Martin, R., Rothrock, N., Leventhal, H. and Leventhal, E. (2003). Common sense models of illness: implications for symptom perception and health-related behaviours. In J. Suls and K. A. Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Oxford: Blackwell.
- Martin Ginis, K. A., Burke, S. M. and Gauvin, L. (2007). Exercising with others exacerbates the negative effects of mirrored environments on sedentary women's feeling states. *Psychology & Health*, 22: 945-62.
- Marucha, P. T., Kiecolt-Giaser, J. K. and Faveghi, M. (1998). Mucosal wound healing is impaired by examination stress. *Psychosomatic Medicine*, 60: 362-5.
- Maslach, C. (1982). *Burnout: The Cost of Caring*. Englewood Cliffs, NJ: Prentice Hall.
- Maslach, C. (1997). Burnout in health professionals. In A. Baum, S. Newman, J. Weinman, R. West and C. McManus (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*. Cambridge: Cambridge University Press.
- Massie, M. J. (2004). Prevalence of depression on patients with cancer. *Journal of the National Cancer Institute Monographs*, 32, 57-71.
- Masui, Y., Gonda, Y., Inagaki, H., Hirose, N. (2006). Do personality characteristics predict longevity? Findings from the Tokyo centenarian study. *Age*, 28: 353-61.
- Matano, R. A., Futa, K. T., Wanat, S. F., Mussman, L. M. and Leung, C. W. (2000). The Employee Stress and Alcohol Project: the development of a computer-based alcohol abuse prevention program for employees. *Journal of Behavioral Health Services Research*, 27: 152-65.
- Matarazzo, J. D. (1982). Behavioral health's challenge to academic, scientific and professional psychology. *American Psychologist*, 37: 1-14.
- Matarazzo, J. D. (1984). Behavioral health: a 1990 challenge for the health sciences professions. In J. D. Matarazzo, N. E. Miller, S. M. Weiss, J. A. Herd and S. M. Weiss (Eds.), *Behavioral Health: A Handbook of Health Enhancement and Disease Prevention*. New York: Wiley.
- Mathews, C., Guttmacher, S. J., Coetzee, N., Magwaza, S., Stein, J., Lombard, C., Goldstein, S. and Coetzee, D. (2001). Evaluation of a video based health education strategy to improve sexually transmitted disease partner notification in South Africa. *Sexually Transmitted Infections*, 78: 53-7.
- Matthews, K. A., Siegel, J. M., Kuller, L. H., Thompson, M. and Vanat, M. (1983). Determinants of decision to seek medical treatment by patients with acute myocardial infarction symptoms. *Journal of Personality and Social Psychology*, 44: 1144-56.
- Mattocks, C., Ness, A., Deere, K. et al. (2008). Early life determinants of physical activity in 11 to 12 year olds: cohort study. *British Medical Journal*, 336: 26-9.
- Matza, L. S., Swensen, A. R., Flood, E. M. et al. (2004). Assessment of health-related quality of life in children: a review of conceptual, methodological, and regulatory issues. *Value in Health*, 7: 79-92.
- McCabe, K. M., Yeh, M., Lau, A. et al. (2005). Racial/ethnic differences in caregiver strain and perceived social support among parents of youth with emotional and behavioral problems. *Mental Health Services Research*, 5: 137-47.
- McCaffery, J. M., Papandonatos, G. D., Stanton, C. et al. (2008). Depressive symptoms and cigarette smoking in twins from the National Longitudinal Study of Adolescent Health. *Health Psychology*, 27: S207-S215.
- McCann, B. S., Retzlaff, B. M., Dowdy, A. A., Walden, C. E. and Knopp, R. H. (1990). Promoting adherence to low-fat, low-cholesterol diets: review and recommendations. *Journal of the American Dietetic Association*, 90: 1408-14.
- McCann, J., Stockton, D. and Goddard, S. (2002). Impact of false-positive mammography on subsequent screening attendance and risk of cancer. *Breast Cancer Research*, 4: R11.
- McCarron, P., Davey-Smith, G. and Wormsley, J. (1994). Deprivation and mortality in Glasgow: changes from 1980 to 1992. *British Medical Journal*, 309: 1481-2.
- McClenahan, R. and Weinman, J. (1998). Determinants of carer distress in non-acute stroke. *International Journal of Language and Communication Disorders*, 33: 138-43.
- McCorkle, R., Strumpf, N., Nuamah, I., Adler, D. C., Cooley, M. E., Jepson, C., Lusk, E. J. and Torosian, M. (2000). A specialized home care intervention improves survival among older post-surgical cancer patients. *Journal of the American Geriatric Society*, 48: 1707-13.
- McCracken, L. (1998). Learning to live with the pain: acceptance of pain predicts adjustment in persons with chronic pain. *Pain*, 74: 21-7.
- McCracken, L. M. and Eccleston, C. (2003). Coping or acceptance: what to do about chronic pain? *Pain*, 105: 197-204.
- McCrae, R. E. and Costa, P. T. (1987). Validation of the five-factor model of personality across instruments and observers. *Journal of Personality and Social Psychology*, 52: 81-90.
- McCrae, R. E. and Costa, P. T. (1990). *Personality in Adulthood*. New York: Guilford Press.
- McCrae, R. E., Costa, P. T., Ostendorf, F., Angleitner, A., Hrebickova, M., Avia, M. D., Sanz, J., Sancez-Bernardos, M. L., Kusdil, M. E., Woodfield, R., Saunders, P. R. and Smith, P. B. (2000). Nature over nurture: temperament, personality and life-span development. *Journal of Personality and Social Psychology*, 78: 173-86.
- McCrae, R. R. (1990). Controlling neuroticism in the measurement of stress. *Stress Medicine*, 6: 237-40.
- McCubbin, H. I. and Patterson, J. M. (1982). Family adaptations to crisis. In H. I. McCubbin, A. Cauble and J. Patterson (Eds.), *Family Stress, Coping and Social Support*. Springfield, IL: Charles Thomas.
- McCubbin, H. I. and Patterson, J. M. (1983). The family stress process: the double ABCX model of adjustment and adaptation. In H. I. McCubbin, M. B. Sussman and J. M. Patterson (Eds.), *Social Stress and the Family: Advances and Developments in Family Stress Theory and Research*. New York: Haworth Press.
- McDermott, M. M., Schmitt, B. and Wallner, E. (1997). Impact of medication non-adherence on coronary heart disease outcomes. *Archives of Internal Medicine*, 157: 1921-9.

- McDonald, H. P, Garg, A. X. and Haynes, R. B. (2002). Interventions to enhance patient adherence to medication prescriptions: scientific review. *Journal of the American Medical Association*, 288: 2868–79.
- IvicEinay, J. and ivicCailion, C. R. (1998). Adherence and the elderly. In L. B. Myers and K. Midence (Eds.), *Adherence to Treatment in Medical Conditions*. Amsterdam: Harwood Academic.
- McEwan, M. J., Espie, C. A. and Metcalfe, J. (2004). A systematic review of the contribution of qualitative research to the study of quality of life in children and adolescents with epilepsy. *Seizure*, 13: 3–14.
- McEwen, B. S. (2008). Central effects of stress hormones in health and disease: understanding the protective and damaging effects of stress and stress mediators. *European Journal of Pharmacology*, 583: 174–85.
- McGill, H. C. and Stern, M. P (1979). Sex and atherosclerosis. *Atherosclerosis Review*, 4: 157–248.
- McGregor, B. A., Antoni, M. H., Boyers, A. et al. (2004). Cognitive-behavioral stress management increases benefit finding and immune function among women with early-stage breast cancer. *Journal of Psychosomatic Research*, 56: 1–8.
- McGuire, W. (1985). Attitudes and attitude change. In G. Lindzey and E. Aronson (Eds.), *Handbook of Social Psychology*, Vol. 2. New York: Random House.
- McHugh, P, Lewis, S., Ford, S., Newlands, E., Rustin, G., Coombes, C., Smith, D., O'Reilly, S. and Fallowfield, L. (1994). The efficacy of audiotapes in promoting psychological well-being in cancer patients: a randomised, controlled trial. *British Journal of Cancer*, 71: 388–92.
- McKenna, M. C., Zevon, M. A., Corn, B. and Rounds, J. (1999). Psychosocial factors and the development of breast cancer: a meta-analysis. *Health Psychology*, 18: 520–31.
- McKenna, S. P (2004). Assessing the quality of life in phases I and II anti-cancer drug trials: interviews versus questionnaires by Cox K (letter to the editor). *Social Science and Medicine*, 58: 659–60.
- McKenna, S. P, Whalley, D. and Doward, L. C. (2000). Which outcomes are important in schizophrenia trials? *International Journal of Methods in Psychiatric Research*, 9 (suppl. 1): S58–67.
- McKiernan, F. M. (1996). Bereavement and attitudes to death. In R. T. Woods (Ed.), *Handbook of the Clinical Psychology of Ageing*. Chichester: Wiley.
- McKirnan, D. J., Tolou-Shams, M., Courtenay-Quirk, C. et al. (2010). The treatment advocacy program: a randomized controlled trial of a peer-led safer sex intervention for HIV- infected men who have sex with men. *Journal of Consulting and Clinical Psychology*, 78: 952–63.
- McLeod, J. D. and Kessler, R. C. (1990). Socioeconomic status differences in vulnerability to undesirable life events. *Journal of Health and Social Behaviour*, 31: 162–72.
- McNair, D., Lorr, M. and Droppelman, L. (1971). *Manual for the Profile of Mood States*. San Diego, CA: Educational and Industrial Testing Service.
- McNeil, B. J., Pauker, S. G., Sox, H. C., Jr and Tversky, A. (1982). On the elicitation of preferences for alternative therapies. *New England Journal of Medicine*, 306: 1259–62.
- McNeill, L. H., Viswanath, K., Bennett, G. G. et al. (2007). Feasibility of using a web-based nutrition intervention among residents of multiethnic working-class neighborhoods. *Preventing Chronic Disease*, 4: A55.
- McPherson, K. M., McNaughton, H. and Pentland, B. (2000). Information needs of families when one member of the family has a severe brain injury. *International Journal of Rehabilitation Research*, 23: 295–301.
- McQuaid, E. L., Koinis-Mitchell, D., Walders, N. et al. (2007). Pediatric asthma morbidity: the importance of symptom perception and family response to symptoms. *Journal of Pediatric Psychology*, 32: 167–77.
- McQuay, H. J. and Moore, R. A. (2005). Placebo. *Postgraduate Medical Journal*, 81: 155–60.
- McVey, D. and Stapleton, J. (2000). Can anti-smoking television advertising affect smoking behaviour? Controlled trial of the Health Education Authority for England's antismoking TV campaign. *Tobacco Control*, 9: 273–82.
- McVicar, A. (2003). Workplace stress in nursing: a literature review. *Journal of Advanced Nursing*, 44: 633–42.
- Mechanic, D. (1962). The concept of illness behavior. *Journal of Chronic Disease*, 15: 189–94.
- Mechanic, D. (1972). Social psychological factors affecting the presentation of bodily complaints. *New England Journal of Medicine*, 286: 1132–9.
- Mechanic, D. (1978). *Medical Sociology*, 2nd ed. New York: Free Press.
- Meechan, G., Collins, J. and Petrie, K. (2002). Delay in seeking medical care for self-detected breast symptoms in New Zealand women. *New Zealand Medical Journal*, 115: U257.
- Meenan, R. F. and Mason, J. H. (1990). *AIMS2 Users Guide*. Boston University School of Medicine, Department of Public Health.
- Meeske, K. A., Ruccione, K. and Globe, D. R. (2001). Posttraumatic stress, quality of life, and psychological distress in young adult survivors of childhood cancer. *Oncology Nursing Forum*, 28: 481–9.
- Meeuwesen, L., Harmsen, J. A., Bernsen, R. M. et al. (2006). Do Dutch doctors communicate differently with immigrant patients than with Dutch patients? *Social Science and Medicine*, 63: 2407–17.
- Mehta, V and Langford, R. M. (2006). Acute pain management for opioid dependent patients. *Anaesthesia*, 61: 269–76.
- Meichenbaum, D. (1985). *Stress Inoculation Training*. New York: Pergamon Press.
- Meijer, S. A., Sinnema, G., Bijstra, J. O. et al. (2002). Coping style and locus of control as predictors for psychological adjustment of adolescents with a chronic illness. *Social Science and Medicine*, 54: 1453–61.
- Meiser, B. (2005). Psychological impact of genetic testing for cancer susceptibility: an update of the literature. *Psycho-Oncology*, 14: 1 060–74.
- Melchior, M., Berkman, L. F., Niedhammer, I. et al. (2003). Social relations and self-reported health: a prospective analysis of the French Gazel cohort. *Social Science and Medicine*, 56: 1817–30.

- Mellins, C. A., Brackis-Cott, E., Dolezal, C. et al. (2004). The role of psychosocial and family factors in adherence to antiretroviral treatment in human immunodeficiency virus- infected children. *Pediatric Infectious Disease Journal*, 23: 1035–41.
- Mel'nikova, T. S. (1993). Thresholds of pain responses to electrical stimuli in patients with endogenous depression. *Patologichskaia Fiziologiya I Eksperimentalnaia Terapiia*, 4: 19–21.
- Melzack, R. (1973). *The Puzzle of Pain*. London: Penguin Education.
- Melzack, R. (1975). The McGill pain questionnaire: major properties and scoring methods. *Pain*, 1: 277–99.
- Melzack, R. (1999). From the gate to the neuromatrix. *Pain, suppl.* 6: S121–6.
- Melzack, R. (2005). Evolution of the neuromatrix theory of pain. The Prithvi Raj Lecture: presented at the third World Congress of World Institute of Pain, Barcelona 2004. *Pain Practice*, 5: 85–94.
- Melzack, R. and Wall, P. D. (1965). Pain mechanisms: a new theory. *Science*, 50: 971–9.
- Mendlowicz, M. V. and Stein, M. B. (2001). Quality of life in individuals with anxiety disorders. *American Journal of Psychiatry*, 157: 669–82.
- Mendoza, S. A., Gollwitzer, P. M. and Amodio, D. M. (2010). Reducing the expression of implicit stereotypes: reflexive control through implementation intentions. *Personality and Social Psychology Bulletin*, 36: 512–23.
- Mercken, L., Candel, M., Willems, P. and de Vries, H. (2007). Disentangling social selection and social influence effects on adolescent smoking: the importance of reciprocity of friendships. *Addiction*, 102: 1483–92.
- Merkes, M. (2010). Mindfulness-based stress reduction for people with chronic diseases. *Australian Journal of Primary Health*, 16: 200–10.
- Merritt, M. M., Bennett, G. G., Williams, R. B. et al. (2004). Low educational attainment, John Henryism, and cardiovascular reactivity to and recovery from personally relevant stress. *Psychosomatic Medicine*, 66: 49–55.
- Merzel, C. and D'Afflitti, J. (2003). Reconsidering community-based health promotion: promise, performance, and potential. *American Journal of Public Health*, 93: 55774.
- Meyer, J. M. and Stunkard, A. J. (1993). Genetics and human obesity. In A. J. Stunkard and T. A. Wadden (Eds.), *Obesity: Theory and Therapy*. New York: Raven Press.
- Meyer, T. J. and Mark, M. M. (1995). Effects of psychosocial interventions with adult cancer patients: a meta-analysis of randomized experiments. *Health Psychology*, 12: 101–8.
- Meyer-Weitz, A., Reddy, P., Van Den Borne, H. W. et al. (1999). The determinants of health care seeking behaviour of adolescents attending STD clinics in South Africa. *Journal of Adolescence*, 23: 741–52.
- Michell, L. and Amos, A. (1997). Girls, pecking order, and smoking. *Social Science and Medicine*, 44: 1861–9.
- Michie, S., Dormandy, E. and Marteau, T. M. (2004). Increasing screening uptake among those intending to be screened: the use of action plans. *Patient Education and Counselling*, 55: 218–22.
- Michie, S., Smith, J. A., Senior, V and Marteau, T. M. (2003). Understanding why negative genetic test results sometimes fail to reassure. *American Journal of Medical Genetics*, 119A: 340–7.
- Mikkelsen, A. and Saksvik, P. O. (1999). Impact of a participatory organizational intervention on job characteristics and job stress. *International Journal of Health Services Research*, 29: 871–93.
- Miller, G. E. and Cohen, S. (2001). Psychological interventions and the immune system: a meta-analytic review and critique. *Health Psychology*, 20: 47–63.
- Miller, R. and Miller, Y. D. (2003). Nifty after fifty: evaluation of a physical activity directory for older people. *Australia and New Zealand Journal of Public Health*, 27: 524–8.
- Miller, S. M. (1987). Monitoring and blunting: validation of a questionnaire to assess styles of information seeking under threat. *Journal of Personality and Social Psychology*, 52: 345–53.
- Miller, S. M., Brody, D. S. and Summerton, J. (1987). Styles of coping with threat: implications for health. *Journal of Personality and Social Psychology*, 54: 142–8.
- Miller, S. M., Fang, C. Y., Manne, S. L. et al. (1999). Decision making about prophylactic oophorectomy among at-risk women: psychological influences and implications. *Gynaecological Oncology*, 75: 406–12.
- Miller, S. M., Rodoletz, M., Mangan, C. E., Schroeder, C. M. and Sedlacek, T. V. (1996). Applications of the monitoring process model to coping with severe long-term medical threats. *Health Psychology*, 15: 216–25.
- Miller, T. Q., Smith, T. W., Turner, C. W. et al. (1996). A meta-analytic review of research on hostility and physical health. *Psychological Bulletin*, 119: 322–48.
- Miller, W. and Rollnick, S. (2002). *Motivational Interviewing: Preparing People to Change Addictive Behaviour*. New York: Guilford Press.
- Miller, W., Rollnick, S. and Butler, C. (2008). *Motivational Interviewing in Health Care: Helping Patients Change Behavior*. New York: Guilford Press.
- Milne, S., Welch, V., Brosseau, L. et al. (2001). Transcutaneous electrical nerve stimulation (TENS) for chronic low back pain. In *The Cochrane Library*, issue 4. Oxford: Update Software.
- Mills, E. J., Nachega, J. B., Bangsberg, D. R. et al. (2006). Adherence to HAART: a systematic review of developed and developing nation patient-reported barriers and facilitators. *PLoS Medicine*, 3: e438.
- Ming, E. E., Adler, G. K., Kessler, R. C. et al. (2004). Cardiovascular reactivity to work stress predicts subsequent onset of hypertension: the Air Traffic Controller Health Change Study. *Psychosomatic Medicine*, 66: 459–65.
- Ministry of Health (2003). *A Longer Healthy Life* (in Dutch). Den Haag: Ministry of Health, Welfare and Sport.
- Mino, Y., Babazono, A., Tsuda, T. et al. (2006). Can stress management at the workplace prevent depression? A randomized controlled trial. *Psychotherapy and Psychosomatics*, 7: 177–82.
- Mishra, S., Bhatnagar, S., Gupta, D. et al. (2007). Incidence and management of phantom limb pain according to World Health Organization analgesic ladder in amputees of malignant origin. *American Journal of Hospice and Palliative Care*, 24: 455–62.
- Misra, R., Crist, M. and Burant, C. J. (2003). Relationships among life stress, social support, academic stressors, and reactions to stressors of international students in the United States. *International Journal of Stress Management*, 10: 137–57.

- Mitchell, A. J. and Kakkadasam, V. (2011). Ability of nurses to identify depression in primary care, secondary care and nursing homes: a meta-analysis of routine clinical accuracy. *International Journal of Nursing Studies*, 48: 359–68.
- Mitchell, A. J. and Kumar, M. (2002). Influence of psychological coping on survival: review is not systematic (letter to the editor). *British Medical Journal*, 326: 598.
- Mitchell, J. B., Ballard, D. J., Matchar, D. B. et al. (2000). Racial variation in treatment for transient ischemic attacks: impact of participation by neurologists. *Health Services Research*, 34: 1413–28.
- Moens, V., Baruch, G. and Fearon, P. (2003). Opportunistic screening for chlamydia at a community based contraceptive service for young people. *British Medical Journal*, 326: 1252–5.
- Moldofsky, H. and Chester, W. J. (1970). Pain and mood patterns in patients with rheumatoid arthritis: a prospective study. *Psychosomatic Medicine*, 32: 309–18.
- Molyneux, A., Lewis, S., Leivers, U. et al. (2003). Clinical trial comparing nicotine replacement therapy (NRT) plus brief counselling, brief counselling alone, and minimal intervention on smoking cessation in hospital inpatients. *Thorax*, 58: 484–8.
- Molloy, G. J., Dixon, D., Hamer, M. and Sniehotta, F. F. (2010). Social support and regular physical activity: does planning mediate this link? *British Journal of Health Psychology*, 15: 859–70.
- Molloy, G. J., Johnston, M., Johnston, D. W. et al. (2008). Spousal caregiver confidence and recovery from ambulatory activity limitations in stroke survivors. *Health Psychology* 27: 286–90.
- Molloy, G. J., Stamataki, E., Randall, G. and Harmer, M. (2008). Marital status, gender, and cardiovascular mortality: behavioural, psychological distress and metabolic explanations. *Social Science & Medicine*, 69: 223–8.
- Mommersteeg, P. M., Vermetten, E., Kavelaars, A. et al. (2008). Hostility is related to clusters of T-cell cytokines and chemokines in healthy men. *Psychoneuroendocrinology*, 33: 1041–50.
- Montazeri, A., Jarvandi, S., Haghghat, S. et al. (2001). Anxiety and depression in breast cancer patients before and after participation in a cancer support group. *Patient Education and Counseling*, 45: 195–8.
- Montgomery, C., Lydon, A. and Lloyd, K. (1999). Psychological distress among cancer patients and informed consent. *Journal of Psychosomatic Research*, 46: 241–5.
- Montgomery, C., Pocock, M., Titley, K. and Lloyd, K. (2003). Predicting psychological distress in patients with leukaemia and lymphoma. *Journal of Psychosomatic Research*, 54: 289–92.
- Montgomery, R. J. V. and Kosloski, K. D. (2000). Family caregiving: change, continuity and diversity. In P. Lawton and R. Rubenstein (Eds.), *Alzheimer's Disease and Related Dementias: Strategies in Care and Research*. New York: Springer.
- Montpetit, M. A. and Bergeman, C. S. (2007). Dimensions of control: mediational analyses of the stress-health relationship. *Personality and Individual Differences*, 43: 2237–48.
- Moody, L. E. and McMillan, S. (2003). Dyspnoea and quality of life indicators in hospice patients and their caregivers. *Health and Quality of Life Outcomes*, 1:9.
- Moore, D., Aveyard, P., Connock, M. et al. (2009). Effectiveness and safety of nicotine replacement therapy assisted reduction to stop smoking: systematic review and meta-analysis. *British Medical Journal*, 338.
- Moore, L. (2001). Are fruit tuck shops in primary schools effective in increasing pupils' fruit consumption? A randomised controlled trial. Abstract available from <http://www.cf.ac.uk/socsi/whoswho/moore-tuckshop.html>
- Moore, L., Paisly, C. M. and Dennehy, A. (2000). Are fruit tuck shops in primary schools effective in increasing pupils' fruit consumption? A randomised controlled trial. *Nutrition and Food Science*, 30: 35–8.
- Moore, S., Murphy, S., Tapper, K. et al. (2010). From policy to plate: barriers to implementing healthy eating policies in primary schools in Wales. *Health Policy*, 94: 239–45.
- Moore, S. and Rosenthal, D. (1993). *Sexuality in Adolescence*. London: Routledge.
- Moore, S. M., Barling, N. R. and Hood, B. (1998). Predicting testicular and breast self-examination behaviour: a test of the theory of reasoned action. *Behaviour Change*, 15: 41–9.
- Moorey, S., Greer, S., Bliss, J. and Law, M. (1998). A comparison of adjuvant psychological therapy and supportive counselling in patients with cancer. *Psycho-Oncology*, 7: 218–28.
- Moorey, S., Greer, S., Watson, M. (1994). Adjuvant psychological therapy for patients with cancer: outcome at one year. *Psycho-oncology*, 3: 39–46.
- Moos, R. H. and Schaefer, A. (1984). The crisis of physical illness: an overview and conceptual approach. In R. H. Moos (Ed.), *Coping with Physical Illness: New Perspectives*, Vol. 2. New York: Plenum.
- Mor, V., Malin, M. and Allen, S. (1994). Age differences in the psychosocial problems encountered by breast cancer patients. *Journal of the National Cancer Institute Monographs*, 16: 191–7.
- Morgan, J., Roufeil, L., Kaushik, S. et al. (1998). Influence of coping style and precolonoscopy information on pain and anxiety of colonoscopy. *Gastrointestinal Endoscopy*, 48: 119–27.
- Morley, S., Eccleston, C. and Williams, A. (1999). Systematic review and meta-analysis of randomized controlled trials of cognitive behaviour therapy and behaviour therapy for chronic pain in adults, excluding headache. *Pain*, 80: 1–13.
- Marone, N. E., Greco, C. M. and Weiner, D. K. (2008). Mindfulness meditation for the treatment of chronic low back pain in older adults: a randomized controlled pilot study. *Pain*, 134: 310–9.
- Morris, B. A. and Shakespeare-Finch (2010). Rumination, post-traumatic growth, and distress: structural equation modelling with cancer survivors. *Psycho-Oncology*, doi: 10.1002/pon.1827.
- Morris, C. D. and Carson, S. (2003). Routine vitamin supplementation to prevent cardiovascular disease: a summary of the evidence for the US Preventive Services Task Force. *Annals of Internal Medicine*, 139: 56–70.

- Morris, D. B. (1999). Sociocultural and religious meanings of pain. In R. J. Gatchel and D. C. Turk (Eds.), *Psychosocial Factors in Pain*. New York: Guilford Press.
- Morris, J. N., Clayton, D. G., Everitt, M. G. et al. (1990). Exercise in leisure time: coronary attack and death rates. *British Heart Journal*, 63: 325–34.
- Morris, P. L. P., Robinson, R. G., Andrzejewski, P., Samuels, J. and Price, T. R. (1993). Association of depression with 10-year poststroke mortality. *American Journal of Psychiatry*, 150: 124–9.
- Morrison, M. F., Petitto, J. M., Ten Have, T. et al. (2002). Depressive and anxiety disorders in women with HIV infection. *American Journal of Psychiatry*, 159: 789–96.
- Morrison, V. (1988). Observation and snowballing: useful tools for research into illicit drug use? *Social Pharmacology*, 2: 247–71.
- Morrison, V. (1999). Predictors of carer distress following a stroke. *Reviews in Clinical Gerontology*, 9: 265–71.
- Morrison, V. (2001). The need to explore discrepant illness cognitions when predicting patient outcomes. *Health Psychology Update*, 10: 9–13.
- Morrison, V. (2003). Furthering the socio-cognitive explanation of addiction. *Neuro-Psychoanalysis*, 5: 39–42.
- Morrison, V., Ager, A. and Willock, J. (1999). Perceived risk of tropical diseases in Malawi: evidence of unrealistic pessimism and the irrelevance of beliefs of personal control? *Psychology, Health and Medicine*, 4: 361–8.
- Morrison, V., Cottrell, L., Dawson, J. et al. (2002). Police force stress: psychological and job feature characteristics. Paper presented at the Annual Conference of the European Health Psychology Society, September.
- Morrison, V., Henderson, B. J., Zinovieff, F. et al. (2011). Common, important, and unmet needs of cancer patients. *European Journal of Oncology Nursing*, doi: 10.1016/j.ejon.2011.04.004.
- Morrison, V., Hutchinson, A. and McCarthy, M. (2000a). Illness perceptions, perceived control and adherence in child asthmatics: are child-parent beliefs discrepant? Poster presentation at European Health Psychology Society annual conference, Leiden, The Netherlands.
- Morrison, V., Johnston, M. and MacWalter, R. (2000b). Predictors of distress following an acute stroke: disability, control cognitions and satisfaction with care. *Psychology and Health*, 15: 395–407.
- Morrison, V. and Plant, M. A. (1991). Licit and illicit drug initiations and alcohol related problems among illicit drug users in Edinburgh. *Drug and Alcohol Dependence*, 27: 19–27.
- Morrison, V., Pollard, B., Johnston, M. and MacWalter, R. (2005). Anxiety and depression 3 years following stroke: demographic, clinical and psychological predictors. *Journal of Psychosomatic Research*.
- Morrison, V. L. (1991 a). The impact of HIV upon injecting drug users: a longitudinal study. *AIDS Care*, 3: 197–205.
- Morrison, V. L. (1991 b). Starting, switching, stopping: users' explanations of illicit drug use. *Drug and Alcohol Dependence*, 27: 213–17.
- Morrison, V., Henderson, B., Taylor, C., A'ch Dafydd, N. and Unwin, A. (2010). The impact of information order on intentions to undergo predictive genetic testing: an experimental study. *Journal of Health Psychology*, 15 (7): 1082–92.
- Morse, J. M. and Johnson, J. L. (1991). Towards a theory of illness. The illness constellation model. In J. M. Morse and J. L. Johnson (Eds.), *The Illness Experience: Dimensions of Suffering*. Newbury Park, CA: Sage.
- Morse, S. R. and Fife, B. (1998). Coping with a partner's cancer: adjustment at four stages of the illness trajectory. *Oncology Nursing Forum*, 25: 751–60.
- Morwitz, V. G., Johnson, E., Schmittlein, D. (1993). Does measuring intent change behavior? *Journal of Consumer Research*, 20: 46–61.
- Moskowitz, J. T., Hult, J. R., Busolari, C. and Acree, M. (2008). What works in coping with HIV? A meta-analysis with implications for coping with serious illness. *Psychological Bulletin*, 135: 121–41.
- Moss, S., Thomas, L., Evans, A. et al. (2005). Randomised controlled trial of mammographic screening in women from age 40: predicted mortality based on surrogate outcome measures. *British Journal of Cancer*, 92: 955–60.
- Moss-Morris, R. and Chalder, T. (2003). Illness perceptions and levels of disability in patients with chronic fatigue syndrome and rheumatoid arthritis. *Journal of Psychosomatic Research*, 55: 305–8.
- Moss-Morris, R., McAlpine, L., Didsbury, L. P. et al. (2010). A randomized controlled trial of a cognitive behavioural therapy-based self-management intervention for irritable bowel syndrome in primary care. *Psychological Medicine*, 40: 85–94.
- Moss-Morris, R., Weinman, J., Petrie, K. J. et al. (2002). The revised Illness Perception Questionnaire (IPQ-R). *Psychology and Health*, 17: 1–16.
- Mott, J., Bucolo, S., Guttie, L. et al. (2008). The efficacy of an augmented virtual reality system to alleviate pain in children undergoing burns dressing changes: a randomised controlled trial. *Burns*, 34: 803–8.
- Motl, R. W., Gliottoni, R. C. and Scott, J. A. (2007). Self-efficacy correlates with leg muscle pain during maximal and submaximal cycling exercise. *Journal of Pain*, 8: 583–7.
- Mowery, R. L. (2007). The family, larger systems, and end-of-life decision making. In D. Balk, C. Wogrin, G. Thornton and D. Meagher (Eds.), *Handbook of Thanatology: The Essential Body of Knowledge for the Student of Death, Dying, and Bereavement*. Northbrook, IL: Association for Death Education and Counseling, pp. 93–102.
- Munaf, M. R. and Johnstone, E. C. (2008). Genes and cigarette smoking. *Addiction*, 103: 893–904.
- Murgraff, V., McDermott, M. R., White, D. et al. (1999). Regret is what you get: the effects of manipulating anticipated affect and time perspective on risky single occasion drinking. *Alcohol and Alcoholism*, 34: 590–600.
- Murnaghan, D. A., Blanchard, C. M., Rodgers, W. M. et al. (2010). Predictors of physical activity, healthy eating and being smoke-free in teens: a theory of planned behaviour approach. *Psychology & Health*, 25: 925–41.
- Murphy, D., Lindsay, S. and Williams, A. C. de C. (1997). Chronic low back pain: predictions of pain and relationship to anxiety and avoidance. *Behaviour Research and Therapy*, 35: 231–8.

- Murphy, M. H., Nevill, A. M., Murtagh, E. M. and Holder, R. L. (2007). The effect of walking on fitness, fatness and resting blood pressure. *Preventive Medicine*, 44: 377–85.
- Murray, C. J. L. and Lopez, A. D. (1997). Alternative projections of mortality and disability by cause 1990–2020: Global Burden of Disease Study. *The Lancet*, 349: 1498–504.
- Murray, D. F., Marks, M., Evans, B. and Willig, C. (2000). *Health Psychology: Theory, Research and Practice*. London: Sage.
- Murray, M. (1997). A narrative approach to health psychology: background and potential. *Journal of Health Psychology*, 2: 9–20.
- Murray, M. and Campbell, C. (2003). Beyond the sidelines: towards a more politically engaged health psychology. *Health Psychology Update*, 12: 12–17.
- Murrell, R. (2001). Assessing the quality of life of individuals with neurological illness. *Health Psychology Update*, 10.
- Myers, L. B. (1998). Repressive coping, trait anxiety and reported avoidance of negative thoughts. *Personality and Individual Differences*, 24: 299–303.
- Myers, L. B. and Reynolds, D. (2000). How optimistic are repressors? The relationship between repressive coping, controllability, self-esteem and comparative optimism for health-related events. *Psychology and Health*, 15: 677–87.
- Myers, J., Froelicher, V., Do, D. et al. (2002). Exercise capacity and mortality among men referred for exercise testing. *New England Journal of Medicine*, 346: 793–801.
- Myrtek, M. (2001). Meta-analyses of prospective studies on coronary heart disease, type A personality, and hostility. *International Journal of Cardiology*, 79: 245–51.
- Nachega, J. B., Mugavero, M. J., Zeier, M. et al. (2010). Treatment simplification in HIV-infected adults as a strategy to prevent toxicity, improve adherence, quality of life and decrease healthcare costs. *Journal of Patient Preference and Adherence*, 5: 357–67.
- Nagasako, E. M., Oaklander, A. L. and Dworkin, R. H. (2003). Congenital insensitivity to pain: an update. *Pain*, 101: 213–19.
- Naish, J., Brown, J. and Denton, B. (1994). Intercultural consultations: investigation of factors that deter non-English speaking women from attending their general practitioners for cervical screening. *British Medical Journal*, 309: 1126–8.
- Naliboff, B. D., Munakata, J., Chang, L. et al. (1998). Toward a biobehavioral model of visceral hypersensitivity in irritable bowel syndrome. *Journal of Psychosomatic Research*, 45: 485–93.
- Narevic, E. and Schoenberg, N. E. (2002). Lay explanations for Kentucky's 'Coronary Valley'. *Journal of Community Health*, 27: 53–62.
- Nathan, J. P., Zerilli, T., Cicero, L. A. et al. (2007). Patients' use and perception of medication information leaflets. *Annals of Pharmacotherapy*, 41: 777–82.
- National Collaborating Centre for Chronic Conditions (2004). Chronic obstructive pulmonary disease. National clinical guidelines on management of chronic obstructive pulmonary disease in adults in primary and secondary care. *Thorax*, 59 (suppl. 1): 1–232.
- National Diet and Nutrition Survey: Adults aged 79–64, Vol. 1 (2000). Carried out in 2000 on behalf of the Food Standards Agency and Department of Health by the Social Survey Division of the Office for National Statistics and Medical Research Council Human Nutrition Research. London: Stationery Office.
- National Diet and Nutrition Survey Report. www.food.gov.uk/multimedia/pdfs/.../ndnsreport0809year1results.pdf.
- National Institutes of Health Technology Assessment Panel (1996). Integration of behavioral and relaxation approaches into the treatment of chronic pain and insomnia. *Journal of the American Medical Association*, 276: 313–18.
- Navas-Nacher, E. L., Colangelo, L., Beam, C. et al. (2001). Risk factors for coronary heart disease in men 18 to 39 years of age. *Annals of Internal Medicine*, 134: 433–9.
- Nazroo, J. (1997). *The Health of Britain's Ethnic Minorities: Findings from a National Survey*. London: Policy Studies Institute.
- Nazroo, J. Y. (1998). *Genetic, Cultural or Socioeconomic Vulnerability? Explaining Ethnic Inequalities in Health*. Oxford: Blackwell.
- Neal, R. D., Ali, N., Atkin, K. et al. (2006). Communication between South Asian patients and GPs: comparative study using the Roter Interactional Analysis System. *British Journal of General Practice*, 56: 869–75.
- Neff, L. A. and Karney, B. R. (2005). Gender differences in social support: a question of skill or responsiveness? *Journal of Personality & Social Psychology*, 88: 79–90.
- Nelson, D. V., Baer, P. E. and Cleveland, S. E. (1998). Family stress management following acute myocardial infarction: an educational and skills training intervention program. *Patient Education and Counseling*, 34: 135–45.
- Ness, A. R., Frankel, S. J., Gunnell, D. J. et al. (1999). Are we really dying for a tan? *British Medical Journal*, 319: 114–16.
- Ness, A. R. and Powles, J. W. (1997). Fruit and vegetables, and cardiovascular disease: a review. *International Journal of Epidemiology*, 26: 1–13.
- Nestle, M. (1997). Alcohol guidelines for chronic disease prevention: from prohibition to moderation. *Nutrition Today*, 32: 86–92.
- New, S. J. and Senior, M. (1991). 'I don't believe in needles': qualitative aspects of a study into the uptake of infant immunisation in two English health authorities. *Social Science and Medicine*, 33: 509–18.
- Newhagen, J. and Reeves, B. (1987). Emotion and memory responses for negative political advertising: a study of television commercials used in the 1988 presidential campaign. In F. Biocca (Ed.), *Television and Political Advertising*, Vol. 1. Hillsdale, NJ: Lawrence Erlbaum.
- Newton, T. L., Watters, C. A., Philhower, C. L. et al. (2005). Cardiovascular reactivity during dyadic social interaction: the roles of gender and dominance. *International Journal of Psychophysiology*, 57: 219–28.
- Ng, B., Dimsdale, J. E., Rollnick, J. D. and Shapiro, H. (1996). The effect of ethnicity on prescriptions for patient-controlled anaesthesia for post-operative pain. *Pain*, 66: 9–12.
- NHS Centre for Reviews and Dissemination (1999). *Effective Healthcare: Getting Evidence into Practice*. NHS CRD, Vol. 5, No. 1. London: Royal Society of Medicine Press.
- NHS Executive (1996). *Patient Partnership: Building a Collaborative Strategy*. Leeds: NHS Executive.
- NICE (2009a). *Clinical Guideline 76: Medicines Adherence: Involving Patients in Decisions about Prescribed Medicines and Supporting Adherence*. London: National Institute for Health and Clinical Excellence.

- NICE (2009b). *Costing Statement: Medicines Adherence: Involving Patients in Decisions about Prescribed Medicines and Supporting Adherence* London: National Institute for Health and Clinical Excellence.
- Nichols, K. (2003). *Psychological Care for the Ill and Injured: A Clinical Handbook*. Maidenhead: Open University Press.
- Nicholson, N., Soane, E., Fenton-O'Creavy, M. et al. (2005). Personality and domain-specific risk-taking. *Journal of Risk Research*, 8: 157–76.
- Nicolson, N. A. and van Diest, R. (2000). Salivary cortisol levels in vital exhaustion. *Journal of Psychosomatic Research*, 49: 335–42.
- Niederhoffer, K. G. and Pennebaker, J. W. (2005). Sharing one's story: on the benefits of writing or talking about emotional experience. In C. Snyder and S. J. Lopez, *Handbook of Positive Psychology*. New York: Oxford University Press, pp. 573–83.
- Niemcryk, S. J., Speer, M. A., Travis, L. B. et al. (1990). Psychosocial correlates of haemoglobin A1 c in young adults with type I diabetes. *Journal of Psychosomatic Research*, 34: 617–27.
- Niemi, M., Laaksonen, R., Kotila, M. and Waltimo, O. (1988). Quality of life 4 years after stroke. *Stroke*, 19: 1101–7.
- Nijboer, C., Tempelaar, R., Triemstra, M., Sanderman, R. and van den Bos, G.A.M. (2001). Dynamics in cancer caregiver's health over time: gender-specific patterns and determinants. *Psychology and Health*, 16: 471–88.
- Nnoaham, K. E. and Kumbang, J. (2010). Transcutaneous electrical nerve stimulation (TENS) for chronic pain. *Cochrane Database of Systematic Reviews*, issue 3, art. no.: CD003222. doi: 10.1002/14651858.CD003222.
- Noble, L. M. (1998). Doctor-patient communication and adherence to treatment. In L. B. Myers and K. Midence (Eds.), *Adherence to Treatment in Medical Conditions*. Amsterdam: Harwood Academic.
- Noblet, A. J. and LaMontagne, A. (2006). The role of workplace health promotion in addressing job stress. *Health Promotion International*, 21: 346–53.
- Nolen-Hoeksema, S. (1991). Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*, 100: 569–82.
- Nolen-Hoeksema, S., Wisco, B. E. and Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3: 400–24.
- Noguchi, K., Albarracin, D., Durantini, M. R. et al. (2007). Who participates in which health promotion programs? A meta-analysis of motivations underlying enrolment and retention in HIV-prevention interventions. *Psychological Bulletin*, 133: 955–75.
- Norberg, A. L., Lindblad, F. and Boman, K. K. (2005). Coping strategies in parents of children with cancer. *Social Science and Medicine*, 60: 965–75.
- Nordstrom, C. K., Dwyer, K. M., Merz, C. N., Shircore, A. and Dwyer, J. H. (2001). Work-related stress and early atherosclerosis. *Epidemiology*, 12: 180–5.
- Norman, P. and Bennett, P. (1996). Health locus of control. In M. Conner and P. Norman (Eds.), *Predicting Health Behaviour*. Buckingham: Open University Press.
- Norman, P., Bennett, P., Smith, C. and Murphy, S. (1998). Health locus of control and health behaviour. *Journal of Health Psychology*, 3: 171–80.
- Norman, P. and Brain, K. (2005). An application of an extended health belief model to the prediction of breast self examination among women with a family history of breast cancer. *British Journal of Health Psychology*, 10: 1–16.
- Norman, P., Conner, M. and Bell, S. (1999). The theory of planned behaviour and smoking cessation. *Health Psychology*, 18: 89–94.
- Norman, P. and Smith, L. (1995). The theory of planned behaviour and exercise: an investigation into the role of prior behaviour, behavioural intentions and attitude variability. *European Journal of Social Psychology*, 25: 403–15.
- Normandeau, S., Kalnins, I., Jutras, S. et al. (1998). A description of 5 to 12 year old children's conception of health within the context of their daily life. *Psychology and Health*, 13 (5): 883–96.
- Norris, V. K., Stephens, M. A. and Kinney, J. M. (1990). The influence of family interactions on recovery from stroke: help or hindrance? *The Gerontologist*, 30: 535–42.
- Norris, S. L., McNally, K., Zang, X. et al. (2011). Published norms underestimate the health-related quality of life among persons with type 2 diabetes. *Journal of Clinical Epidemiology*, 64: 358–65.
- Norrzell, U., Finger, S. and Lajonchere, C. (1999). Cutaneous sensory spots and the 'law of specific nerve energies': history and development of ideas. *Brain Research Bulletin*, 48: 457–65.
- Norstrom, T. and Skog, O. J. (2005). Saturday opening of alcohol retail shops in Sweden: an experiment in two phases. *Addiction*, 100: 767–76.
- Northouse, L., Kershaw, T., Mood, D. et al. (2005). Effects of a family intervention on the quality of life of women with recurrent breast cancer and their family caregivers. *Psycho-oncology*, 14: 478–91.
- Northouse, L. L., Mood, D. W., Schafenacker, A. et al. (2007). Randomized clinical trial of a family intervention for prostate cancer patients and their spouses. *Cancer*, 110: 2809–18.
- Nouwen, A., Cloutier, C., Kappas, A. et al. (2006). The effects of focusing and distraction on cold-pressor induced pain in chronic back pain patients and controls. *Journal of Pain*, 7: 62–71.
- Noyes, R., Jr (2001). Hypochondriasis: boundaries and comorbidities. In G. J. G. Asmundson, S. Taylor and B. J. Cox (Eds.), *Health Anxiety: Clinical and Research Perspectives on Hypochondriasis and Related Conditions*. New York: John Wiley & Sons, pp. 132–60.
- Nutbeam, D., Smith, C., Moore, L. et al. (1993). Warning! Schools can damage your health: alienation from school and its impact on child behaviour. *Journal of Paediatrics and Child Health*, 29 (suppl. 1): S25–30.
- Nyklicek, I. and Kuijpers, K. F. (2008). Effects of mindfulness-based stress reduction intervention on psychological well-being and quality of life: is increased mindfulness indeed the mechanism? *Annals of Behavioral Medicine*, 35: 331–40.
- Oaten, M. and Cheng, K. (2006). Improved self-control: the benefits of a regular program of academic study. *Basic & Applied Social Psychology*, 28 (1): 1–16.

- O'Boyle, C. A., McGee, H., Hickey, A. et al. (1992). Individual quality of life in patients undergoing hip replacement. *The Lancet*, 339: 1088–91.
- O'Boyle, C. A., McGee, H., Hickey, A. et al. (1993). *The Schedule for the Evaluation of Individual Quality of Life (SEIQoL): Administration Manual*. Dublin: Department of Psychology, Royal College of Surgeons.
- O'Brien, M. K., Petrie, K. and Raeburn, J. (1992). Adherence to medication regimens: updating a complex medical issue. *Medical Care Review*, 49: 435–54.
- O'Carroll, R. E., Smith, K. B., Grubb, N. R. et al. (2001). Psychological factors associated with delay in attending hospital following a myocardial infarction. *Journal of Psychosomatic Research*, 51: 611–14.
- O'Cleirigh, C., Ironson, G., Antoni, M. et al. (2003). Emotional expression and depth processing of trauma and their relation to long-term survival in patients with HIV/AIDS. *Journal of Psychosomatic Research*, 54: 225–35.
- O'Connell, K., Skevington, S. and Saxena, S. et al. (2003). Preliminary development of the World Health Organization's Quality of Life HIV instrument (WHOQOL-HIV): analysis of the pilot version. *Social Science and Medicine*, 57: 1259–75.
- O'Connor, A. P., Wicker, C. A. and Germino, B. B. (1990). Understanding the cancer patient's search for meaning. *Cancer Nursing*, 13: 167–75.
- O'Connor, D. B., Jones, F., Conner, M., McMilan, B. and Ferguson, E. (2008). Effects of daily hassles and eating styles on eating behavior. *Health Psychology*, 27 (1): S20–S31.
- Ogden, P., Houghton, S. and Douglas, G. (1996). Reputation Enhancement Theory and adolescent substance use. *Journal of Child Psychology, Psychiatry and Allied Disciplines*, 37: 1015–22.
- O'Donnell, L., San Doval, A., Duran, R. and O'Donnell, C. R. (1995). The effectiveness of video-based interventions in promoting condom acquisition among STD clinic patients. *Sexually Transmitted Diseases*, 22: 97–103.
- O'Farrell, T. J. and Fals-Stewart, W. (2000). Behavioral couples therapy for alcoholism and drug abuse. *Journal of Substance Abuse Treatment*, 18: 51–4.
- Office for National Statistics (1997). *Smoking Among Secondary School Children in 1996: England*. London: Stationery Office.
- Office for National Statistics (1998). *1996 Mortality Statistics: Cause. Series DH2, 23*. London: Stationery Office.
- Office for National Statistics (1999). *Social Trends 29*. London: Stationery Office.
- Office for National Statistics (2000). *Results from the 1998 General Household Survey*. London: Stationery Office.
- Office for National Statistics (2001). *Smoking Related Behaviour and Attitudes. Series OS No. 17*. London: ONS.
- Office for National Statistics (2009). *Alcohol-related Deaths in the United Kingdom 1991–2007*. Statistical Bulletin, 28 January 2009. Cardiff: ONS.
- Office for National Statistics (2009). *Population Trends, Autumn 2009*. Cardiff: ONS.
- Office for National Statistics (2010). *Death Registrations by Cause in England and Wales 2009*. Statistical Bulletin. Cardiff: ONS.
- Ogden, J. (2003). Some problems with social cognition models: a pragmatic and conceptual analysis. *Health Psychology*, 22: 424–8.
- Ogden, J., Fuks, K., Gardner, M. et al. (2002). Doctors' expressions of uncertainty and patient confidence. *Patient Education and Counselling*, 48: 171–6.
- Ogden, J. and Mtandabari, T. (1997). Examination stress and changes in mood and health related behaviours. *Psychology and Health*, 12: 288–99.
- Ogden, J., Veale, D. and Summers, Z. (1997). The development and validation of the Exercise Dependence Questionnaire. *Addiction Research*, 5: 343–56.
- Ohayon, M. M., Guilleminault, C., Priest, R. G. et al. (2000). Is sleep-disordered breathing an independent risk factor for hypertension in the general population (13,057 subjects)? *Journal of Psychosomatic Research*, 48: 593–601.
- O'Hegarty, M., Pederson, L. L., Nelson, D. E. et al. (2006). Reactions of young adult smokers to warning labels on cigarette packages. *American Journal of Preventive Medicine*, 30: 467–73.
- Okamoto, K. (2006). Life expectancy at the age of 65 years and environmental factors: an ecological study in Japan. *Archives of Gerontology and Geriatrics*, 43: 85–91.
- O'Keefe, D. J. and Jensen, J. D. (2007). The relative persuasiveness of gain-framed and loss-framed messages for encouraging disease prevention behaviors: a meta-analytic review. *Journal of Health Communication*, 12: 623–44.
- Okelo, S. O., Wu, A. W., Merriman, B. et al. (2007). Are physician estimates of asthma severity less accurate in black than in white patients? *Journal of General Internal Medicine*, 22: 976–81.
- Oldenburg, B., Glanz, K. and French, M. (1999). The application of staging models to the understanding of health behaviour change and the promotion of health. *Psychology and Health*, 14: 503–16.
- Oldenburg, B. and Harris, D. (1996). The workplace as a setting for promoting health and preventing disease. *Homeostasis*, 37: 226–32.
- Oliver, G., Wardle, J. and Gibson, E. L. (2000). Stress and food choice: a laboratory study. *Psychosomatic Medicine*, 2: 853–65.
- Olson, D. H. and Stewart, K. L. (1991). Family systems and health behaviours. In H. E. Schroeder (Ed.), *New Directions in Health Psychology Assessment*. New York: Hemisphere.
- O'Malley, P. M., Johnston, L. D., Chaloupka, F. J. and Flay, B. (2005). Televised state-sponsored antitobacco advertising and youth smoking beliefs and behavior in the United States, 1999–2000. *Archives of Pediatric and Adolescent Medicine*, 159: 639–45.
- O'Neill, M. and Simard, P. (2006). Choosing indicators to evaluate Healthy Cities projects: a political task? *Health Promotion International*, 21: 145–52.
- Onwuanyi, A. E., Clarke, A. and Vanderbush, E. (2003). Cardiovascular disease mortality. *Journal of the National Medical Association*, 95: 1146–51.
- Onwuteaka-Phillipsen, B., van der Heide, A., Koper, D. et al. (2001). Euthanasia and other end-of-life decisions in The Netherlands in 1990, 1995 and 2001. *The Lancet*, 362: 395–9.

- Orbell, S. and Gillies, B. (1993). What's stressful about caring? *Journal of Applied Social Psychology*, 23: 272–90.
- Orbell, S., Hopkins, N. and Gillies, B. (1993). Measuring the impact of informal caregiving. *Journal of Community and Applied Social Psychology*, 3: 149–63.
- Orbell, S., Hodgkins, S. and Sheeran, P. (1997). Implementation intentions and the theory of planned behaviour. *Personality and Social Psychology*, 23: 945–54.
- Orbell, S. and Sheeran, P. (2002). Changing health behaviours: the role of implementation intentions. In D. Rutter and L. Quine (Eds.), *Changing Health Behaviour*. Buckingham: Open University Press.
- Orford, J. (2001). *Excessive Appetites: A Psychological View of Addictions*, 2nd edn. Chichester: Wiley.
- Orth-Gomer, K., Uden, A. -L. and Edwards, M. -E. (1988). Social isolation and mortality in ischemic heart disease. *Acta Medica Scandinavica*, 224: 205–15.
- Orth-Gomer, K. and Uden, A. -L. (1990). Type A behaviour, social support, and coronary risk: interaction and significance for mortality in cardiac patients. *Psychosomatic Medicine*, 52: 59–72.
- Osborne, R. H., Wilson, T., Lorig, K. R. et al. (2007). Does self-management lead to sustainable health benefits in people with arthritis? A 2-year transition study of 452 Australians. *Journal of Rheumatology*, 34: 1112–7.
- Osse, B. H. P., Myrra, J. F. J., Vernooj-Dassen, E. S. et al. (2002). Problems to discuss with cancer patients in palliative care: a comprehensive approach. *Patient Education and Counseling*, 47: 195–204.
- Ossip-Kiein, D. J., McIntosh, S. et al. (2000). Smokers aged 50+: who gets physician advice to quit? *Preventive Medicine*, 31: 364–9.
- OXCHECK Study Group (1994). Effectiveness of health checks conducted by nurses in primary care: results of the OXCHECK study after one year. Imperial Cancer Research Fund OXCHECK Study Group. *British Medical Journal*, 308: 308–12.
- OXCHECK Study Group (1995). Effectiveness of health checks conducted by nurses in primary care: final results of the OXCHECK study. Imperial Cancer Research Fund OXCHECK Study Group. *British Medical Journal*, 310: 1099–104.
- Oxman, A. D., Davis, D., Haynes, R. B. et al. (1995). No magic bullets: a systematic review of 102 trials of interventions to improve professional practice. *Canadian Medical Association Journal*, 153: 1423–31.
- Pachter, L. M. (1994). Culture and clinical care: folk illness beliefs and behaviours and their implications for health care delivery. *Journal of the American Medical Association*, 7: 690–4.
- Paffenbarger, R. S., Hyde, J. T., Wing, A. L. et al. (1986). Physical activity, all-cause mortality, and longevity of college alumni. *New England Journal of Medicine*, 314: 605–12.
- Page-Shafer, K. A., Satariano, W. A., Winkelstein, W. Jr. (1995). Comorbidity and HIV disease progression in homosexual/bisexual men: the San Francisco Men's Health Study. *Annals of Epidemiology* 1996, 6: 420–30.
- Pakenham, K. I., Dadds, M. R. and Lennon, H. V. (2002). The efficacy of a psychosocial intervention for HIV/AIDS care- giving dyads and individual caregivers: a controlled treatment outcome study. *AIDS Care*, 14: 731–50.
- Pakenham, K. I., Pruss, M. and Glutton, S. (2000). The utility of sociodemographics, knowledge and health belief model variables in predicting reattendance for mammography screening: a brief report. *Psychology and Health*, 15: 585–91.
- Palesh, O., Butler, L. D., Koopman, C. et al. (2007). Stress history and breast cancer recurrence. *Journal of Psychosomatic Research*, 63: 233–9.
- Palmer, S. and Glass, T. A. (2003). Family function and stroke recovery: a review. *Rehabilitation Psychology*, 48: 255–65.
- Panagopoulou, E., Kersbergen, B. and Maes, S. (2002). The effects of emotional (non-) expression in (chronic) disease: a meta-analytic review. *Psychology and Health*, 17: 529–45.
- Panagopoulou, E., Vedhara, K., Gaintarzi, C. et al. (2006). Emotionally expressive coping reduces pregnancy rates in patients undergoing in vitro fertilization. *Fertility and Sterility*, 86: 672–677.
- Pandey, M., Sarita, G. P., Devi, N. et al. (2006). Distress, anxiety and depression in cancer patients undergoing chemotherapy. *World Journal of Surgical Oncology*, 4: 68.
- Papanicolaou, D. A., Wilder, R. L., Manolagas, S. C. and Chrousos, G. P. (1998). The pathophysiologic roles of interleukin-6 in human disease. *Archives of Internal Medicine*, 128: 127–37.
- Pargament, K. I., Koenig, H. G. and Perez, L. M. (2000). The many methods in religious coping: development and initial validation of the RCOPE. *Journal of Clinical Psychology*, 56: 519–43.
- Paris, W., Muchmore, J., Pribil, A. et al. (1994). Study of the relative incidences of psychosocial factors before and after heart transplantation and the influence of posttransplantation psychosocial factors on heart transplantation outcome. *Journal of Heart Lung Transplantation*, 13: 424–30.
- Park, C. L. (2006). Exploring relations among religiousness, meaning, and adjustment to lifetime and current stressful encounters in later life. *Anxiety, Stress, and Coping*, 19: 33–45.
- Park, C. L. and Folkman, S. (1997). Meaning in the context of stress and coping. *Reviews in General Psychology*, 2: 115–44.
- Park, C. L. and Lechner, S. C. (2007). Measurement issues in assessing growth following stressful life experiences. In L. G. Calhoun and R. G. Tedeschi (Eds.) (2007), *Handbook of Post-traumatic Growth: Research and Practice*. London: Lawrence Erlbaum Associates, pp. 47–67.
- Park, D. C., Morrell, R. W., Frieske, D. et al. (1992). Medication adherence behaviors in older adults: effects of external cognitive supports. *Psychology and Aging*, 7: 252–6.
- Park, P., Simmons, R. K., Prevost, AT. et al. (2010). A randomized evaluation of loss and gain frames in an invitation to screening for type 2 diabetes: effects on attendance, anxiety and self-rated health. *Journal of Health Psychology*, 15: 196–204.
- Parkes, K. (1984). Locus of control, cognitive appraisal, coping appraisal and coping in stressful episodes. *Journal of Personality and Social Psychology*, 46: 655–68.

- Parle, M., Maguire, P. and Heaven, C. (1997). The development of a training model to improve health professionals' skills, self-efficacy and outcome expectancies when communicating with cancer patients. *Social Science and Medicine*, 44: 231–40.
- Parsons, T. (1951). *The Social System*. New York: Free Press.
- Partridge, C. and Johnston, M. (1989). Perceived control of recovery from physical disability: measurement and prediction. *British Journal of Clinical Psychology*, 28: 53–9.
- Parveen, S. and Morrison, V. (2009) Predictors of familism in the caregiver role: a pilot study. *Journal of Health Psychology*, 14: 1135–43.
- Parveen, S. (2011). *Ethnicity, mediators and caregiver outcomes: a systematic review*. Unpublished PhD thesis, Bangor University.
- Parveen, S. and Morrison, V. (2011 a in review). Predicting caregiver anxiety and depression.
- Parveen, S. and Morrison, V. (2011 b in review) Predicting caregiver gains.
- Parveen, S., Morrison, V. and Robinson, C. (2011). Ethnic variations in the caregiver role: a qualitative study. *Journal of Health Psychology*, doi: 10.1177/1359105310392416.
- Pasterfield, D., Wilkinson, C., Finlay, I. G. et al. (2006). GPs' views on changing the law on physician-assisted suicide and euthanasia, and willingness to prescribe or inject lethal drugs: a survey from Wales. *British Journal of General Practice*, 56: 450–52.
- Patenaude, A. F., Guttmacher, A. E. and Collins, F. S. (2002). Genetic testing and psychology: new roles, new responsibilities. *American Psychologist*, 57: 271–82.
- Paton, A. (1999). Reflections on alcohol and the young. Invited commentary. *Alcohol and Alcoholism*, 34: 502–5.
- Patterson, D. R. and Jensen, M. P. (2003). Hypnosis and clinical pain. *Psychological Bulletin*, 129: 495–521.
- Patrick, D. L. and Peach, H. (1989). *Disablement in the Community*. Oxford: Oxford University Press.
- Paunonen, S. V. and Ashton, M. C. (2001). Big five factors and facets and the prediction of behavior. *Journal of Personality and Social Psychology*, 91: 524–37.
- Payne, N. (2001). Occupational stressors and coping as determinants of burnout in female hospice nurses. *Journal of Advanced Nursing*, 33: 396–405.
- Payne, S. (2006). *The Health of Men and Women*. Buckingham: Open University Press.
- Pbert, L., Osganian, S. K., Gorak, D. et al. (2006). A school nurse-delivered adolescent smoking cessation intervention: a randomized controlled trial. *Preventive Medicine*, 43: 312–20.
- Pearlin, L. I. (1983). Role strains and personal stress. In H. B. Kaplan (Ed.), *Psychosocial Stress: Trends in Theory and Research*. New York: Academic Press.
- Pearlin, L. I. and Mullan, J. T. (1992). Loss and stress in ageing. In M. L. Wykle, E. Kahara and J. Kowal (Eds.), *Stress and Health among the Elderly*. New York: Springer Verlag.
- Pearlin, L. I. and Schooler, C. (1978). The structure of coping. *Journal of Health and Social Behavior*, 19: 2–21.
- Pearson, S., Maddern, G. and Hewett, P. (2005). Interacting effects of pre-operative information and patient choice in adaptation to colonoscopy: a randomised trial. *Diseases of the Colon and Rectum*, 48: 2047–54.
- Peay, M. Y. and Peay, E. R. (1998). The evaluation of medical symptoms by patients and doctors. *Journal of Behavioral Medicine*, 21: 57–81.
- Pederson-Fischer, A., Zacchariae, R. and Bovbjerg-Howard, D. (2009). Psychological stress and antibody response to influenza vaccination: a meta-analysis. *Brain, Behavior and Immunity*, 23: 427–33.
- Pelosi, A. J. and Appleby, L. (1992). Psychological influences on cancer and ischaemic heart disease (for debate). *British Medical Journal*, 304: 1295–8.
- Pelosi, A. J. and Appleby, L. (1993). Personality and fatal diseases. *British Medical Journal*, 306: 1666–7.
- Peltola, H., Patja, A., Leinikki, P. et al. (1998). No evidence for measles, mumps and rubella vaccine-associated inflammatory bowel disease or autism in a 14-year prospective study. *The Lancet*, 351: 1327–8.
- Pendleton, D. A. (1983). Doctor-patient communication: a review. In D. Pendleton and J. Hasler (Eds.), *Doctor-Patient Communication*. London: Academic Press.
- Pendleton, D., Schofield, T., Tate, P., Havelock, P. (1984). *The Consultation: An Approach to Learning and Teaching*. Oxford: Oxford University Press.
- Penedo, F. J., Molton, I., Dahn, J. R. et al. (2006). Randomized clinical trial of group-based cognitive-behavioral stress management in localized prostate cancer: development of stress management skills improves quality of life and benefit finding *Annals of Behavioral Medicine*, 31: 261–70.
- Pennebaker, J. W. (1982). Social and perceptual factors affecting symptom reporting and mass psychogenic illness. In M. J. Colligan, J. W. Pennebaker and L. R. Murphy (Eds.), *Mass Psychogenic Illness: A Social Psychological Analysis*. Hillsdale, NJ: Lawrence Erlbaum.
- Pennebaker, J. W. (1992). *The Psychology of Physical Symptoms*. New York: Springer Verlag.
- Pennebaker, J. W. (1993). Putting stress into words: health, linguistic and therapeutic implications. *Behavioral Research Therapy*, 31: 539–48.
- Pennebaker, J. W. and Beall, S. (1986). Confronting a traumatic event: toward an understanding of inhibition and disease. *Journal of Abnormal Psychology*, 95: 81.
- Pennebaker, J. W., Colder, M. and Sharp, L. K. (1990). Accelerating the coping process. *Journal of Personality and Social Psychology*, 58: 528–37.
- Pennebaker, J. W., Kiecolt-Glaser, J. and Glaser, R. (1988). Disclosure of trauma and immune function: health implications for psychotherapy. *Journal of Consulting and Clinical Psychology*, 56: 239–45.
- Pennebaker, J. W. and Skelton, J. A. (1981). Selective monitoring of bodily sensations. *Journal of Personality and Social Behaviour*, 35: 167–74.
- Penninx, B., Guralnik, J. M., Pahor, M. et al. (1998). Chronically depressed mood and cancer risk in older persons. *Journal of the National Cancer Institute*, 90: 1888–93.

- Penninx, B. W. J. H., van Tilburg, T., Kriegsman, D. M. W. et al. (1999). Social network, social support, and loneliness in older persons with different chronic diseases. *Journal of Ageing and Health*, 11: 151–68.
- Penny, G. N., Bennett, P. and Herbert, M. (Eds.) (1994). *Health Psychology: A Lifespan Perspective*. Switzerland: Harwood Academic.
- Penwell, L. M. and Larkin, K. T. (2010). Social support and risk for cardiovascular disease and cancer: a qualitative review examining the role of inflammatory processes. *Health Psychology Review*, 4: 42–55.
- Perkins, H. W., Haines, M. P. and Rice, R. (2005). Misperceiving the college drinking norm and related problems: a nationwide study of exposure to prevention information, perceived norms and student alcohol misuse. *Journal of Studies on Alcohol*, 66: 470–8.
- Perloff, L. S. and Fetzer, B. K. (1986). Self-other judgements and perceived vulnerability to victimization. *Journal of Personality and Social Psychology*, 50: 502–10.
- Perna, F. M., Craft, L., Carver, C. S. and Antoni, M. H. (2008). Negative affect and barriers to exercise among early stage breast cancer patients. *Health Psychology*, 27: 274–9.
- Perry, C. L. and Grant, M. (1988). Comparing peer-led to teacher-led youth alcohol education in four countries. (Australia, Chile, Norway and Swaziland). *Alcohol Health and Research World*, 12: 322–6.
- Perry, K., Petrie, K. J., Ellis, C. J. et al. (2001). Symptom expectations and delay in acute myocardial infarction patients. *Heart*, 86: 91–2.
- Persky, V. W., Kempthorne-Rawson, J. and Shekelle, R. B. (1987). Personality and risk of cancer: 20 year follow-up of the Western Electric study. *Psychosomatic Medicine*, 49: 435–49.
- Perugini, M. and Bagozzi, R. P. (2001). The role of desires and anticipated emotions in goal-directed behaviours: broadening and deepening the theory of planned behaviour. *British Journal of Social Psychology*, 40: 79–98.
- Peterson, T. R. and Aldana, S. G. (1999). Improving exercise behaviour: an application of the stages of change model in a worksite setting. *American Journal of Health Promotion*, 13: 229–32.
- Peto, R., Darby, S., Deo, H., Silcocks, P., Whitley, E. and Doll, R. (2000). Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of national statistics with two case-control studies. *British Medical Journal*, 321: 323–9.
- Peto, R. and Lopez, A. D. (1990). Worldwide mortality from current smoking patterns. In B. Durston and K. Jamrozik (Eds.), *Tobacco and Health 1990: The Global War. Proceedings of the 7th World Conference on Tobacco and Health*. Perth: Health Department of Western Australia.
- Peto, R., Lopez, A. D., Borehan, J., Thun, M. and Heath, C., Jr (1994). *Mortality from Smoking in Developed Countries 1950–2000*. Oxford: Oxford University Press.
- Petrak, J. A., Doyle, A. -M., Smith, A. et al. (2001). Factors associated with self-disclosure of HIV serostatus to significant others. *British Journal of Health Psychology*, 6: 69–79.
- Petrie, K. J., Buick, D. L., Weinman, J. and Booth, R. J. (1999). Positive effects of illness reported by myocardial infarction and breast cancer patients. *Journal of Psychosomatic Research*, 47: 537–43.
- Petrie, K. J., Fontanilla, I., Thomas, M. G. et al. (2004). Effects of written emotional expression on immune function in patients with human immunodeficiency virus infection: A randomized trial. *Psychosomatic Medicine*, 66: 272–5.
- Petrie, K. J., Jago, L. A. and Devcich, D. A. (2007). The role of illness perceptions in patients with medical conditions. *Current Opinion in Psychiatry*, 20: 163–7.
- Petrie, K. J. and Weinman, J. (2003). More focus needed on symptom appraisal (editorial). *Journal of Psychosomatic Research*, 54: 401–3.
- Petrie, K. J., Weinman, J., Sharpe, N. et al. (1996). Role of patients' view of their illness in predicting return to work and functioning after a myocardial infarction. *British Medical Journal*, 312: 1191–4.
- Petrie, K. P., Cameron, L. D., Ellis, C. J., Buick, D. and Weinman, J. (2002). Changing illness perceptions after myocardial infarction: an early intervention randomized controlled trial. *Psychosomatic Medicine*, 64: 580–6.
- Petruzzello, S. J., Jones, A. C. and Tate, A. K. (1997). Affective responses to acute exercise: a test of opponent-process theory. *Journal of Sports Medicine and Physical Fitness*, 37: 205–11.
- Petticrew, A., Fraser, J. and Regan, M. (1999). Adverse life events and risk of breast cancer: a meta-analysis. *British Journal of Health Psychology*, 4: 1–17.
- Petter, M., Blanchard, C., Kemp, K. A. et al. (2009). Correlates of exercise among coronary heart disease patients: review, implications and future directions. *European Journal of Cardiovascular Prevention and Rehabilitation*, 16: 515–26.
- Petticrew, M., Bell, R. and Hunter, D. (2002). Influence of psychological coping on survival and recurrence in people with cancer: a systematic review. *British Medical Journal*, 325: 1066.
- Petty, R. and Cacioppo, J. (1986). The elaboration likelihood model of persuasion. In L. Berkowitz (Ed.), *Advances in experimental social psychology*, Vol. 19. Orlando, FL: Academic Press.
- Petty, R. E. and Cacioppo, J. T. (1996). *Attitudes and Persuasion: Classic and Contemporary Approaches*. Boulder, CO: Westview Press.
- Peveler, R., Carson, A. and Rodin, G. (2002). Depression in medical patients. *British Medical Journal*, 325: 149–52.
- PHLS Communicable Disease Surveillance Centre (2002). *HIV and AIDS in the United Kingdom 2001. An Update: November 2002*. London: PHLS, ICH (London) and SCIEH.
- Piaget, J. (1930). *The Child's Conception of Physical Causality*. London: Routledge and Kegan Paul.
- Piaget, J. (1970). Piaget's theory. In P.H. Mussen (Ed.), *Carmichael's Manual of Child Psychology*, 3rd edn, Vol. 1. New York: Wiley.
- Piette, J. D., Weinberger, M. and McPhee, S. J. (2000). The effect of automated calls with telephone nurse follow-up on patient-centered outcomes of diabetes care: a randomized controlled trial. *Medical Care*, 38: 218–30.

- Pinel, J. P. J. (2003). *Biopsychology*, 5th ed. Boston, MA: Allyn and Bacon.
- Pinel, J. P. J., Assanand, S. and Lehman, D. R. (2000). Hunger, eating and ill-health. *American Psychologist*, 55: 1105–16.
- Pinerua-Shuhaibar, L., Prieto-Rincon, D., Ferrer, A. et al. (1999). Reduced tolerance and cardiovascular responses to ischemic pain in minor depression. *Journal of Affective Disorders*, 56: 119–26.
- Pinquart, M. and Sorensen, S. (2003). Differences between caregivers and noncaregivers in psychological health and physical health: a meta-analysis. *Psychology and Aging*, 18: 250–67.
- Pinquart, M. and Sorensen, S. (2005). Ethnic differences in stressors, resources, and psychological outcomes of family caregiving: a meta-analysis. *The Gerontologist*, 45: 90–106.
- Pirozzo, S., Summerbell, C., Cameron, C. and Glasziou, P. (2002). Advice on low-fat diets for obesity. In *The Cochrane Library*, issue 1. Oxford: Update Software.
- Pisinger, C. and Jorgensen, T. (2007). Weight concerns and smoking in a general population: The Inter99 study. *Preventive Medicine*, 44: 283–9.
- Pisters, M. F., Veenhof, C., de Bakker, D. H. et al. (2010). Behavioural graded activity results in better exercise adherence and more physical activity than usual care in people with osteoarthritis: a cluster-randomised trial. *Journal of Physiotherapy*, 56: 41–7.
- Plante, T. G. and Rodin, J. (1990). Physical fitness and enhanced psychological health. *Current Psychology Research and Reviews*, 9: 3–24.
- Plassman, B. L., Williams, J. W., Burke, J. R. et al. (2010). Systematic review: factors associated with risk for and possible prevention of cognitive decline in later life. *Annals of Internal Medicine*, 153 (3): 182–93.
- Plotnikoff, R. C., Brunet, S., Courneya, K. S. et al. (2007). The efficacy of stage-matched and standard public health materials for promoting physical activity in the workplace: the Physical Activity Workplace Study (PAWS). *American Journal of Health Promotion*, 21: 501–9.
- Plotnikoff, R. C., Lippke, S., Courneya, K. et al. (2010). Physical activity and diabetes: an application of the theory of planned behaviour to explain physical activity for type 1 and type 2 diabetes in an adult population sample. *Psychology & Health*, 25: 7–23.
- Plotnikoff, R. C., McCargar, L. J., Wilson, P. M. et al. (2005). Efficacy of an e-mail intervention for the promotion of physical activity and nutrition behavior in the workplace context. *American Journal of Health Promotion*, 19: 422–9.
- Pollock, K., Wilson, E., Porock, D. et al. (2007). Evaluating the impact of a cancer supportive care project in the community: patient and professional configurations of need. *Health and Social Care in the Community*, 15: 520–9.
- Polsky, D., Doshi, J. A., Marcus, S. et al. (2005). Long-term risk for depressive symptoms after a medical diagnosis. *Archives of Internal Medicine*, 165: 1260–66.
- Post, S. G. (Ed.) (2007). *Altruism and Health: Perspectives From Empirical Research*. New York, NY: Oxford University Press.
- Potter, J., Hami, F., Bryan, T. and Quigley, C. (2003). Symptoms in 400 patients referred to palliative care services: prevalence and patterns. *Palliative Medicine*, 17: 310–14.
- Potter, J. D., Slattery, M. L., Bostick, R. M. and Gapstur, S. M. (1992). Colon cancer: a review of the epidemiology. *Epidemiological Review*, 15: 499–545.
- Poulin, M. J., Brown, S. L., Ubel, P. et al. (2010). Does a helping hand mean a heavy heart? Helping behavior and well-being among spouse caregivers. *Psychology and Aging*, 25: 108–17.
- Pound, P., Bury, M., Gompertz, P. and Ebrahim, S. (1994). Views of survivors of stroke on the benefits of physiotherapy. *Quality in Health Care*, 3: 69–74.
- Powell, H. and Gibson, P. G. (2003). *Options for self-management education for adults with asthma*. Cochrane Database of Systematic Reviews, CD0041 07.
- Poweil-Griner, E., Anderson, J. E. and Murphy, W. (1997). State and sex-specific prevalence of selected characteristics behavioural risk factor surveillance system, 1994 and 1995. *Morbidity and Mortality Weekly Report, Centres for Disease Control, surveillance summaries*, 46: 1–31.
- Power, R., Koopman, C., Volk, J. et al. (2003). Social support, substance use, and denial in relationship to antiretroviral treatment adherence among HIV-infected persons. *AIDS Patient Care and STDs*, 17: 245–52.
- Pradhan, E. K., Baumgarten, M., Langenberg, P. et al. (2007). Effect of mindfulness-based stress reduction in rheumatoid arthritis patients. *Arthritis and Rheumatism*, 57: 1134–42.
- Prentice, A. M. and Jebb, SA (1995). Obesity in Britain: gluttony or sloth. *British Medical Journal*, 311: 437–9.
- Prescott-Clarke, P. and Primatesta, P. (1998). *Health survey for England: The Health of Young People 1995–97*. London: The Stationery Office.
- Price, RA and Gottesman, I. I. (1991). Body fat in identical twins reared apart: roles for genes and environment. *Behavioral Genetics*, 21: 1–7.
- Price, D. D., Finniss, D. G. and Benedetti, F. (2008). A comprehensive review of the placebo effect: recent advances and current thought. *Annual Review of Psychology* 59: 565–90.
- Price, VA (1988). Research and clinical issues in treating Type A behavior. In B. K. Houston and C. R. Snyder (Eds.), *Type A Behavior Pattern: Research, Theory, and Practice*. New York: Wiley.
- Prochaska, J. O. (1994). Strong and weak principles for progressing from precontemplation to action based on twelve problem behaviours. *Health Psychology*, 13: 47–51.
- Prochaska, J. O. and di Clemente, C. C. (1984). *The Transtheoretical Approach: Crossing Traditional Boundaries of Therapy*. Homewood, IL: Dow Jones Irwin.
- Prochaska, J. O. and di Clemente, C. C. (1986). Towards a comprehensive model of change. In B. K. Houston and N. Heather (Eds.), *Treating Addictive Behaviours: Processes of Change*. New York: Plenum.
- Prochaska, J. O. and Marcus, B. H. (1994). The trans-theoretical model: applications to exercise. In R. K. Dishman (Ed.), *Advances in Exercise Adherence*. Champaign, IL: Human Kinetics.

- Prochaska, J. O., Norcross, J. C., Fowler, J. L. and Follick, M. J. (1992). Attendance and outcome in a worksite weight control program: processes and stages of change as process and predictor variables. *Addictive Behaviors*, 17: 35–45.
- Prochaska, J. O. and Velicer, W. F. (1997). The Transtheoretical Model of health behavior change. *American Journal of Health Promotion*, 12: 38–48.
- Prochaska, J. O., Velicer, W. F., Rossi, J. S. et al. (1994). Stages of change and decisional balance for 12 problem behaviours. *Health Psychology*, 13: 39–46.
- Prochaska, T. R., Funch, D. and Blesch, K. S. (1990). Age patterns in symptom perception and illness behaviour among colorectal cancer patients. *Behavior, Health and Aging*, 1: 27–39.
- Prochaska, T. R., Keller, M. L., Leventhal, EA et al. (1987). Impact of symptoms and aging attribution on emotions and coping. *Health Psychology*, 6: 495–514.
- Project MATCH Research Group (1998). Matching alcoholism treatments to client heterogeneity: Project MATCH three-year drinking outcomes. *Alcoholism: Clinical and Experimental Research*, 22: 1300–11.
- Ptacek, J. T. P. and Eberhardt, T. L. (1996). Breaking bad news: a review of the literature. *Journal of the American Medical Association*, 276: 496–502.
- Ptacek, J. T., Ptacek, J. J. and Ellison, H. (2001). 'I'm sorry to tell you' – physicians' reports of breaking bad news. *Journal of Behavioral Medicine*, 24: 205–17.
- Puccio, JA, Belzer, M., Olson, J. et al. (2006). The use of cell phone reminder calls for assisting HIV-infected adolescents and young adults to adhere to highly active antiretroviral therapy: a pilot study. *AIDS Patient Care and STDS*, 20: 438–44.
- Puska, P., Tuomilehto, J., Nissinen, A. et al. (1985). *The North Karelia Project: 20 Year Results and Experiences*. Helsinki: National Public Health Institutem.
- Quah, S. -H. and Bishop, G. D. (1996). Seeking help for illness: the roles of cultural orientation and illness cognition. *Journal of Health Psychology*, 1: 209–22.
- Quentin, W., Neubauer, S., Leidl, R. et al. (2007). Advertising bans as a means of tobacco control policy: a systematic literature review of time-series analyses. *International Journal of Public Health*, 52: 295–307.
- Quick, J. D., Nelson, D. L., Matuszek, PAC. et al. (1996). Social support, secure attachments and health. In C. L. Cooper (Ed.), *Handbook of Stress, Medicine and Health*. London: CRC Press.
- Quinlan, K. B. and McCaul, K. D. (2000). Matched and mis-matched interventions with young adult smokers: Testing a stage theory. *Health Psychology*, 19: 165–71.
- Quinn, K., Kaufman, J. S., Siddiqi, A. and Yeatts, K. B. (2010). Stress and the city: housing stressors are associated with respiratory health among low socioeconomic status Chicago children. *Journal of Urban Health*, 87: 688–702.
- Qureshi, M., Thacker, H. L., Litaker, D. G. et al. (2000). Differences in breast cancer screening rates: an issue of ethnicity or socioeconomics? *Journal of Women's Health and Gender Based Medicine*, 9: 1025–31.
- Radley, A. (1994). *Making Sense of Illness: The Social Psychology of Health and Disease*. London: Sage.
- Radley, A. (1996). Social psychology and health: framing the relationship. *Psychology and Health*, 11: 629–34.
- Rafferty, Y., Friend, R. and Landsbergis, PA (2001). The association between job skill discretion, decision authority and burnout. *Work and Stress*, 15: 73–85.
- Raftery, KA, Smith-Coggins, R. and Chen, A. H. (1995). Gender-associated differences in emergency department pain management. *Annals of Emergency Medicine*, 26: 414–21.
- Ragland, D. R. and Brand, R. J. (1988). Type A behaviour and mortality from coronary heart disease. *New England Journal of Medicine*, 318: 65–9.
- Rahe, R. (1974). Life change and subsequent illness reports. In EKE. Gunderson and R. Rahe (Eds.), *Life Stress and Illness*. Springfield, IL: Charles Thomas.
- Rahimi, A. R., Spertus, J. A., Reid, K. J. et al. (2007). Financial barriers to health care and outcomes after acute myocardial infarction. *Journal of the American Medical Association*, 297: 1 063–72.
- Rains, J. C., Penzien, D. B., McCrory, D. C. et al. (2005). Behavioral headache treatment: history, review of the empirical literature, and methodological critique. *Headache*, 45: S91-S1 08.
- Ramel, W., Goldin, P. R., Carmona, P. E. and McQuaid, J. R. (2002). The effects of mindfulness meditation on cognitive processes and affect in patients with past depression. *Cognitive Therapy and Research*, 28: 433–55.
- Ramirez, A., Craig, T., Watson, J. et al. (1989). Stress and relapse of breast cancer. *British Medical Journal*, 298: 291–3.
- Ramirez, A. J., Westcombe, A. M., Burgess, C. C. et al. (1999). Factors predicting delayed presentation of symptomatic breast cancer: a systematic review. *The Lancet*, 353: 1119–26.
- Ramnarayan, P., Roberts, G. C., Coren, M. et al. (2006). Assessment of the potential impact of a reminder system on the reduction of diagnostic errors: a quasi-experimental study. *BMC Medical Informatics and Decision Making*, 6: 22.
- Rampersaud, E., Mitchell, B. D., Pollin, T. I. et al. (2008). Physical activity and the association of common FTO gene variants with body mass index and obesity. *Archives of Internal Medicine*, 168: 1791–7.
- Rand, C. S. and Wise, R. A. (1994). Measuring adherence to asthma medication regimens. *American Journal of Respiratory and Critical Care Medicine*, 149 (suppl.): 69–76.
- Rapp, S. R. and Chao, D. (2000). Appraisals of strain and of gain: effects on psychological wellbeing of caregivers of dementia patients. *Aging & Mental Health*, 4: 1 42–7.
- Rasulo, D., Bajekal, M. and Yar, M. (2007). Inequalities in health expectancies in England and Wales: small area analysis from the 2001 Census. *Health Statistics Quarterly*, 34: 35–45.
- Rawl, S. M., Given, B. A., Given, C. W. et al. (2002). Intervention to improve psychological functioning for newly diagnosed patients with cancer. *Oncology Nursing Forum*, 29: 967–75.
- RCN (2002). Royal College of Nursing Congress 2002 Report summaries. *Nursing Standard*, 16: 4–9.
- Reddy, D. M., Fleming, R. and Adesso, V. J. (1992). Gender and health. In S. Maes, H. Leventhal and M. Johnston (Eds.), *International Review of Health Psychology*, Vol. 1. Chichester: Wiley.

- Rees, K., Bennett, P., Vedhara, K. et al. (2004). Stress management for coronary heart disease. *The Cochrane Library*.
- Reeve, J., Menon, D. and Corabian, P. (1996). Transcutaneous electrical nerve stimulation (TENS): a technology assessment. *International Journal of Technology Assessment in Health Care*, 12: 299–324.
- Reich, J. and Schatzberg, A. (2010). Personality traits and medical outcome of cardiac illness. *Journal of Psychiatric Research*, 44: 1017–20.
- Rennemark, M. and Hagberg, B. (1999). What makes old people perceive symptoms of illness? The impact of psychological and social factors. *Ageing & Mental Health*, 3: 79–87.
- Renner, B., Kwon, S., Yang, B.-H. et al. (2008). Social-cognitive predictors of dietary behaviors in South Korean men and women. *International Journal of Behavioral Medicine*, 15 (1): 4–13.
- Renner, B. and Schwarzer, R. (2003). Social-cognitive factors in health behaviour change. In J. Suls and K. Wallston (Eds.), *Social Foundations of Health and Illness*. Oxford: Blackwell.
- Renner, B., Spivak, Y., Kwon, S. and Schwarzer, R. (2007). Does age make a difference? Predicting physical activity of South Koreans. *Psychology & Ageing*, 22: 482–93.
- Renzi, C., Peticca, L. and Pescatori, M. (2000). The use of relaxation techniques in the perioperative management of proctological patients: preliminary results. *International Journal of Colorectal Diseases*, 15: 313–16.
- Resendes, L. A. and McCorkle, R. (2006). Spousal responses to prostate cancer: an integrative review. *Cancer Investigations*, 24: 192–8.
- Resnick, R. J. and Rozensky, R. H. (Eds.) (1997). *Health Psychology Through the Life Span: Practice and Research Opportunities*. Washington, DC: American Psychological Association.
- Resnicow, K., Jackson, A., Wang, T. et al. (2001). Motivational interviewing intervention to increase fruit and vegetable intake through black churches: results of the Eat for Life trial. *American Journal of Public Health*, 91: 1686–93.
- Rhodes, F. and Wolitski, B. (1990). Perceived effectiveness of fear appeals in AIDS education: relationship to ethnicity, gender, age and group membership. *AIDS Education and Prevention*, 2: 1–11.
- Rhodewalt, F. and Zone, J. B. (1989). Appraisal of life change, depression, and illness in hardy and nonhardy women. *Journal of Personality and Social Psychology*, 56: 81–8.
- Ricciardelli, L. A. and McCabe, M. P. (2001). Children's body image concerns and eating disturbance: a review of the literature. *Clinical Psychology Review*, 21: 325–44.
- Rice, P. L. (1992). *Stress and Health*. Pacific Grove, CA: Brooks/Cole.
- Richard, R., van der Pligt, J. and de Vries, N. (1996). Anticipated regret and time perspective: changing sexual risk-taking behaviour. *Journal of Behavioural Decision Making*, 9: 185–99.
- Richards, J., Fisher, P. and Conner, F. (1989). The warnings on cigarette packages are ineffective. *Journal of the American Medical Association*, 261: 45.
- Richards, M. A., Westcombe, A. M., Love, S. B. et al. (1999). Influence of delay on survival in patients with breast cancer: a systematic review. *The Lancet*, 353: 1119–26.
- Richardson, J. (2000). The use of randomised control trials in complementary therapies: exploring the issues. *Journal of Advanced Nursing*, 32: 398–406.
- Richardson, K. M. and Rothstein, H. R. (2008). Effects of occupational stress management intervention programs: A meta-analysis. *Journal of Occupational Health Psychology*, 13: 69–93.
- Richmond, R. L., Kehoe, L. and de Almeida Neto, A. C. (1995). Effectiveness of a 24-hour transdermal nicotine patch in conjunction with a cognitive behavioural programme: one year outcome. *Addiction*, 92: 27–31.
- Ridgeway, V. and Mathews, A. (1982). Psychological preparation for surgery: a comparison of methods. *British Journal of Clinical Psychology*, 21: 271–80.
- Riemsma, R. P., Taal, E. and Rasker, J. J. (2003). Group education for patients with rheumatoid arthritis and their partners. *Arthritis and Rheumatism*, 49: 556–66.
- Rigby, K., Brown, M., Anagnostou, P. et al. (1989). Shock tactics to counter AIDS: the Australian experience. *Psychology and Health*, 3: 145–59.
- Riley, J. L., Ill, Wade, J. B., Myers, C. D. et al. (2002). Racial/ethnic differences in the experience of chronic pain. *Pain*, 100: 291–8.
- Ringstrom, G., Abrahamsson, H., Strid, H. and Simren, M. (2007). Why do subjects with irritable bowel syndrome seek health care for their symptoms? *Scandinavian Journal of Gastroenterology*, 42: 1194–203.
- Rivis, A. and Sheeran, P. (2003). Social influences and the theory of planned behaviour: evidence for a direct relationship between prototypes and young people's exercise behaviour. *Psychology and Health*, 18: 567–83.
- Rivis, A., Sheeran, P. and Armitage, C. (2010). Explaining adolescents' cigarette smoking: a comparison of four modes of action control and a test of the role of self-regulatory mode. *Psychology & Health*, 25: 893–909.
- Robb, K. A., Bennett, M. I., Johnson, M. I. et al. (2008). Transcutaneous electric nerve stimulation (TENS) for cancer pain in adults. *Cochrane Database of Systematic Reviews*, 3: CD006276.
- Robb, K., Oxberry, S. G., Bennett, M. I. et al. (2009). A Cochrane systematic review of transcutaneous electrical nerve stimulation for cancer pain. *Journal of Pain and Symptom Management*, 37: 746–53.
- Roberts, C. S., Cox, C. E., Reintgen, D. S. et al. (1994). Influence of physician communication on newly diagnosed breast patients' psychologic adjustment and decision-making. *Cancer*, 74: 336–41.
- Roberts, J. and Rowland, M. (1981). *Hypertension in Adults 25–74 Years of Age, United States, 1977–1975*. Hyattsville, MD: National Center for Health Statistics (Vital and Health Statistics, Series II: Data from the National Health Survey, No. 221). DHHS publication No. 81–1671.

- Robinson, M. S. and Alloy, L. B. (2003). Negative cognitive styles and stress-reactive rumination interact to predict depression: a prospective study. *Cognitive Therapy and Research*, 27: 275–92.
- Robinson, R. G. (1998). *The Clinical Neuropsychiatry of Stroke*. Cambridge: Cambridge University Press.
- Roesch, S. C., Adams, L., Hines, A. et al. (2005). Coping with prostate cancer: a meta-analytic review. *Journal of Behavioural Medicine*, 28: 281–93.
- Roesch, S. C. and Weiner, B. (2001). A meta-analytic review of coping with illness: do causal attributions matter? *Journal of Psychosomatic Research*, 50: 205–19.
- Rogers, C. R. (1961). *On Becoming a Person*. Boston, MA: Houghton Mifflin.
- Rogers, E. (1983). *Diffusion of Innovations*. New York: Free Press.
- Rogers, G., Curry, M., Oddy, J. et al. (2003). Depressive disorders and unprotected casual anal sex among Australian homosexually active men in primary care. *HIV Medicine*, 4: 271–5.
- Rogers, R. W. (1983). Cognitive and physiological responses to fear appeals and attitude change: a revised theory of protection motivation. In J. T. Cacioppo and R. E. Petty (Eds.), *Social Psychophysiology: A Source Book*. New York: Guilford Press.
- Rogers, R. W. and Prentice Dunn, S. (1997). Protection motivation theory. In D. S. Goffman (Ed.), *Handbook of Health Behavior Research 7: Personal and Social Determinants*. New York: Plenum, pp. 113–32.
- Romeisjo, A. and Branting, M. (2000). Consumption of illegal alcohol among adolescents in Stockholm county. *Contemporary Drug Problems*, 27: 315–33.
- Ropka, M. E., Wenzel, J., Phillips, E. K. et al. (2006). Uptake rates for breast cancer genetic testing: a systematic review. *Cancer Epidemiology, Biomarkers and Prevention*, 15: 840–55.
- Rosch, P. J. (1994). Can stress cause coronary heart disease? (Editorial). *Stress Medicine*, 10: 207–10.
- Rosch, P. J. (1996). Stress and cancer: disorders of communication, control and civilization. In Cooper, C. L. (Ed.), *Handbook of Stress, Medicine and Health*. Boca Raton, FL: CRC Press, pp. 27–60.
- Rasco, J. A., Morrow, G. R., Aapro, M. S. et al. (2010). Anticipatory nausea and vomiting. *Supportive Care in Cancer*, doi: 10.1007/s00520-010-0980-0.
- Rose, J. S., Chassin, L., Presson, C. C. and Sherman, S. J. (1996). Prospective predictors of quit attempts and smoking cessation in young adults. *Health Psychology*, 15: 261–8.
- Rose, S., Bisson, J. and Wessely, S. (2001). Psychological debriefing for preventing post traumatic stress disorder (PTSD). *Cochrane Database Systematic Review*, 3.
- Rosenfeld, B., Breitbart, W., McDonald, M. V. et al. (1996). Pain in ambulatory AIDS patients II: impact of pain on psychological functioning and quality of life. *Pain*, 68: 323–8.
- Rosengren, A., Hawken, S., Ounpuu, S. et al. (2004). Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 cases and 1364 controls from 52 countries (the INTERHEART study): case-control study. *Lancet*, 364: 953–92.
- Rosengren, A., Orth-Gomer, K., Wedel, H. and Wilhelmsen, L. (1993). Stressful life events, social support, and mortality in men born in 1933. *British Medical Journal*, 307: 1102–5.
- Rosenman, R. H. (1978). Role of Type A pattern in the pathogenesis of ischaemic heart disease and modification for prevention. *Advances in Cardiology*, 25: 34–46.
- Rosenman, R. H. (1996). Personality, behavior patterns, and heart disease. In C. Cooper (Ed.), *Handbook of Stress, Medicine and Health*. Boca Raton, FL: CRC Press.
- Rosenman, R. H., Brand, R. J., Jenkins, C. D. et al. (1975). Coronary heart disease in the Western Collaborative Group study; follow-up experience after 8 and a half years. *Journal of the American Medical Association*, 233: 872–7.
- Rosenman, R. H., Brand, R. J., Sholtz, R. I. et al. (1976). Multivariate prediction of coronary heart disease during 8.5 year follow-up in the Western Collaborative Group study. *The American Journal of Cardiology*, 37: 903–10.
- Rosenstock, I. M. (1966). Why people use health services. *Milbank Memorial Fund Quarterly*, 44: 94–124.
- Rosenstock, I. M. (1974). The health belief model and preventive health behaviour. *Health Education Monographs*, 2: 354–86.
- Rosenzweig, S., Greeson, J. M., Reibel, D. K. et al. (2010). Mindfulness-based stress reduction for chronic pain conditions: variation in treatment outcomes and role of home meditation practice. *Journal of Psychosomatic Research*, 68: 29–36.
- Ross, D. A., Dick, B. and Ferguson, J. (Eds.) (2006). *Preventing HIV/AIDS in young people. A systematic review of the evidence from developing countries*. Geneva: World Health Organisation.
- Ross, L., Boesen, E. H., Dalton, S. O. and Johansen, C. (2002). Mind and cancer: does psychosocial intervention improve survival and psychological well-being? *European Journal of Cancer*, 38: 1447–57.
- Roth, M. L., Tripp, D. A., Harrison, M. H. et al. (2007). Demographic and psychosocial predictors of acute perioperative pain for total knee arthroplasty. *Pain Research and Management*, 12: 185–94.
- Roth, S. and Cohen, L. J. (1986). Approach avoidance and coping with stress. *American Psychologist*, 41: 813–19.
- Rothermund, K. and Brandstadter, J. (2003). Coping with deficits and losses in later life: from compensatory action to accommodation. *Psychology & Aging*, 18: 896–905.
- Rotter, J. B. (1966). Generalized expectancies for the internal versus external control of reinforcement. *Psychological Monographs*, 90: 1–28.
- Rovelli, M., Palmeri, D., Vossler, E. et al. (1989). Noncompliance in organ transplant recipients. *Transplant Proceedings*, 21: 833–4.
- Roy, R., Symonds, R. P., Kymar, D. M. et al. (2005). The use of denial in an ethnically diverse British cancer population: a cross-sectional study. *British Journal of Cancer*, 91: 1–5.
- Royal College of Physicians (1995). *Alcohol and the Public Health*. London: Macmillan.

- Royal College of Psychiatrists (2003). *The Mental Health of Students in Higher Education*. London: RCPsych.
- Roye, C., Perlmutter Silverman, P. and Krauss, B. (2007). A brief, low-cost, theory-based intervention to promote dual method use by black and Latina female adolescents: a randomized clinical trial. *Health Education and Behavior*, 34: 608–21.
- Ruberman, W., Weinblatt, E., Goldberg, J. D. et al. (1984). Psychosocial resilience and protective mechanisms. *American Journal of Orthopsychiatry*, 57: 316–30.
- Rudat, K. (1994). *Black and Minority Ethnic Groups in England: Health and Lifestyles*. London: Health Education Authority.
- Ruiter, R. A. C. and Kok, G. (2005). Saying is not (always) doing: cigarette warning labels are useless. *European Journal of Public Health*, 15: 329.
- Ruiter, R. A. C. and Kok, G. (2006). Response to Hammond et al. Showing leads to doing, but doing what? The need for experimental pilot-testing. *European Journal of Public Health*, 16: 225.
- Russell, M. A., Wilson, C. and Baker, C. D. (1979). Effect of general practitioners' advice against smoking. *British Medical Journal*, 2: 231–5.
- Rutter, D. R. (2000). Attendance and reattendance for breast cancer screening: a prospective 3-year test of the theory of planned behaviour. *British Journal of Health Psychology*, 2: 199–216.
- Rutter, DR., Steadman, L., Quine, L. (2006). An implementation intentions intervention to increase uptake of mammography. *Annals of Behavioral Medicine*, 32: 127–34.
- Rutter, D. and Quine, L. (2002). *Changing Health Behaviour*. Buckingham: Open University Press.
- Rystedt, L. W., Devereux, J. and Furnham, AF. (2004). Are lay theories of work stress related to distress? A longitudinal study in the British workforce. *Work & Stress*, 18: 245–54.
- Sabate, E. (2003). *Adherence to Long-term Therapies: Evidence for Action*. Geneva: World Health Organization.
- Sackett, D. L. and Haynes, R. B. (Eds.) (1976). *Compliance with therapeutic regimens*. Baltimore, MD: Johns Hopkins University Press.
- Safer, M. A., Tharps, Q. J., Jackson, T. C. et al. (1979). Determinants of three stages of delay in seeking care at a medical setting. *Medical Care*, 7: 11–29.
- Safren, S. A., Otto, M. W. and Worth, J. L. (2001). Two strategies to increase adherence to HIV antiretroviral medication: Life-Steps and medication monitoring. *Behaviour Research and Therapy*, 39: 1151–62.
- Safren, SA, Radomsky, AS., Otto, M. W. et al. (2002). Predictors of psychological well-being in a diverse sample of HIV-positive patients receiving highly active antiretroviral therapy. *Psychosomatics*, 43: 478–84.
- Salander, P. (2007). Attributions of lung cancer: my own illness is hardly caused by smoking. *Psycho-Oncology*, 16: 587–92.
- Salovey, P., Rothman, AJ, Detweiler, J. B. et al. (2000). Emotional states and physical health. *American Psychologist*, 55: 110–21.
- Sallis, J. F., King, A, Sirard, J. and Albright, C. (2007). Perceived environmental predictors of physical activity over 6 months in adults: activity counseling trial. *Health Psychology*, 26: 701–9.
- Samkoff, J. S. and Jacques, C. H. (1991). A review of studies concerning effects of sleep deprivation and fatigue on residents' performance. *Academic Medicine*, 66: 687–93.
- Sandblom, G., Varenhorst, E., Rosell, J. et al. (2011). Randomised prostate cancer screening trial: 20 year follow-up. *British Medical Journal*, 342: d1539.
- Sanders, S. H., Brena, S. F., Spier, C. J. et al. (1992). Chronic low back pain patients around the world: cross-cultural similarities and differences. *Journal of Clinical Pain*, 8: 317–23.
- Sanderson, C. and Jemmott, J. (1996). Moderation and mediation of HIV-prevention interventions: relationship status, intentions, and condom use among college students. *Journal of Applied Social Psychology*, 26: 2076–99.
- Sanderson, C. A. and Yopyk, D. J. (2007). Improving condom use intentions and behavior by changing perceived partner norms: an evaluation of condom promotion videos for college students. *Health Psychology*, 26: 481–7.
- Sapolsky, R. (1986). Glucocorticoid toxicity in the hippocampus: reversal by supplementation with brain fuels. *Journal of Neuroscience*, 6: 2240–4.
- Sapolsky, R. M. (1994). *Why Zebras Don't Get Ulcers*. New York: W. H. Freeman.
- Sapolsky, R. M. (1996). Why stress is bad for your brain. *Science*, 273: 749–50.
- Sapolsky, R. M., Krey, L. C. and McEwan, B. S. (1986). The neuroendocrinology of stress and ageing: the glucocorticoid cascade hypothesis. *Endocrine Reviews*, 7: 284–301.
- Sapolsky, R. M., Romero, L. M. and Munck, AU. (2000). How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. *Endocrine Reviews*, 21: 55–89.
- Sarason, B. R., Sarason, I. G. and Pierce, G. R. (1990). Traditional views of social support and their impact on assessment. In B. R. Sarason, I. G. Sarason and G. R. Pierce (Eds.), *Social Support: An Interactional View*. New York: Wiley.
- Saremi, A, Hanson, R. L., Tulloch-Reid, M., Williams, D. E. and Knowler, W. C. (2004). Alcohol consumption predicts hypertension but not diabetes. *Journal of Studies of Alcohol*, 65: 184–90.
- Sargent-Cox, K. A., Anstey, K. J. and Luszcz, M. A. (2010). Patterns of longitudinal change in older adults' self-rated health: the effect of the point of reference. *Health Psychology*, 29: 143–52.
- Sargent, J. D., Dalton, M. and Beach, M. (2000). Exposure to cigarette promotions and smoking uptake in adolescents: evidence of a dose-response relation. *Tobacco Control*, 9: 163–8.
- Sarkar, U., Piette, J. D., Gonzales, R. et al. (2007). Preferences for self-management support: findings from a survey of diabetes patients in safety-net health systems. *Patient Education and Counseling*, 70: 102–10.
- Sarkeala, T., Heinavaara, S. and Anttila, A (2008). Organised mammography screening reduces breast cancer mortality: a cohort study from Finland. *International Journal of Cancer*, 122: 614–9.

- Sarkisian, C. A., Liu, H. H., Ensrud, K. E. et al. (2001). Correlates of attribution of new disability to 'old age'. *Journal of the American Geriatric Society*, 49: 134–41.
- Saunders, C. and Baines, M. (1983). *Living with Dying: The Management of Terminal Disease*. Oxford: Oxford University Press.
- Saunders, R. P., Pate, R. R., Felton, G. et al. (1997). Development of questionnaires to measure psychosocial influences on children's physical activity. *Preventive Medicine*, 26: 241–7.
- Sausen, K. P., Lovallo, W. R., Pincomb, G. A. et al. (1992). Cardiovascular responses to occupational stress in medical students: a paradigm for ambulatory monitoring studies. *Health Psychology*, 11: 55–60.
- Savage, R. and Armstrong, D. (1990). Effect of a general practitioner's consulting style on patients' satisfaction: a controlled study. *British Medical Journal*, 301: 968–70.
- Savage, S. A. and Clarke, V. A. (1996). Factors associated with screening mammography and breast self-examination intentions. *Health Education Research*, 11: 409–21.
- Savundranayagam, M. Y. and Montgomery, R. J. V. (2010). Impact of role discrepancies on caregiver burden among spouses. *Research on Aging*, 32: 1 75–99.
- Scharloo, M. and Kaptein, A. (1997). Measurement of illness perceptions in patients with chronic somatic illness: a review of the literature. In K. J. Petrie and J. Weinman (Eds.), *Perceptions of Health and Illness: Current Research and Applications*. London: Harwood Academic.
- Scharloo, M., Kaptein, A. A., Weinman, J. et al. (1998). Illness perceptions, coping and functioning in patients with rheumatoid arthritis, chronic obstructive pulmonary disease, and psoriasis. *Journal of Psychosomatic Research*, 44: 573–85.
- Scheffler, R. M., Brown, T. T., Syme, L. et al. (2008). Community-level social capital and recurrence of acute coronary syndrome. *Social Science and Medicine*, 66: 1603–13.
- Scheier, M. F. and Carver, C. S. (1985). Optimism, coping and health: assessment and implications of generalized outcome expectancies. *Health Psychology*, 4: 219–47.
- Scheier, M. F. and Carver, C. S. (1992). Effects of optimism on psychological and physical well-being: theoretical overview and empirical update. *Cognitive Therapy Research*, 16: 201–28.
- Scheier, M. F., Weintraub, J. K. and Carver, C. S. (1986). Coping with stress: divergent strategies of optimists and pessimists. *Journal of Personality and Social Psychology*, 51: 1257–1264.
- Scherwitz, L., Perkins, L., Chesney, M. et al. (1992). Hostility and health behaviours in young adults: the CARDIA study. *American Journal of Epidemiology*, 136: 136–45.
- Schiaffino, K. M. and Cea, C. D. (1995). Assessing chronic illness representations: the implicit models of illness questionnaire. *Journal of Behavioral Medicine*, 18: 531–48.
- Schiaffino, K. M. and Revenson, T. A. (1992). The role of perceived self-efficacy, perceived control, and causal attributions in adaptation to rheumatoid arthritis: distinguishing mediator vs moderator effects. *Personality and Social Psychology Bulletin*, 18: 709–18.
- Schlenk, E. A., Dunbar-Jacob, J. and Engberg, S. (2004). Medication non-adherence among older adults: a review of strategies and interventions for improvement. *Journal of Gerontological Nursing*, 30: 33–43.
- Schmalings, K. B., Smith, W. R. and Buchwald, D. S. (2000). Significant other responses are associated with fatigue and functional status among patients with chronic fatigue syndrome. *Psychosomatic Medicine*, 62: 444–50.
- Schmid Mast, M., Hall, J. A., Rater, D. L. (2007). Disentangling physician sex and physician communication style: their effects on patient satisfaction in a virtual medical visit. *Patient Education and Counseling*, 68: 16–22.
- Schneiderman, N., Antoni, M. H. and Saab, P. G. (2001). Health psychology: psychosocial and bio-behavioral aspects of chronic disease management. *Annual Review of Psychology*, 52: 555–80.
- Schnipper, H. H. (2001). Life after breast cancer. *Journal of Clinical Oncology*, 19: 3581–4.
- Schofield, M. J., Lynagh, M. and Mishra, G. (2003). Evaluation of a Health Promoting Schools program to reduce smoking in Australian secondary schools. *Health Education and Research*, 18: 678–92.
- Schofield, P. E., Butow, P. N., Thompson, J. F. et al. (2003). Psychological responses of patients receiving a diagnosis of cancer. *Annals of Oncology*, 14: 48–56.
- Scholte op Reimer, J., de Haan, R. J., Rijners, P. T. et al. (1995). The burden of caregiving in partners of long-term stroke survivors. *Stroke*, 29: 1605–11.
- Schou, 1., Ekeberg, O. and Ruland, C. M. (2005). The mediating role of appraisal and coping in the relationship between optimism-pessimism and quality of life. *Psycho-Oncology*, 14: 718–27.
- Schou, 1., Ekeberg, O., Rulan, C. M. et al. (2004). Pessimism as a predictor of emotional morbidity one year following breast cancer surgery. *Psycho-Oncology*, 13: 309–20.
- Schouten, B. C., Hoogstraten, J. and Eijkman, M. A. (2003). Patient participation during dental consultations: the influence of patients' characteristics and dentists' behavior. *Community and Dental Oral Epidemiology*, 31: 368–77.
- Schrimshaw, E. W., Siegel, K. and Lekas, H. M. (2005). Changes in attitudes toward antiviral medication: a comparison of women living with HIV/AIDS in the pre-HAART and HAART Eras. *AIDS and Behavior*, 9: 267–9.
- Schroder, C., Johnston, M., Morrison, V. et al. (2007). Health condition, impairment, activity limitations: relationship with emotions and control cognitions in people with disabling conditions. *Rehabilitation Psychology*, 52: 280–9.
- Schroevers, M., Kraaij, V. and Garnefski, N. (2008). How do cancer patients manage unattainable personal goals and regulate their emotions? *British Journal of Health Psychology*, 13: 551–62.
- Schulz, R., Bookwala, J. Knapp, J. E. et al. (1996). Pessimism, age, and cancer mortality. *Psychology and Aging*, 11: 304–9.
- Schulz, R., O'Brien, A., Bookwala, J. et al. (1995). Psychiatric and physical morbidity effects of dementia caregiving: prevalence, correlates and causes. *The Gerontologist*, 35: 771–91.

- Schulz, R. and Quittner, A. L. (1998). Caregiving for children and adults with chronic conditions: introduction to the special issue. *Health Psychology, 17*: 107–11.
- Schulz, R., Tompkins, C. A. and Rau, M. T. (1988). A longitudinal study of the psychosocial impact of stroke on primary support persons. *Psychology and Aging, 3*: 131–41.
- Schulz, U. and Mohamed, N. E. (2004). Turning the tide: benefit finding after cancer surgery. *Social Science and Medicine, 59*: 653–62.
- Schur, E. A., Sanders, M. and Steiner, H. (2000). Body dissatisfaction and dieting in young children. *International Journal of Eating Disorders, 27*: 74–82.
- Schwartz, B. S., Stewart, W. F., Simon, D. et al. (1998). Epidemiology of tension-type headache. *Journal of the American Medical Association, 279*: 381–3.
- Schwartz, C., Sprangers, M., Carey, A. et al. (2004). Exploring response shift in longitudinal data. *Psychology & Health, 9*: 161–80.
- Schwartz, G. E. and Weiss, S. (1977). What is behavioral medicine? *Psychosomatic Medicine, 36*: 377–81.
- Schwarzer, R. (1992). Self efficacy in the adoption and maintenance of health behaviours: theoretical approaches a new model. In R. Schwarzer (Ed.), *Self Efficacy: Thought Control of Action*. Washington, DC: Hemisphere.
- Schwarzer, R. (1994). Optimism, vulnerability, and self-beliefs as health-related cognitions: a systematic overview. *Psychology and Health, 9*: 161–80.
- Schwarzer, R. (2001). Social-cognitive factors in changing health-related behavior. *Current Directions in Psychological Science, 10*: 47–51.
- Schwarzer, R., Jerusalem, M. and Hahn, A. (1994). Unemployment, social support and health complaints: a longitudinal study of stress in East German refugees. *Journal of Community and Applied Social Psychology, 4*: 31–45.
- Schwarzer, R. and Knoll, N. (2007). Functional roles of social support within the stress and coping process: a theoretical and empirical overview. *International Journal of Psychology, 42*: 243–52.
- Schwarzer, R. and Leppin, A. (1991). Social support and health: a theoretical and empirical overview. *Journal of Social and Personal Relationships, 8*: 99–127.
- Schwarzer, R. and Luszczynska, A. (2008). How to overcome health-compromising behaviours: the Health Action Process approach. *European Psychologist, 13* (2): 141–51.
- Schwarzer, R., Luszczynska, A., Ziegelmann, P. et al. (2008). Social-cognitive predictors of physical exercise adherence: three longitudinal studies in rehabilitation. *Health Psychology, 27*: 854–63.
- Schwarzer, R. and Renner, B. (2000). Social-cognitive predictors of health behavior: action self-efficacy and coping self-efficacy. *Health Psychology, 19*: 487–95.
- Scollay, P., Doucett, M., Perry, M. et al. (1992). AIDS education of college students: the effect of an HIV-positive lecturer. *AIDS Education and Prevention, 4*: 160–71.
- Scottish Executive (1999). *Fair Shares for All*. Report of the National Review of Resource Allocation for the NHS in Scotland, chaired by Professor Sir John Arbuthnott, principal and vice-chancellor of Strathclyde University. Edinburgh: HMSO.
- Scully, J. A., Tosi, H. and Banning, K. (2000). Life events checklists: revisiting the Social Readjustment Rating Scale after 30 years. *Educational and Psychological Measurement, 60*: 864–76.
- Seale, C. and Kelly, M. (1997). A comparison of hospice and hospital care for the spouses of people who die. *Palliative Care, 11*: 101–6.
- Searle, A. and Bennett, P. (2001). Psychological factors and inflammatory bowel disease: a review of a decade of literature. *Psychology, Health and Medicine, 6*: 121–35.
- Searle, B., Bright, J. E. H. and Bochner, S. (2001). Helping people to sort it out: the role of social support in the Job Strain Model. *Work and Stress, 15*: 328–46.
- Sears, S. F., Sowell, L. D., Kuhl, E. A. et al. (2007). The ICD shock and stress management program: a randomized trial of psychosocial treatment to optimize quality of life in ICD patients. *Pacing and Clinical Electrophysiology, 30*: 858–64.
- Segal, Z. V., Williams, J. M. G. and Teasdale, J. D. (2002). *Mindfulness-Based Cognitive Therapy for Depression: A New Approach to Preventing Relapse*. New York: Guilford.
- Segan, C. J., Borland, R. and Greenwood, K. M. (2002). Do transtheoretical model measures predict the transition from preparation to action in smoking cessation? *Psychology and Health, 17*: 417–35.
- Segerstrom, S. C. and Smith, T. W. (2006). Physiological pathways from personality to health: the cardiovascular and immune systems. In M. E. Vollrath (Ed.), *Handbook of Personality and Health*. Chichester: Wiley, pp. 175–94.
- Segestrom, S. C. and Miller, G. E. (2004). Psychological stress and the human immune system: a meta-analytic study of 30 years of enquiry. *Psychological Bulletin, 130*: 601–30.
- Segestrom, S. C., Taylor, S. E., Kemeny, M. E. et al. (1998). Optimism is associated with mood, coping, and immune change in response to stress. *Journal of Personality and Social Psychology, 74*: 1646–55.
- Seligman, M. E. P. (2003). Positive psychology: fundamental assumptions. *The Psychologist, 16*: 126–7.
- Seligman, M. E. P. and Csikszentmihalyi, M. (2000). *Positive psychology: an introduction*. *American Psychologist, 55*: 5–14.
- Selye, H. (1956). *The Stress of Life*. New York: McGraw-Hill.
- Selye, H. (1974). *Stress without Distress*. Philadelphia, PA: Lipincott.
- Selye, H. (1991). History and present status of the stress concept. In A. Monat and R. S. Lazarus (Eds.), *Stress and Coping*. New York: Columbia University Press.
- Semmer, N. K. (2006). Personality, stress, and coping. In M. E. Vollrath (Ed.), *Handbook of Personality and Health*. London: Wiley, pp. 73–113.
- Serour, M., Alqhenaei, H., Al-Saqabi, S. et al. (2007). Cultural factors and patients' adherence to lifestyle measures. *British Journal of General Practice, 57*: 291–5.
- Shaffer, J. W., Graves, P. L., Swank, R. T. and Pearson, T. A. (1986). Clustering of personality traits in youth and the subsequent development of cancer among physicians. *Journal of Behavioral Medicine, 10*: 441–7.
- Shakeshaft, A. P., Bowman, J. A. and Sanson-Fisher, R. W. (1995). A comparison of two retrospective measures of weekly alcohol consumption: diary and quantity/frequency index. *Alcohol and Alcoholism, 34*: 636–45.
- Shankar, A., McMunn, A. and Steptoe, A. (2010). Health-related behaviors in older adults' relationships with socioeconomic status. *American Journal of Preventive Medicine, 38*: 39–46.

- Shaper, A. G., Wannamethee, G. and Walker, M. (1994). Alcohol and coronary heart disease: a perspective from the British Regional Heart Study. *International Journal of Epidemiology*, 23: 482–94.
- Shapiro, F. (1995). *Eye Movement Desensitisation and Reprocessing: Basic Principles*. New York: Guilford Press.
- Shapiro, S. L., Oman, D., Thoresen, C. E. et al. (2008). Cultivating mindfulness: effects on well-being. *Journal of Clinical Psychology*, 64: 840–62.
- Sharma, S., Malarcher, A. M., Giles, W. H. et al. (2004). Racial, ethnic and socioeconomic disparities in the clustering of cardiovascular disease risk factors. *Ethnicity and Disease*, 14: 43–8.
- Sharp, T. J. (2001). Chronic pain: a reformulation of the cognitive-behavioural model. *Behaviour Research and Therapy*, 39: 787–800.
- Sheeran, P. (2002). Intention-behaviour relations: a conceptual and empirical review. In M. Hewstone and W. Stroebe (Eds.), *European Review of Social Psychology*, Vol. 11. Chichester: Wiley.
- Sheeran, P. and Abraham, C. (1996). The health belief model. In M. Conner and P. Norman (Eds.), *Predicting Health Behaviour*. Buckingham: Open University Press.
- Sheeran, P., Abraham, C. S. and Orbell, S. (1999). Psychosocial correlates of heterosexual condom use: a meta-analysis. *Psychological Bulletin*, 125: 90–132.
- Sheeran, P. and Orbell, S. (1996). How confidently can we infer health beliefs from questionnaire responses? *Psychology and Health*, 11: 273–90.
- Sheeran, P. and Orbell, S. (1998). Do intentions predict condom use? Meta-analysis and examination of six moderator variables. *British Journal of Social Psychology*, 37: 231–50.
- Sheeran, P. and Orbell, S. (1999). Implementation intentions and repeated behaviour: augmenting the predictive validity of the theory of planned behaviour. *European Journal of Social Psychology*, 29: 349–69.
- Sheeran, P. and Orbell, S. (2000). Using implementation intentions to increase attendance for cervical cancer screening. *Health Psychology*, 19: 283–9.
- Sheffield, D., Biles, P. L., Orom, H., Maixner, W. and Sheps, D. S. (2000). Race and sex differences in cutaneous pain perception. *Psychosomatic Medicine*, 62: 517–23.
- Sheps, D. S. (2007). Psychological stress and myocardial ischemia: Understanding the link and implications. *Psychosomatic Medicine*, 69: 491–492.
- Sherbourne, C. D., Hays, R. D., Ordway, L. et al. (1992). Antecedents of adherence to medical recommendations: results from the Medical Outcomes Study. *Journal of Behavioral Medicine*, 15: 447–68.
- Sherman, A. C. and Simonton, S. (2001). Coping with cancer in the family. *The Family Journal: Counselling and Therapy for Couples and Families*, 9: 193–200.
- Sherr, L. (1987). An evaluation of the UK government health education campaign on AIDS. *Psychology and Health*, 1: 61–72.
- Sherr, L., Lampe, F. C., Clucas, C. et al. (2010). Self-reported non-adherence to ART and virological outcome in a multiclinic UK study. *AIDS Care*, 23: 1–7.
- Sherwood, A. and Turner, J. R. (1992). A conceptual and methodological overview of cardiovascular reactivity research. In J. R. Turner, A. Sherwood and K. C. Light (Eds.), *Individual Differences in Cardiovascular Responses to Stress*. New York, Plenum.
- Shewchuck, R. M., Richards, J. S. and Elliott, T. R. (1998). Dynamic processes in health outcomes among caregivers of patients with spinal cord injuries. *Health Psychology*, 17: 125–9.
- Shifren, K. and Hooker, K. (1995). Stability and change in optimism: a study among spouse caregivers. *Experimental Aging Research*, 21: 59–76.
- Shilts, R. (2000). *And the Band Played on: Politics, People and the AIDS Epidemic*. New York: St Martin's Press.
- Shinar, D., Schechtman, E. and Compton, R. (1999). Trends in safe driving behaviors and in relation to trends in health maintenance behaviors in the USA: 1985–1995. *Accident Analysis and Prevention*, 31: 497–503.
- Shiple, B. A., Weiss, A., der, G., Taylor, M. D. and Deary, I. J. (2007). Neuroticism, extraversion and mortality in the UK Health and Lifestyle Survey: a 21-year prospective cohort study. *Psychosomatic Medicine*, 69: 923–31.
- Siegel, K. and Gorey, E. (1997). HIV infected women: barriers to AZT use. *Social Science and Medicine*, 45: 15–22.
- Siegel, K. and Schrimshaw, E. W. (2005). Stress, appraisal, and coping: a comparison of HIV-infected women in the pre-HAART and HAART eras. *Journal of Psychosomatic Research*, 58: 225–33.
- Siegel, K., Karus, D. G., Raveis, V. H. et al. (1996). Depressive distress among the spouses of terminally ill cancer patients. *Cancer Practice*, 4: 25–30.
- Siegel, K., Scrimshaw, E. W. and Dean, L. (1999). Symptom interpretation and medication adherence among late middle-age and older HIV-infected adults. *Journal of Health Psychology*, 4: 247–57.
- Siegert, R. J. and Abernethy, D. A. (2005). Depression in multiple sclerosis: a review. *Journal of Neurology, Neurosurgery and Psychiatry*, 76: 469–75.
- Siegrist, J., Dagmar Starke, D., Chandola, T. et al. (2004). The measurement of effort-reward imbalance at work: European comparisons. *Social Science and Medicine*, 58: 1483–99.
- Siegrist, J., Peter, R., Junge, A. et al. (1990). Low status control, high effort at work and ischemic heart disease: prospective evidence from blue collar men. *Social Science and Medicine*, 35: 1 127–34.
- Sieverding, M., Weidner, G., von Volkmann, B. et al. (2005). Cardiovascular reactivity in a simulated job interview: the role of gender role self-concept. *International Journal of Behavioral Medicine*, 12: 1–10.
- Sikkema, K. J., Kelly, J. A., Winett, R. A. et al. (2000). Outcomes of a randomized community-level HIV-prevention intervention for women living in 18 low-income housing developments. *American Journal of Public Health*, 90: 53–7.
- Silverman, D. (1987). *Communication and Medical Practice: Social Relations and the Clinic*. London: Sage.
- Simon, JA, Carmody, T. P., Hudes, E. S. et al. (2003). Intensive smoking cessation counseling versus minimal counseling among hospitalized smokers treated with transdermal nicotine replacement: a randomized trial. *American Journal of Medicine*, 114: 555–62.
- Simoni, J. M., Pantalone, D. W., Plummer, M. D. et al. (2007). A randomized controlled trial of a peer support intervention targeting antiretroviral medication adherence and depressive symptomatology in HIV-positive men and women. *Health Psychology*, 26: 488–95.
- Singh, R. B., Sharma, J. P., Rastogi, V. et al. (1997). Prevalence of coronary artery disease and coronary risk factors in rural and urban populations of north India. *European Heart Journal*, 18: 1728–35.

- Singh, R. K., Panday, H. P. and Singh, R. H. (2003). Irritable bowel syndrome: challenges ahead. *Current Science*, 84: 1525–33.
- Sivell, S., Iredale, R., Gray, J. and Coles, B. (2007). Cancer genetic risk assessment for individuals at risk of familial breast cancer. *Cochrane Database of Systematic Reviews*, issue 2, art. no.: CD003721. doi 10. 1002/ 14651858. CD003721.
- Skarstein, J., Aass, N., Fossa, S. D. et al. (2000). Anxiety and depression in cancer patients: relation between the Hospital Anxiety and Depression Scale and the European Organization for Research and Treatment of Cancer Core Quality of Life Questionnaire. *Journal of Psychosomatic Research*, 49: 27–34.
- Skelton, DA, Young, A., Walker, A. et al. (1999). *Physical Activity in Later Life: Further Analysis of the Allied Dunbar National Fitness Survey and the Health Education Authority National Survey of Activity and Health*. London: Health Education Authority.
- Skevington, S. M. (1990). A standardised scale to measure beliefs about controlling pain (BPCQ): a preliminary study. *Psychology and Health*, 4: 221–32.
- Skoffer, B. (2007). Low back pain in 15- to 16-year-old children in relation to school furniture and carrying of the school bag. *Spine*, 32: E713–7.
- Slavin, S, Batrouney, C. and Murphy, D. (2007). Fear appeals and treatment side-effects: an effective combination for HIV prevention? *AIDS Care*, 19: 130–7.
- Sloper, P. (2000). Predictors of distress in parents of children with cancer: a prospective study. *Journal of Pediatric Psychology*, 25: 79–92.
- Sluijs, E. M., Kok, G. J. and van der Zee, J. (1993). Correlates of exercise compliance in physical therapy. *Physical Therapy*, 73: 771–782.
- Smedslund, G. and Rundmo, T. (1999). Is Grossarth-Maticek's coronary prone type II an independent predictor of myocardial infarction? *Personality and Individual Differences*, 27: 1231–42.
- Smee, C., Parsonage, M., Anderson, R. et al. (1992). *Effects of Tobacco Advertising on Tobacco Consumption: A discussion Document Reviewing the Evidence*. London: Department of Health.
- Smith, A. and Roberts, K. (2003). Interventions for post-traumatic stress disorder and psychological distress in emergency ambulance personnel: a review of the literature. *Emergency Medical Journal*, 20: 75–8.
- Smith, B. W., Shelley, B. M., Dalen, J. et al. (2008). A pilot study comparing the effects of mindfulness-based and cognitive-behavioral stress reduction. *Journal of Alternative and Complementary Medicine*, 14: 251–8.
- Smith, C. A. and Lazarus, R. S. (1993). Appraisal components, core relational themes, and the emotions. *Cognition and Emotion*, 7: 233–69.
- Smith, C. A. Wallston, K. A., Dwyer, K. A. et al. (1997). Beyond good or bad coping: a multi-dimensional examination of coping with pain in persons with rheumatoid arthritis. *Annals of Behavioral Medicine*, 19: 11–21.
- Smith, D. A., Ness, E. M., Herbert, R. et al. (2005). Abdominal diameter index: a more powerful anthropometric measure for prevalent coronary heart disease risk in adult males. *Diabetes, Obesity and Metabolism*, 7: 370–80.
- Smith, D. M., Loewenstein, G., Jankovic, A. and Ubel, P. A. (2008). Happily hopeless: adaptation to a permanent, but not to a temporary, disability. *Health Psychology*, 28: 787–91.
- Smith, H., Gooding, S., Brown, R. et al. (1998). Evaluation of readability and accuracy of information leaflets in general practices for patients with asthma. *British Medical Journal*, 317: 264–5.
- Smith, J. A. (1995). Semi-structured interviewing and qualitative analysis. In J. A. Smith, R. Harre and L. van Langerhove (Eds.). *Rethinking Methods in Psychology*. London: Sage, pp. 9–26.
- Smith, J. A. (1996). Beyond the divide between cognition and discourse: using interpretative phenomenological analysis in health psychology. *Psychology and Health*, 11: 261–71.
- Smith, L. A. and Foxcroft, D. R. (2009). The effect of alcohol advertising, marketing and portrayal on drinking behaviour in young people: systematic review of prospective cohort studies. *BMC Public Health*, 9: 51.
- Smith, M. Y., Redd, W. H., Peyer, C., Peyser, C. and Vogl, D. (1999). Post-traumatic stress disorder in cancer: a review. *Psycho-Oncology*, 8: 521–37.
- Smith, T. W. (1994). Concepts and methods on the study of anger, hostility and health. In A. W. Siegman and T. W. Smith (Eds.), *Anger, Hostility and the Heart*. Hillsdale, NJ: Lawrence Erlbaum.
- Smith, T. W., Gallo, L. C. and Ruiz, J. M. (2003). Toward a social psychophysiology of cardiovascular reactivity: interpersonal concepts and methods in the study of stress and coronary disease. In J. Suls and K. Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Oxford: Blackwell.
- Smolderen, K. G. and Vingerhoets, A. (2010). Hospitalisation and stressful medical procedures. In D. French, K. Vedhara, AA Kaptein and J. Weinamn (Eds.), *Health Psychology*, 2nd ed. Chichester: Wiley, pp. 232–44.
- Smyth, J. M., Stone, A. A., Hurewitz, A. and Kaell, A. (1999). Effects of writing about stressful experiences on symptom reduction in patients with asthma or rheumatoid arthritis: a randomized trial. *Journal of the American Medical Association*, 281: 1304–9.
- Snell, J. L. and Buck, E. L. (1996). Increasing cancer screening: a meta analysis. *Preventive Medicine*, 25: 702–7.
- Sniehotta, F. F., Scholz, U., Schwarzer, R. (2005). Bridging the intention-behavior gap: planning, self-efficacy and action control in the adoption and maintenance of physical exercise. *Psychology & Health*, 20: 143–60.
- Sniehotta, F. F., Scholz, U., Schwarzer, R. (2006). Action plans and coping plans for physical exercise: a longitudinal intervention study in cardiac rehabilitation. *British Journal of Health Psychology*, 11: 23–37.
- Sniehotta, F. F., Scholz, U., Schwarzer, R., Fuhrmann, B., Kiwus, U. and Voller, H. (2005). Long-term effects of two psychological interventions on physical exercise and self-regulation following coronary rehabilitation. *International Journal of Behavioral Medicine*, 2: 244–55.

- Snoek, H. M., Engels, R. C., Janssen, J. M. et al. (2007). Parental behaviour and adolescents' emotional eating. *Appetite*, 49: 223–30.
- Snow, P.C. and Bruce, D. D. (2003). Cigarette smoking in teenage girls: exploring the role of peer reputations, self concept and coping. *Health Education Research*, 18: 439–52.
- Snyder, C. and Lopez, S. J. (2005). *Handbook of Positive Psychology*. New York: Oxford University Press.
- Snyder, C. R. (1989). Reality negotiation: from excuses to hope and beyond. *Journal of Social and Clinical Psychology*, 8: 130–57.
- Snyder, C. R., Irving, L. M. and Anderson, J. R. (1991). Hope and health. In D. R. Forsyth and C. R. Snyder (Eds.), *Handbook of Social and Clinical Psychology: The Health Perspective*. Elmsford, NY: Pergamon Press, pp. 285–305.
- Snyder, C. R., Lehman, K. A., Kluck, B. et al. (2006). Hope for rehabilitation and vice versa. *Rehabilitation Psychology*, 51, 89–112.
- Soames-Job, R. F. (1988). Effective and ineffective use of fear in health promotion campaigns. *American Journal of Public Health*, 78: 163–7.
- Solberg Nes, L., Carlson, C. R., Crofford, L. J. et al. (2011). Individual difference and self-regulatory fatigue: optimism, conscientiousness, and self-consciousness. *Personality and Individual Differences*, 50: 475–80.
- Solberg Nes, L. and Segestrom, S. C. (2006). Dispositional optimism and coping: a meta-analytic review. *Personality and Social Psychology Review*, 10: 235–51.
- Solmes, M. and Turnbull, O. H. (2002). *The Brain and the Inner Mind: An Introduction to the Neuroscience of Subjective Wellbeing*. New York: Other Press/Karnac.
- Solomon, R. L. (1977). Addiction: an opponent-process theory of acquired motivation: the affective dynamics of addiction. In J. D. Maser (Ed.), *Psychopathology: Experimental Models*. San Francisco, CA: W. H. Freeman.
- Soo, H., Burney, S. and Basten, C. (2009). The role of rumination in affective distress in people with a chronic physical illness: a review of the literature and theoretical formulation. *Journal of Health Psychology*, 14: 956–66.
- Soons, P. and Denollet, J. (2009). Medical psychology services in Dutch general hospitals: state of the art developments and recommendations for the future. *Journal of Clinical Psychology in Medical Settings*, 16: 1 61–8.
- Sorensen, G., Morris, D. M, Hunt, M. K. et al. (1992). Worksites nutrition intervention and employees' dietary habits: the Treatwell program. *American Journal of Public Health*, 82: 877–80.
- Sorensen, G., Stoddard, A., Hunt, M. K. et al. (1998). The effects of a health promotion-health protection intervention on behavior change: the WellWorks Study. *American Journal of Public Health*, 88: 1685–90.
- Sorensen, G., Stoddard, A., Peterson, K. et al. (1999). Increasing fruit and vegetable consumption through worksites and families in the Treatwell 5-a-day study. *American Journal of Public Health*, 89: 54–60.
- Sorensen, G., Stoddard, A., Quintiliani, L. et al. (201 0). Tobacco use cessation and weight management among motor freight workers: results of the gear up for health study. *Cancer Causes and Control*, 21 (12): 2113–22.
- Soria, R., Legido, A., Escolano, C. et al. (2006). A randomised controlled trial of motivational interviewing for smoking cessation. *British Journal of General Practice*, 56: 768–74.
- Sorlie, P. D., Backlund, E. and Keller, J. B. (1995). US mortality by economic, demographic, and social characteristics: the National Longitudinal Mortality Study. *American Journal of Public Health*, 85: 949–56.
- Sparks, P., Conner, M., James, R. et al. (2001). Ambivalence about health-related behaviours: an exploration in the domain of food choice. *British Journal of Health Psychology*, 6: 53–68.
- Sparks, P. and Shepherd, R. (1992). Self-identity and the theory of planned behaviour: assessing the role of identification with green consumerism. *Social Psychology Quarterly*, 55: 388–99.
- Specia, M., Carlson, L. E., Goodey, E. et al. (2000). A randomized wait-list controlled clinical trial: the effect of mindfulness meditation-based stress reduction program on mood and symptoms of stress in cancer patients. *Psychosomatic Medicine*, 62: 613–22.
- Speisman, J. C., Lazarus, R. S., Mordkoff, A. et al. (1964). Experimental reduction of stress based on ego defense theory. *Journal of Abnormal and Social Psychology*, 68: 367–80.
- Spence, M. J. and Moss-Morris, R. (2007). The cognitive behavioural model of irritable bowel syndrome: a prospective investigation of patients with gastroenteritis. *Gut*, 56: 1066–71.
- Spiegel, D. (1992). Effects of psychosocial support on patients with metastatic breast cancer. *Journal of Psychosocial Oncology*, 10: 113–20.
- Spiegel, D. (2001). Mind matters: coping and cancer progression. *Journal of Psychosomatic Research*, 50: 287–90.
- Spiegel, D. and Giese-Davis, J. (2003). Depression and cancer: mechanisms and disease progression. *Biological Psychiatry*, 54: 269–82.
- Spiegel, D., Butler, L. D., Giese-Davis, J. et al. (2007). Effects of supportive-expressive group therapy on survival of patients with metastatic breast cancer: a randomized prospective trial. *Cancer*, 110: 1130–8.
- Spiegel, D., Bloom, J. R. and Yalom, I. (1981). Group support for patients with metastatic cancer: a randomized outcome study. *Archives of General Psychiatry*, 38: 527–33.
- Spiegel, D., Bloom, J. R., Kraemer, H. C. et al. (1989). Effect of psychosocial treatment on survival of patients with metastatic breast cancer. *The Lancet*, 14 (2): 888–91.
- Spiller, R., Aziz, Q., Creed, F. et al. (2007). Clinical Services Committee of The British Society of Gastroenterology. Guidelines on the irritable bowel syndrome: mechanisms and practical management. *Gut*, 56: 1770–98.
- Spolentini, I., Gianni, W., Repetto, L. et al. (2008). Depression and cancer: an unexplored and unresolved emergent issue in elderly patients. *Critical Reviews in Oncology/Hematology*, 65: 143–55.
- Sreeramareddy, C. T., Shankar, R. P., Sreekumaran, B. V. et al. (2006). Care seeking behaviour for childhood illness: a questionnaire survey in western Nepal. *BioMedCentre International Health & Human Rights*, 6: 7. Published online 23 May 2006, doi: 10.1186/1472-698X-6-7.
- Stainton Rogers, W. (1991). *Explaining Health and Illness: An Exploration of Diversity*. London: Wheatsheaf.
- Stamler, J., Daviglius, M. L., Garside, D. B. et al. (2000). Relationship of baseline serum cholesterol levels in 3 large cohorts of younger men to long-term coronary, cardiovascular and all-cause mortality, and to longevity. *Journal of the American Medical Association*, 19: 284 (3): 311–18.

- Stansfeld, S. A., Bosma, H., Hemingway, H. et al. (1998). Psychosocial work characteristics and social support as predictors of SF-36 health functioning: the Whitehall II study. *Psychosomatic Medicine*, 60: 247–55.
- Stanton, A. L., Collins, C. A. and Sworowski, L. A. (2001). Adjustment to chronic illness: theory and research. In A. Baum, T. A. Revenson and J. E. Singer (Eds.), *Handbook of Health Psychology*. Mahwah, NJ: Lawrence Erlbaum, pp. 387–403.
- Stanton, A. L., Danoff-Burg, S. and Huggins, M. E. (2002a). The first year after breast cancer diagnosis: hope and coping strategies as predictors of adjustment. *Psycho-Oncology*, 11: 93–102.
- Stanton, A. L., Danoff-Burg, S., Sworowski, L. A. et al. (2002b). Randomized, controlled trial of written emotional expression and benefit finding in breast cancer patients. *Journal of Clinical Oncology*, 20: 4160–8.
- Stanton, A. L., Ganz, P. A., Rowland, J. H. et al. (2005). *Promoting adjustment after treatment for cancer*. Cancer, 104: 2608–13.
- Stanton, A. L., Kirk, K. B., Cameron, C. L. et al. (2000). Coping through emotional approach: scale construction and validation. *Journal of Personality and Social Psychology*, 78: 1150–69.
- Stanton, A. L., Revenson, T. A. and Tennen, H. (2007). Health psychology: psychological adjustment to chronic disease. *Annual Review of Psychology*, 58: 565–92.
- Stanton, A. L. and Snider, P. R. (1993). Coping with a breast cancer diagnosis: a prospective study. *Health Psychology*, 12: 16.
- Starace, F., Bartoli, L., Aloisi, M. S. et al. (2000). Cognitive and affective disorders associated to HIV infection in the HAART era: findings from the NeurolCONA study. Cognitive impairment and depression in HIV/AIDS. *Acta Psychiatrica Scandinavica*, 106: 20–6.
- Stead, L. F., Bergson, G. and Lancaster, T. (2008). Physician advice for smoking cessation. *Cochrane Database of Systematic Reviews*, 2: CD000165.
- Stead, M., Hastings, G. and Eadie, D. (2002). The challenge of evaluating complex interventions: a framework for evaluating media advocacy. *Health Education Research*, 17: 351–64.
- Steadman, L. and Quine, L. (2004). Encouraging young males to perform testicular self-examination: a simple, but effective, implementation intervention. *British Journal of Health Psychology*, 9: 479–88.
- Steadman, L., Rutter, D. R. and Field, S. (2002). Individually elicited versus modal normative beliefs in predicting attendance at breast screening: examining the role of belief salience in the theory of planned behaviour. *British Journal of Health Psychology*, 7: 317–30.
- Steffen, L. M., Arnett, D. K. and Blackburn, H. (2006). Population trends in leisure-time physical activity: Minnesota Heart Survey, 1980–2000. *Medicine and Science in Sports and Exercise*, 38: 1716–23.
- Steinbrook, R. (2006). The potential of human papillomavirus vaccines. *New England Journal of Medicine*, 354: 1109–12.
- Stenner, P. H., Cooper, D. and Skevington, S. (2003). Putting the Q into quality of life: the identification of subjective constructions of health-related quality of life using Q methodology. *Social Science and Medicine*, 57: 2161–72.
- Stephens, C., Long, N. and Miller, N. (1997). The impact of trauma and social support on post traumatic stress disorder: a study of New Zealand police officers. *Journal of Criminal Justice*, 25: 303–14.
- Stephens, M. R., Gaskell, A. L., Gent, C. et al. (2008). Prospective randomised clinical trial of providing patients with audiotape recordings of their oesophago-gastric cancer consultations. *Patient Education and Counselling*, 72: 218–22.
- Stephenson, J., Bauman, A., Armstrong, T. et al. (2000). *The Costs of Illness Attributable to Physical Inactivity in Australia: A Preliminary Study*. Canberra: Commonwealth Government of Australia.
- Steptoe, A., Doherty, S., Rink, E. et al. (1999). Behavioural counselling in general practice for the promotion of healthy behaviour among adults at increased risk of coronary heart disease: randomised trial. *British Journal of Medicine*, 319: 943–7.
- Steptoe, A., O'Donnell, K., Marmot, M. and Wardle, J. (2007). Positive affect and psychosocial processes related to health. *British Journal of Psychology*, 99: 211–27.
- Steptoe, A., Owen, N., Kunz-Ebrecht, S. R. and Brydon, L. (2004b). Loneliness and neuroendocrine, cardiovascular, and inflammatory stress responses in middle-aged men and women. *Psychoneuroendocrinology*, 29: 593–611.
- Steptoe, A., Pollard, T. and Wardle, J. (1995). Development of a measure of the motives underlying the selection of food: the food choice questionnaire. *Appetite* 1995, 25: 267–84.
- Steptoe, A., Siegrist, J., Kirschbaum, C. and Marmot, M. (2004a). Effort-reward imbalance, overcommitment, and measures of cortisol and blood pressure over the working day. *Psychosomatic Medicine*, 66, 323–9.
- Steptoe, A., Wardlaw, J. and Marmot, M. (2005). Positive affect and health-related neuroendocrine, cardiovascular, and inflammatory processes. *Proceedings of the National Academy of Sciences USA*, 102: 6508–12.
- Steptoe, A., Wardle, J., Fuller, R. et al. (1997). Leisure-time physical exercise: prevalence, attitudinal correlates and behavioural correlates among young Europeans from 21 countries. *Preventive Medicine*, 26: 845–54.
- Steptoe, A., Willemsen, G., Owen, N. et al. (2001). Acute mental stress elicits delayed increases in circulating inflammatory cytokines. *Clinical Science (London)*, 101: 185–92.
- Sterba, K. R., DeVellis, R. F., Lewis, M. et al. (2008). Effect of couple illness perception congruence on psychological adjustment in women with rheumatoid arthritis. *Health Psychology*, 27: 221–9.
- Sterling, P. and Eyer, J. (1988). Allostasis: a new paradigm to explain arousal pathology. In S. Fisher and J. Reason (Eds.), *Handbook of Life Stress, Cognition and Health*. Oxford: John Wiley, pp. 629–49.
- Sterne, J. A. C. and Davey-Smith, G. (2001). Sifting the evidence – what's wrong with significance tests? *British Medical Journal*, 322: 226–31.

- Stevenson, M., Palamara, P., Rooke, M. et al. (2001). Drink and drug driving: what's the skipper up to? *Australia and New Zealand Journal of Public Health*, 25: 511–13.
- Stewart, A. L. and Ware, J. E. (Eds.) (1992). *Measuring Functioning and Well-being: The Medical Outcomes Study Approach*. Durham, NC: Duke University Press.
- Stewart, M., Davidson, K., Meade, D. et al. (2000). Myocardial infarction: survivors' and spouses' stress, coping, and support. *Journal of Advanced Nursing*, 31: 1351–60.
- Stewart-Knox, B. J., Sittlington, J., Rugkasa, J. et al. (2005). Smoking and peer groups: results from a longitudinal qualitative study of young people in Northern Ireland. *British Journal of Social Psychology*, 44: 397–414.
- Stice, E., Presnell, K. and Sprangler, D. (2002). Risk factors for binge eating onset in adolescent girls: a 2-year prospective investigation. *Health Psychology*, 21: 131–8.
- Stiegelis, H. E., Hagedoorn, M., Sanderman, R. et al. (2004). The impact of an informational self-management intervention on the association between control and illness uncertainty before and psychological distress after radiotherapy. *Psycho-Oncology*, 13: 248–59.
- Stirling, A. M., Wilson, P. and McConnachie, A. (2001). Deprivation, psychological distress, and consultation length in general practice. *British Journal of General Practice*, 51: 456–60.
- Stoate, H. G. (1989). Can health screening damage your health? *Journal of the Royal College of General Practitioners*, 39: 193–5.
- Stocks, N. P., Ryan, P., McElroy, H. et al. (2004). Statin prescribing in Australia: socioeconomic and sex differences. A cross-sectional study. *Medical Journal of Australia*, 180: 229–31.
- Stolzenberg, L. and D'Aiessio, S. J. (2007). Is nonsmoking dangerous to the health of restaurants? The effect of California's indoor smoking ban on restaurant revenues. *Evaluation Review*, 31: 75–92.
- Storch, M., Gaab, J., Kuttel, Y. et al. (2007). Psychoneuroendocrine effects of resource-activating stress management training. *Health Psychology*, 26: 456–63.
- Stokols, D. (1992). Establishing and maintaining health environments. *American Psychologist*, 47: 6–22.
- Stone, A. A., Bovbjerg, D. H., Neale, J. M. et al. (1993). Development of common cold symptoms following experimental rhinovirus infection is related to prior stressful life events. *Behavioral Medicine*, 8: 115–20.
- Stone, D. H. and Stewart, S. (1996). Screening and the new genetics: a public health perspective on the ethical debate. *Journal of Public Health Medicine*, 18: 3–5.
- Stone, G. C. (1979). Health and the health system: a historical overview and conceptual framework. In G. C. Stone, F. Cohen and N. E. Adler (Eds.), *Health Psychology A Handbook*. San Francisco, CA: Jossey-Bass.
- Stone, S. V. and McCrae, R. R. (2007). Personality and health. In S. Ayers et al. (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*, 2nd ed. Cambridge: Cambridge University Press, pp. 151–5.
- Stoudemire, A. and Hales, R. E. (1991). Psychological and behavioral factors affecting medical conditions and DSM-IV: an overview. *Psychosomatics*, 32: 5–12.
- Strack, F. and Deutsch, R. (2004). Reflective and impulsive determinants of social behavior. *Personality and Social Psychology Review*, 220–47.
- Strang, S. and Strang, P. (2002). Questions posed to hospital chaplains by palliative care patients. *Journal of Palliative Medicine*, 5: 857–64.
- Strauss, A. and Corbin, J. (1998). *Basics of Qualitative Research Techniques and Procedures for Developing Grounded Theory*, 2nd ed. London: Sage Publications.
- Strauss, R. S. (2000). Childhood obesity and self esteem. *Pediatrics*, 105: e15.
- Strecher, V. J., Champion, V. L. and Rosenstock, I. M. (1996). The health belief model and health behaviour. In D. S. Gochman (Ed.), *Handbook of Health Behavior Research: Personal and Social Determinants*. New York: Plenum.
- Strecher, V. J. and Rosenstock, I. M. (1997). The health belief model. In A. Baum, S. Newman, J. Weinman, R. West and C. McManus (Eds.), *Cambridge Handbook of Psychology, Health and Medicine*. Cambridge: Cambridge University Press.
- Strike, P. C. and Steptoe, A. (2005). Behavioral and emotional triggers of acute coronary syndromes: a systematic review and critique. *Psychosomatic Medicine*, 67: 179–86.
- Stroebe, W., Zech, E., Stroebe, M. S. et al. (2005). Does social support help in bereavement? *Journal of Social and Clinical Psychology*, 24: 1030–50.
- Stronks, K., VandeMheen, H., VandenBos, J. et al. (1997). The interrelationship between income, health and employment status. *International Journal of Epidemiology*, 16: 592–600.
- Strosahl, K. D., Hayes, S. C., Wilson, K. G. et al. (2004). An ACT primer. Core therapy processes, intervention strategies, and therapist competencies. In S. C. Hayes and K. D. Strosahl (Eds.), *A Practical Guide to Acceptance and Commitment Therapy*. New York: Springer.
- Stuckey, S. J., Jacobs, A. and Goldfarb, J. (1986). EMG bio-feedback training, relaxation training, and placebo for the relief of chronic back pain. *Perceptual and Motor Skills*, 63: 1023–36.
- Stunkard, A. J. and Wadden, T. (1993). *Obesity: Theory and Therapy*, 2nd ed. New York: Raven Press.
- Sturmer, T., Hasselbach, P. and Amelang, M. (2006). Personality, lifestyle, and risk of cardiovascular disease and cancer: follow-up of population based cohort. *British Medical Journal*, 332: 1359.
- Suarez, E. G., Kuhn, C. M., Schanberg, S. M. et al. (1998). Neuro-endocrine, cardiovascular, and emotional responses of hostile men: the role of interpersonal challenge. *Psychosomatic Medicine*, 60: 78–88.
- Suarez, E. G. and Williams, R. B. (1989). Situational determinants of cardiovascular and emotional reactivity in high and low hostile men. *Psychosomatic Medicine*, 51: 404–18.
- Suchman, A. L. and Ader, R. (1992). Classic conditioning and placebo effects in crossover studies. *Clinical Pharmacology and Therapeutics*, 52: 372–7.
- Suchman, C. A. (1965). Stages of illness and medical care. *Journal of Health and Social Behavior*, 6: 114–28.
- Sullivan, M. J. L., Rodgers, W. M. and Kirsch, I. (2001). Catastrophizing, depression and expectancies for pain and emotional distress. *Pain*, 91: 147–54.
- Suls, J. and Bunde, J. (2005). Anger, anxiety and depression as risk factors for cardiovascular disease: the problems and implications of overlapping affective dispositions. *Psychological Bulletin*, 131: 260–300.

- Suls, J. and Fletcher, B. (1985). The relative efficacy of avoidant and nonavoidant coping strategies: a meta-analysis. *Health Psychology, 4*: 249–88.
- Suls, J. and Martin, R. (2005). The daily life of the garden-variety neurotic: reactivity, stressors exposure, mood spillover, and maladaptive coping. *Journal of Personality, 73*: 1–25.
- Suls, J. and Rittenhouse, J. D. (Eds.) (1987). Personality and Physical Health (Special Issue). *Journal of Personality, 55*: 155–393.
- Suls, J., Wan, C. K. and Costa, P. T., Jr (1995). Relationship of trait anger to resting blood pressure: a meta-analysis. *Health Psychology, 14*: 444–56.
- SuperioCabuslay, E., Ward, M. M. and Lorig, K. R. (1996). Patient education interventions in osteo-arthritis and rheumatoid arthritis: a meta-analytic comparison with nonsteroidal antiinflammatory drug treatment. *Arthritis Care and Research, 9*: 292–301.
- Surtees, P. G., Wainwright, N. W. J., Luben, R. N. et al. (2008). Depression and ischemic heart disease mortality: evidence from the EPIC-Norfolk United Kingdom Prospective Cohort Study. *American Journal of Psychiatry, 165*: 515–23.
- Surwit, R. S. and Schneider, M. S. (1993). Role of stress in the etiology and treatment of diabetes mellitus. *Psychosomatic Medicine, 55*: 380–93.
- Surwit, R. S., van Tilburg, M. A., Zucker, N. et al. (2002). Stress management improves long-term glycemic control in type 2 diabetes. *Diabetes Care, 25*: 30–4.
- Suter, P. B. (2002). Employment and litigation: improved by work, assisted by verdict. *Pain, 100*: 249–57.
- Sutherland, I. and Shepherd, J. P. (2001). Social dimensions of adolescent substance use. *Addiction, 96*: 445–58.
- Sutton, S. (1996). Can 'stages of change' provide guidance in the treatment of addictions? A critical examination of Prochaska and DiClemente's model. In G. E. Edwards and Dare (Eds.), *Psychotherapy, Psychological Treatments and the Addictions*. Cambridge: Cambridge University Press.
- Sutton, S. (2000). A critical review of the trans-theoretical model applied to smoking cessation. In P. Norman, C. Abraham and M. Conner (Eds.), *Understanding and Changing Health Behaviour*. Amsterdam: Harwood Academic.
- Sutton, S. (2001). Back to the drawing board? A review of applications of the model substance use. *Addiction, 96*: 175–86.
- Sutton, S. (2002). Using social cognition models to develop health behaviour interventions: problems and assumptions. In D. Rutter and L. Quine (Eds.), *Changing Health Behaviour*. Buckingham: Open University Press.
- Sutton, S. (2004). Determinants of health-related behaviours: Theoretical and methodological issues. In S. Sutton, A. Baum and M. Johnston (Eds.), *The Sage Handbook of Health Psychology*. London: Sage, pp. 94–126.
- Sutton, S. (2005). Another nail in the coffin of the trans-theoretical model? A comment on West (2005). *Addiction, 100*: 1043–6.
- Sutton, S. (2010). Using social cognition model to develop health behaviour interventions: the theory of planned behaviour as an example. In *Health Psychology, 2nd ed.* Oxford: BPS/Blackwell Publishing Ltd, pp. 122–34.
- Sutton, S., McVey, D. and Glanz, A. (1999). A comparative test of the theory of reasoned action and the theory of planned behaviour in the prediction of condom use intentions in a national sample of English young people. *Health Psychology, 18*: 72–81.
- Suurmeijer, T. P. B. M., Reuvekamp, M. F. and Aldenkamp, B. P. (2001). Social functioning, psychological functioning, and quality of life in epilepsy. *Epilepsia, 42*: 1160–8.
- Swami, V., Arteché, A., Chamorro-Premuzic, T., Maakip, I., Stanistreet, D. and Furnham, A. (2009). Lay perceptions of current and future health, the causes of illness, and the nature of recovery: explaining health and illness in Malaysia. *British Journal of Health Psychology 14*: 519–40.
- Swami, V., Furnham, A., Kannan, K. and Sinniah, D. (2008). Lay beliefs about schizophrenia and its treatment in Kota Kinabalu. Malaysia. *International Journal of Social Psychiatry, 54*: 164–79.
- Swan, G. E., McClure, J. B., Jack, L. M. et al. (2010). Behavioral counseling and varenicline treatment for smoking cessation. *American Journal of Preventive Medicine, 38*: 482–90.
- Swartz, L. H., Noell, J. W., Schroeder, S. W. et al. (2006). A randomised control study of a fully automated internet based smoking cessation programme. *Tobacco Control, 15*: 7–12.
- Swartzman, L. C. and Lees, M. C. (1996). Causal dimensions of college students' perceptions of physical symptoms. *Journal of Behavioral Medicine, 19* (2): 85–110.
- Taaffe, D. R., Harris, T. B., Ferrucci, L. et al. (2000). Cross-sectional and prospective relationships of interleukin-6 and C-reactive protein with physical performance in elderly persons: MacArthur Studies of Successful Aging. *Journal of Gerontology. A: Biological Science and Medical Science, 55*: M709–15.
- Tak, N. I., Te Velde, S. J. and Brug, J. (2007). Ethnic differences in 1-year follow-up effect of the Dutch Schoolgruitem Project: promoting fruit and vegetable consumption among primary-school children. *Public Health Nutrition, 10*: 1497–507.
- Tak, N. I., Te Velde, S. J. and Brug, J. (2009). Long-term effects of the Dutch Schoolgruitem Project: promoting fruit and vegetable consumption among primary-school children. *Public Health Nutrition, 12*: 1213–23.
- Takao, S., Tsutsumi, A., Nishiuchi, K. et al. (2006). Effects of the job stress education for supervisors on psychological distress and job performance among their immediate subordinates: a supervisor-based randomized controlled trial. *Journal of Occupational Health, 48*: 494–503.
- Takeuchi, D. T., Leaf, P. J. and Kuo, H. (1988). Ethnic differences in the perception of barriers to help-seeking. *Social Psychiatry & Psychiatric Epidemiology, 23*: 273–80.
- Takkouche, B., Regueira, C., Gestai-Otero, J. J. and Jesus, J. (2001). A cohort study of stress and the common cold. *Epidemiology, 12*: 345–9.

- Tan, P. E. H. and Bishop, G. D. (1996). Disease representations and related behavioural intentions among Chinese Singaporeans. *Psychology and Health*, 11: 671–83.
- Tang, P. C. and Newcomb, C. (1998). Informing patients: a guide for providing patient health information. *Journal of the American Medical Informatics Association*, 5: 563–70.
- Tapper, K., Horne, P. and Lowe, C. F. (2003). The Food Dudes to the rescue! *The Psychologist*, 16: 18–21.
- Targ, E. F. and Levine, E. G. (2002). The efficacy of a mind-body-spirit group for women with breast cancer: a randomized controlled trial. *General Hospital Psychiatry*, 24: 238–48.
- Taylor, A., Goldberg, D., Hutchinson, S. et al. (2001). High risk injecting behaviour among injectors from Glasgow: cross sectional community wide surveys 1990–1999. *Journal of Epidemiology and Community Health*, 55: 766–7.
- Taylor, B., Miller, E., Farrington, C. P. et al. (1999). Autism and measles, mumps and rubella vaccine: no epidemiological evidence for a causal association. *The Lancet*, 202: 6–9.
- Taylor, B., Miller, E., Lingam, R. et al. (2002). Measles, mumps and rubella vaccination and bowel problems or developmental regression in children with autism: population study. *British Medical Journal*, 324: 393–6.
- Taylor, C., Graham, J., Potts, H. W. et al. (2005). Changes in mental health of UK hospital consultants since the mid 1990s. *The Lancet*, 366: 742–4.
- Taylor, C. B., Bandura, A., Ewart, C. K. et al. (1985). Exercise testing to enhance wives' confidence in their husbands' cardiac capability soon after clinically uncomplicated acute myocardial infarction. *American Journal of Cardiology*, 55: 635–8.
- Taylor, S. (1983). Adjustment to threatening events: a theory of cognitive adaptation. *American Psychologist*, 38: 1161–73.
- Taylor, S. E. (2006). Tend and befriend: biobehavioral bases of affiliation under stress. *Current Directions in Psychological Science*, 15: 273–7.
- Taylor, S. E. (2007). Social support. In H. S. Friedman and R. C. Silver (Eds.), *Foundations of Health Psychology*. New York: Oxford University Press, pp. 145–71.
- Taylor, S. E. and Armor, D. A. (1996). Positive illusions and coping with adversity. *Journal of Personality*, 64: 873–98.
- Taylor, S. E., Klein, L. C., Grunewald, T. L. et al. (2003). Affiliation, social support, and biobehavioral responses to stress. In J. Suls and K. A. Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Oxford: Blackwell.
- Taylor, S. E., Repetti, R. L. and Seeman, T. (1997). Health psychology: what is an unhealthy environment and how does it get under the skin? *Annual Reviews in Psychology*, 48: 411–47.
- Taylor, S. E. and Seeman, T. E. (1999). Psychosocial resources and the SES-health relationship. *Annals of the New York Academy of Science*, 896: 210–25.
- Taylor, S. E., Sherman, D. K., Kim, H. S. et al. (2004). Culture and social support: who seeks it and why? *Journal of Personality and Social Psychology*, 87: 354–62.
- Taylor, S. E., Welch, W., Kim, H. S. and Sherman, D. K. (2007). Cultural differences in the impact of social support on psychological and biological stress responses. *Psychological Science*, 18: 831–7.
- Tedeschi, R. G. and Calhoun, L. G. (2004). Post-traumatic growth: conceptual foundations and empirical evidence. *Psychological Enquiry*, 15: 1–18.
- Tedeschi, R. G. and Calhoun, L. G. (2008). Beyond the concept of recovery: growth and the experience of loss. *Death Studies*, 32: 27–39.
- Temoshok, L. (1987). Personality, coping style, emotion and cancer: towards an integrative model. *Social Science and Medicine*, 20: 833–40.
- Temoshok, L. and Dreher, H. (1993). *The Type C connection: The Behavioral Links to Cancer and Your Health*. New York: Penguin.
- Temoshok, L. and Fox, B. H. (1984). Coping styles and other psychosocial factors related to medical status and to prognosis in patients with cutaneous malignant melanoma. In B. H. Fox and B. Newberry (Eds.), *Impact of Psychoendocrine Systems in Cancer and Immunity*. Toronto: C. J. Hogrefe.
- Tennant, C. (2002). Life events, stress and depression: a review of recent findings. *Australia and New Zealand Journal of Psychiatry*, 36: 173–82.
- Tennen, H., Affleck, G., Armeli, S. et al. (2000). A daily process approach to coping: linking theory, research, and practice. *American Psychologist*, 55: 620–5.
- Terracciano, A. and Costa, P. T. Jr (2004). Smoking and the five-factor model of personality. *Addiction*, 99: 472–81.
- Terry, D. J. (1992). Stress, coping and coping resources as correlates of adaptation in myocardial infarction patients. *British Journal of Clinical Psychology*, 31: 215–25.
- The Global Youth Tobacco Survey Collaborative Group (2002). Tobacco use among youth: a cross-country comparison. *Tobacco Control*, 11, 252–70.
- The Information Centre (2008). *Health Survey for England 2006 Latest Trends*. London: The Information Centre, Lifestyles Statistics.
- Theisen, M. E., MacNeill, S. E., Lumley, M. A. et al. (1995). Psychosocial factors related to unrecognized acute myocardial infarction. *American Journal of Cardiology*, 75: 1211–13.
- Theorell, T. and Karasek, R. A. (1996). Current issues relating to psychosocial job strain and cardiovascular disease research. *Journal of Occupational Health Psychology*, 1: 9–26.
- Theunissen, N. C. M., de Ridder, D. T. D., Bensing, J. M. et al. (2002). Manipulation of patient-provider interaction: discussing illness representations or action plans concerning adherence. *Patient Education and Counselling*, 51: 247–58.
- Theunissen, N. C. M., Vogels, T. G. C., Koopman, H. M. et al. (1996). The proxy problem: child report versus parent report in health-related quality of life research. *Quality of Life Research*, 7: 387–97.
- Thoits, PA (1995). Stress, coping and social support processes. Where are we? What next? *Journal of Health and Social Behavior* (extra issue), 36: 53–79.
- Thomas, D. B., Gao, D. L., Ray, R. M. et al. (2002). Randomized trial of breast self-examination in Shanghai – final results. *Journal of the National Cancer Institute*, 94: 1445–57.
- Thomas, M., Walker, A., Wilmot, A. et al. (1998). *Living in Britain: Results from the 1996 General Household Survey*. London: Stationery Office.

- Thompson, A., Brennan, K., Cox, A. et al. (2008). Evaluation of the current knowledge limitations in breast cancer research: a gap analysis. *Breast Cancer Research*, 10: R26, doi: 10.1186/bcr1983.
- Thompson, S. C. (1981). Will it hurt less if I can control it? A complex answer to a simple question. *Psychological Bulletin*, 90: 89–101.
- Thompson, S. C., Galbraith, M., Thomas, C., Swan, J. and Vrungos, S. (2002). Caregivers of stroke patient family members: behavioural and attitudinal indicators of overprotective care. *Psychology and Health*, 17: 297312.
- Thompson, S. C. and Pitts, J. C. (1992). In sickness and in health: chronic illness, marriage and spousal caregiving. In S. Spacapan and S. Oskamp (Eds.), *Helping and Being Helped: Naturalistic Studies*. Newbury Park, CA: Sage.
- Thompson, S. C., Sobolew-Shubin, A., Galbraith, M. E. et al. (1993). Maintaining perceptions of control: finding perceived control in low-control circumstances. *Journal of Personality and Social Psychology*, 64: 293–304.
- Thompson, W. G., Longstreth, G. and Drossman, D. A. (1999). Functional bowel disorders and functional abdominal pain. In D. A. Drossman, E. Corazziari, N. Talley et al. (Eds.), *Rome II: The Functional Gastrointestinal Disorders*, 2nd ed. McLean, VA: Degnon Associates.
- Thrasher, J. F., Hammond, D., Fong, G. T. et al. (2007). Smokers' reactions to cigarette package warnings with graphic imagery and with only text: a comparison between Mexico and Canada. *Salud Publica Mexico*, 49 Suppl 2: S233–40.
- Thune-Boyle, I. C. V., Stygall, J., Keshtgar, M. R. S. and Newman, S. P. (2006). Do religious/spiritual coping strategies affect illness adjustment in patients with cancer? A systematic review of the literature. *Social Science & Medicine*, 63: 151–64.
- Thurstone, L. L. (1928). Attitudes can be measured. *American Journal of Sociology*, 33: 529–44.
- Timko, C. and Janoff-Bulman, R. (1985). Attributions, vulnerability and psychological adjustment: the case of breast cancer. *Health Psychology*, 4: 521–44.
- Tobias, M. and Yeh, L. C. (2006). Do all ethnic groups in New Zealand exhibit socio-economic mortality gradients? *Australian and New Zealand Journal of Public Health*, 30: 343–9.
- Tobin, D. L., Holroyd, K. A., Baker, A. et al. (1988). Development and clinical trial of a minimal contact, cognitive-behavioral treatment for tension headache. *Cognitive Therapy and Research*, 12: 325–39.
- Todorova, I. L., Falcon, L. M., Lincoln, A. K. et al. (2010). Perceived discrimination, psychological distress and health. *Sociology of Health and Illness*, 32: 843–61.
- Toljamo, M. and Hentinen, M. (2001). Adherence to self care and social support. *Journal of Clinical Nursing*, 10: 618–27.
- Tomich, P. L. and Helgeson, V. S. (2004). Is finding something good in the bad always good? Benefit-finding among women with breast cancer. *Health Psychology*, 23: 16–23.
- Toroyan, T. and Reddy, P. S. (2005–2006). Participation of South African youth in the design and development of ADS photocomics: 1997–98. *International Quarterly of Community Health Education*, 25: 149–63.
- Touzet, S., Refabert, L., Letrilliart, L. et al. (2007). Impact of consensus development conference guidelines on primary care of bronchiolitis: are national guidelines being followed? *Journal of Evaluation of Clinical Practice*, 13: 651–6.
- Tov, W. and Diener, E. (2007). Culture and subjective well-being. In S. Kitayama and D. Cohen (Eds.), *Handbook of Cultural Psychology*. New York: Guilford Press, pp. 697–713.
- Triandis, H. C. (1977). *Interpersonal Behavior*. Monterey, CA: Brooks/Cole.
- Triandis, H. C. (1995). *Individualism and Collectivism*. Boulder, CO: Westview.
- Tromp, D. M., Brouha, X. D. R., DeLeeuw, J. R. J. et al. (2004). Psychological factors and patient delay in patients with head and neck cancer. *European Journal of Cancer*, 40: 1509–16.
- Troy, AS., Wilhelm, F. H., Shallcross, A. J. and Mauss, I. B. (2010). Seeing the silver lining: cognitive reappraisal ability moderates the relationship between stress and depressive symptoms. *Emotion*, 10: 783–95.
- Trufelli, D. C., Bensi, C. G., Garcia, J. B. et al. (2008). Burnout in cancer professionals: a systematic review and meta-analysis. *European Journal of Cancer Care*, 17: 524–31.
- Tsarenko, Y. and Polonsky, M. J. (2011). 'You can spend your life dying or you can spend your life living': identity transition in people who are HIV-positive. *Psychology & Health*, 26: 465–83.
- Tschuschke, V., Hertenstein, B., Arnold, R. et al. (2001). Associations between coping and survival time of adult leukaemia patients receiving allogeneic bone marrow transplantation: results of a prospective study. *Journal of Psychosomatic Research*, 50: 277–85.
- Tubiana-Rufi, N., Moret, L., Czernichow, P. et al. (1998). The association of poor adherence and acute metabolic disorders with low levels of cohesion and adaptability in families with diabetic children: the PEDIAB Collaborative Group. *Acta Paediatrica*, 87: 741–6.
- Tudor-Smith, C., Nutbeam, D., Moore, L. et al. (1998). Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. *British Medical Journal*, 316: 818–22.
- Turk, D. C. (1986). *Workshop on Pain Management*. Birmingham, UK.
- Turk, D. C., Litt, M. D., Salovey, P. et al. (1985). Seeking urgent pediatric treatment: factors contributing to frequency, delay and appropriateness. *Health Psychology*, 4: 4359.
- Turk, D. C. and Okifuji, A. (1999). Assessment of patients' reporting of pain: an integrated perspective. *The Lancet*, 353: 1784–8.
- Turk, D. C., Rudy, T. E. and Salovey, P. (1986). Implicit models of illness. *Journal of Behavioral Medicine*, 9: 453–74.
- Turner, J. A. and Clancy, S. (1988). Comparison of operant behavioral and cognitive-behavioral group treatment for chronic low back pain. *Journal of Consulting and Clinical Psychology*, 56: 261–6.
- Turner, J. A., Holtzman, S. and Mancl, L. (2007). Mediators, moderators, and predictors of therapeutic change in cognitive-behavioral therapy for chronic pain. *Pain*, 127: 276–86.
- Turner, J., Page-Shafer, K., Chin, D. P. et al. (2001). Adverse impact of cigarette smoking on dimensions of health-related quality of life in persons with HIV infection. *AIDS Patient Care and STDs*, 15: 615–24.
- Turner, J. C., Hogg, M. A., Oakes, P. J. et al. (1987). *Rediscovering the Social Group: A Self-categorization Theory*. Oxford: Blackwell.

- Turner-Cobb, J. M., Gore-Felton, C., Marouf, F. et al. (2002). Coping, social adjustment, and attachment style as psychosocial correlates of adjustment in men and women with HIV/AIDS. *Journal of Behavioral Medicine*, 25: 337–53.
- Turner-Cobb, J. M., Sephton, S. E., Koopman, C. et al. (1995). Social support and salivary cortisol in women with metastatic breast cancer. *Psychosomatic Medicine*, 62: 337–45.
- Turunen, J. H., Mantyselka, P. T., Kumpusalo, E. A. et al. (2005). Frequent analgesic use at population level: prevalence and patterns of use. *Pain*, 115: 374–81.
- Tversky, A. and Kahneman, D. (1981). The framing of decisions and the psychology of choice. *Science*, 211: 453–8.
- Tyas, S. L. and Pederson, L. L. (1998). Psychological factors related to adolescent smoking: a critical review of the literature. *Tobacco Control*, 7: 409–20.
- Tyczynski, J. E., Bray, F., Aareleid, T. et al. (2004). Lung cancer mortality patterns in selected Central, Eastern and Southern European countries. *International Journal of Cancer*, 109: 598–610.
- Uchino, B. N. (2006). Social support and health: a review of physiological processes potentially underlying links to disease outcomes. *Journal of Behavioral Medicine*, 29: 377–87.
- UK Central Statistics Office (1980). A change in revenue from an indirect tax change. *Economic Trend*, March: 97–107.
- UNAIDS (2008). <http://www.unaids.org/en/>.
- United Nations Secretariat (2002). *The Ageing of the World's Population*. Population Division, Department of Economic and Social Affairs, United Nations Secretariat. Available from: <http://www.un.org/esa/socdev/ageing/agewpop.htm>.
- United Nations (2006). *World Population Prospects: The 2006 Revision and World Urbanization Prospects: The 2005 Revision*. Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat. Available from: <http://esa.un.org/unpp>.
- Unrod, M., Smith, M., Spring, B. et al. (2007). Randomized controlled trial of a computer-based, tailored intervention to increase smoking cessation counseling by primary care physicians. *Journal of General Internal Medicine*, 22: 478–84.
- Uman, L. S., Chambers, C. T., McGrath, P. J. and Kisely, S. (2007). A systematic review of randomized controlled trials examining psychological interventions for needle-related procedural pain and distress in children and adolescents: an abbreviated Cochrane review. *Journal of Pediatric Psychology*, 33: 842–54.
- Urquhart-Law, G. (2002). Dissimilarity in adolescent and maternal representations of type 1 diabetes: exploration of relations to adolescent well-being. *Child Health Care and Development*, 28: 369–78.
- US Bureau of the Census (1999). *Statistical Abstracts of the United States: 1998*, 118th ed. Retrieved (2. 10. 2002) from: <http://www.census.gov>.
- US Centers for Disease Control and Prevention (1996). Community-level prevention of human immunodeficiency virus infection among high-risk populations: the AIDS Community Demonstration Projects. *MMWR Morbidity and Mortality Weekly Reports*, 45 (RR- 6): 1–24.
- US Department of Health and Human Services (1997). *Ninth Special Report to the U. S. Congress on Alcohol and Health, June 1997*. US Department of Health and Human Services, NIH, NIAAA.
- US Department of Health and Human Services (2000). *Healthy People 2010*. Washington, DC: US Department of Health and Human Services.
- US Department of Health and Human Services (2006). *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. Atlanta, GA: US Department of Health and Human Services.
- US Institute of Medicine (2002). *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: Institute of Medicine.
- US Preventive Services Task Force (USPSTF) (2003). Routine vitamin supplementation to prevent cancer and cardiovascular disease: recommendations and rationale. *Annals of Internal Medicine*, 139: 51–5.
- Ussher, J. M. and Sandoval, M. (2008). Gender differences in the construction and experience of cancer care. The consequence of gender positioning of carers. *Psychology and Health*, 23, 945–63.
- Vaillant, G. E. (1998). Natural history of male psychological health XIV: relationship of mood disorder, vulnerability and physical health. *American Journal of Psychiatry*, 155: 184–91.
- Valente, S. M. (2003). Depression and HIV disease. *Journal of Association of Nurses in AIDS Care*, 14: 41–51.
- Van Damme, S., Legrain, V., Vogt, J. et al. (2010). Keeping pain in mind: a motivational account of attention to pain. *Neuroscience and Biobehavioral Reviews*, 34: 204–13.
- Van de Creek, L., Paget, S., Horton, R. et al. (2004). Religious and non-religious coping methods among persons with rheumatoid arthritis. *Arthritis and Rheumatology*, 51: 49–55.
- van den Arend, I. J., Stolk, R. P. et al. (2000). Education integrated into structured general practice care for type 2 diabetic patients results in sustained improvement of illness knowledge and self-care. *Diabetes Medicine*, 17: 190–7.
- van den Heuvel, E. T. P., de Witte, L. P., Schure, L. M. et al. (1995). Risk factors for burn-out in caregivers of stroke patients, and possibilities for intervention. *Clinical Rehabilitation*, 15: 669–77.
- van den Hout, J. H. C., Vlaeyen, J. W. S., Peters, M. L. et al. (1999). Does failure hurt? The effects of failure feedback on pain report, pain tolerance and pain avoidance. *European Journal of Pain*, 4: 335–46.
- van der Doef, M. and Maes, S. (1998). The job demand-control (-support) model and physical health outcomes: a review of the strain and buffer hypotheses. *Psychology and Health*, 13: 909–36.
- van der Doef, M. and Maes, S. (1999). The job demand-control (-support) model and psychological well-being: a review of 20 years empirical research. *Work and Stress*, 13: 87–114.
- van der Geest, S. and Whyte, S. (1989). The charm of medicines: metaphors and metonyms. *Medical Anthropology Quarterly*, 3: 345–67.
- Van Hecke, A., Grypdonck, M. and Defloor, T. (2009). A review of why patients with leg ulcers do not adhere to treatment. *Journal of Clinical Nursing*, 18: 337–49.
- van der Heide, A., Deliens, L., Faisst, K. et al. (2003). End-of-life decision-making in six European countries: descriptive study. *The Lancet*, 361: 345–50.

- van der Meer, V., van Stel, H. F., Detmar, S. B. et al. (2007). Internet-based self-management offers an opportunity to achieve better asthma control in adolescents. *Chest*, 132: 112–9.
- van der Pligt, J. and de Vries, N. K. (1998). Expectancy-value models of health behaviour: the role of salience and anticipated affect. *Psychology and Health*, 13: 289–305.
- van der Velde, F. W., Hooykaas, C. and van der Pligt, J. (1992). Risk perception and behaviour: pessimism, realism and optimism about AIDS-related health behaviour. *Psychology and Health*, 6: 23–38.
- van Eck, M., Berkhof, H., Nicolson, N. et al. (1996). The effects of perceived stress, traits, mood states, and stressful daily events on salivary cortisol. *Psychosomatic Medicine*, 58: 508–14.
- Vangeli, E. and West, R. (2008). Sociodemographic differences in triggers to quit smoking: findings from a national survey. *Tobacco Control*, 17: 410–15.
- van Koningsbruggen, G. M., Das, E. and Rosos-Ewoldse, D. R. (2009). How self-affirmation reduces defensive processing of threatening health information: evidence at the implicit level. *Health Psychology*, 28: 563–8.
- van Stralen, M. M., De Vries, H., Mudde, AN., Bolman, C. and Lechner, L. (2009). Determinants of initiation and maintenance of physical activity among older adults: a literature review. *Health Psychology Review*, 3: 147–207.
- van Strien, T., Engels, R. C. M. E., van Leeuwe, J. and Snoek, G. M. (2005). The Stice model of overeating: tests in clinical and non-clinical samples. *Appetite*, 45: 205–13.
- van Strien, T., Frijters, J. E. R., Bergers, G. P. A. and Defares, P. S. (1986). The Dutch Eating Behavior Questionnaire (DEBQ) for assessment of restrained, emotional and external eating behavior. *International Journal of Eating Disorders*, 5: 295–315.
- van Strien, T., van de Laar, FA, van Leeuwe, J. F. J. et al. (2007). The dieting dilemma in patients with newly diagnosed Type 2 diabetes: does dietary restraint predict weight gain 4 years after diagnosis? *Health Psychology*, 1: 105–12.
- van't Riet, J., Ruiter, R. A. et al. (2010). Investigating message-framing effects in the context of a tailored intervention promoting physical activity. *Health Education Research*, 25: 343–54.
- van Tulder, M. W., Ostelo, R. W. J., Vlaeyen, J. W. S. et al. (2002). Behavioural treatment for chronic low back pain. In *The Cochrane Library, issue 1*. Oxford: Update Software.
- van Vegchel, N., de Jonge, J., Bosma, H. and Schaufeli, W. (2002). Reviewing the effort-reward imbalance model: drawing up the balance of 45 empirical studies. *Social Science and Medicine*, 60: 1117–31.
- van Wijk, C. M. T. G. and Kolk, A. M. (1997). Sex differences in physical symptoms: the contribution of symptom perception theory. *Social Science & Medicine*, 45: 231–46.
- van Zuuren, F. J. and Dooper, R. (1999). Coping style and self-reported health promotion and disease detection behaviour. *British Journal of Health Psychology*, 4: 81–9.
- Vaughan, P. W., Rogers, E. M., Singhal, A. et al. (2000). Entertainment-education and HIV/AIDS prevention: a field experiment in Tanzania. *Journal of Health Communication*, 5: 81–100.
- Vedhara, K., Cox, N. K. M., Wilcock, G. K. et al. (1999). Chronic stress in elderly carers of dementia patients and antibody responses to influenza vaccination. *The Lancet*, 353: 627–31.
- Vedhara, K. and Irwin, M. R. (Eds.), *Human Psychoneuroimmunology*. Oxford: Oxford University Press.
- Vedhara, K., McDermott, M. P., Evans, T. G. et al. (2002). Chronic stress in nonelderly caregivers. Psychological, endocrine and immune implications. *Journal of Psychosomatic Research*, 53: 1153–61.
- Vedhara, K., Shanks, N., Anderson, S. et al. (2000). The role of stressors and psychosocial variables in the stress process: a study of chronic caregiver stress. *Psychosomatic Medicine*, 62: 374–85.
- Vedhara, K., Tallon, D., Gale, L. et al. (2003). Psychological determinants of wound healing in diabetic patients with foot ulceration. Paper presented at the European Health Psychology conference, Kos, August 2003.
- Vedhara, K., Wang, E. C. Y., Fox, J. D. et al. (2001). The measurement of stress-related immune dysfunction in humans: an introduction to psychoneuro-immunology. In *Assessments in Behavioural Medicine*. Hove: Brunner-Routledge, pp. 441–80.
- Veenhoven, R. (2003). Happiness. *The Psychologist*, 16: 128–9.
- Verbrugge, L. M. and Steiner, R. P. (1985). Prescribing drugs to men and women. *Health Psychology*, 4: 79–98.
- Verdugo, R. J. and Ochoa, J. L. (1994). Sympathetically maintained pain. I. Phentolamine block questions the concept. *Neurology*, 44: 1003–10.
- Vestling, M., Tfvesson, B. and Iwarsson, S. (2003). Indicators for return to work after stroke and the importance of work for subjective well-being and life satisfaction. *Journal of Rehabilitation Medicine*, 35: 127–31.
- Vickrey, B. G., Samuels, M. A. and Rapper, A. H. (2010). How neurologists think: a cognitive psychology perspective on missed diagnoses. *Annals of Neurology*, 67: 425–33.
- Vikman, S., Airaksinen, K. E., Tierala, I. et al. (2004). Improved adherence to practice guidelines yields better outcome in high-risk patients with acute coronary syndrome without ST elevation: findings from nationwide FINACS studies. *Journal of Internal Medicine*, 256: 316–23.
- Vilhauer, R. P., McClintock, M. K. and Matthews, A. K. (2010). Online support groups for women with metastatic breast cancer: a feasibility pilot study. *Journal of Psychosocial Oncology*, 28: 560–86.
- Viner, R., McGrath, M. and Trudinger, P. (1996). Family stress and metabolic control in diabetes. *Archives of Diseases of Childhood*, 74: 418–21.
- Vingerhoets, A. J. J. M. and Perski, A. (2000). The psychobiology of stress. In AA Kaptein, A. W. P. M. Appels and K. Orth-Gomer (Eds.), *Psychology in Medicine*. Houten: Wolters Kluwer International, pp. 34–49.
- Vinkeles Melchers, N. V., Gomez M. et al. (2009). Do socioeconomic factors influence supermarket content and shoppers' purchases? *Health Promotion Journal of Australia*, 20: 241–6.

- Visser, M. J. (2007). HIV/AIDS prevention through peer education and support in secondary schools in South Africa. *Sahara Journal*, 4: 678–94.
- Visser, de R. O. and Smith, J. A. (2007). Alcohol consumption and masculine identity among young men. *Psychology & Health*, 22: 595–614.
- Visser-Meily, A., van Heugten, C., Post, M. et al. (2005). Intervention studies for caregivers of stroke survivors: a critical review. *Patient Education and Counselling*, 56: 257–67.
- Vitolins, M. Z., Rand, C. S., Rapp, S. R., Ribisl, P. M. and Sevick, MA (2000). Measuring adherence to behavioral and medical interventions. *Controlled Clinical Trials*, 21 (5 suppl.): 188S-94S.
- Vlaeyen, J. W., Kole-Snijders, A. M., Boeren, R. G. et al. (1995). Fear of movement/ (re) injury in chronic low back pain and its relation to behavioral performance. *Pain*, 62: 363–72.
- Voerman, G. E., Sandsjo, L., Vollenbroek-Hutten, M. M. et al. (2007). Changes in cognitive-behavioral factors and muscle activation patterns after interventions for work-related neck-shoulder complaints: relations with discomfort and disability. *Journal of Occupational Rehabilitation*, 17: 593–609.
- Vbgele, C. (1998). Serum lipid concentrations, hostility and cardiovascular reactions to mental stress. *International Journal of Psychophysiology*, 28: 167–79.
- Vogele, C., Jarvis, A. and Cheeseman, K. (1997). Anger suppression, reactivity, and hypertension risk: gender makes a difference. *Annals of Behavioral Medicine*, 19: 61–9.
- Vbgele, C. and Steptoe, A. (1993). Anger inhibition and family history as moderators of cardiovascular responses to mental stress in adolescent boys. *Journal of Psychosomatic Research*, 37: 503–14.
- Vogt, T. M., Mullooly, J. P., Ernst, D. et al. (1992). Social networks as predictors of ischemic heart disease, cancer, stroke and hypertension: incidence, survival and mortality. *Journal of Clinical Epidemiology*, 45: 659–66.
- Vollrath, M. (2006). *Handbook of Personality and Health*. Chichester: Wiley.
- Vosvick, M., Koopman, C., Gore-Felton, C. et al. (2003). Relationship of functional quality of life to strategies for coping with the stress of living with HIV/AIDS. *Psychosomatics*, 44: 51–8.
- Wade, D. T. and Halligan, P. W. (2004). Do biomedical models of illness make for good healthcare systems? *British Medical Journal*, 329: 1398–401.
- Wagenaar, A. C., Salois, M. J. and Komro, K. A. (2009). Effects of beverage alcohol price and tax levels on drinking: a meta-analysis of 1 003 estimates from 112 studies. *Addiction*, 104: 179–90.
- Wakefield, A. J., Murch, S. H., Anthony, A. et al. (1998). Ileal-lymphoid nodular hyperplasia, non-specific colitis and pervasive developmental disorder in children. *The Lancet*, 351: 637–41.
- Wakefield, MA, Chaloupka, F. J., Kaufman, N. J. et al. (1999). Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross-sectional study. *British Medical Journal*, 321: 333–7.
- Wakefield, MA, Loken, B. and Hornik, R. C. (2010). Use mass media campaigns to change health behaviour. *Lancet*, 376: 1261–71.
- Waljee, J. F., Rogers, MA and Alderman, A. K. (2007). Decision aids and breast cancer: do they influence choice for surgery and knowledge of treatment options? *Journal of Clinical Oncology*, 25: 1067–73.
- Walker, C., Papadopoulos, L., Lipton, M. et al. (2006). The importance of children's illness beliefs: the Children's Illness Perception Questionnaire (CIPQ) as a reliable assessment tool for eczema and asthma. *Psychology, Health & Medicine*, 11: 100–7.
- Walker, J. G., Jackson, H. J. and Littlejohn, G. O. (2004). Models of adjustment to chronic illness: using the example of rheumatoid arthritis. *Clinical Psychology Review*, 24: 461–88.
- Walker, L. G., Heys, S. D. and Eremin, O. (1999). Surviving cancer: do psychosocial factors count? *Journal Psychosomatic Research*, 47: 497–503.
- Walker, ZAK. and Townsend, J. (1999). The role of general practice in promoting teenage health: a review of the literature. *Family Practice*, 16: 164–72.
- Wall, P. D. (1979). On the relation of injury to pain. The John J. Bonica Lecture. *Pain*, 6: 253–64.
- Wallander, J. L. and Varni, J. W. (1998). Effects of pediatric chronic physical disorders on child and family adjustment. *Journal of Child Psychology and Psychiatry*, 39: 29–46.
- Wallston, K. A. (1991). The importance of placing measures of health locus of control beliefs in a theoretical context. *Health Education Research*, 6: 251–2.
- Wallston, K. A. and Smith, M. S. (1994). Issues of control and health: the action is in the interaction. In G. Penny, P. Bennett and M. Herbert (Eds.), *Health Psychology: A Lifespan Perspective*. London: Harwood Academic.
- Wallston, K. A., Wallston, B. S. and deVellis, R. (1978). Development of the multidimensional health locus of control (MHLC) scale. *Health Education Monographs*, 6: 160–70.
- Walsh, D. A. and Radcliffe, J. C. (2002). Pain beliefs and perceived physical disability of patients with chronic low back pain. *Pain*, 97: 23–31.
- Walton, K. G., Schneider, R. H. and Nidich, S. (2004). Review of controlled research on the transcendental meditation program and cardiovascular disease: risk factors, morbidity, and mortality. *Cardiology Review*, 12: 262–6.
- Wamala, S., Merlo, J., Bostrom, G. et al. (2007). Socioeconomic disadvantage and primary nonadherence with medication in Sweden. *International Journal for Quality in Health Care*, 19: 134–40.
- Wang, H. W., Leineweber, C., Kirkeeide, R. et al. (2007). Psychosocial stress and atherosclerosis: family and work stress accelerate progression of coronary disease in women: the Stockholm Female Coronary Angiography Study. *Journal of Internal Medicine*, 261 (3): 245–54.
- Wang, J. L., Lesage, A., Schmitz, N. and Drapeau, A. (2008). The relationship between work stress and mental disorders in men and women: results from a population-based study. *Journal of Epidemiology and Community Health*, 62: 42–7.

- Warburton, D. M., Revell, A. D. and Thompson, D. H. (1991). Smokers of the future. Special issue: Future directions in tobacco research. *British Journal of Addiction*, 86: 621–5.
- Ward, S. E., Leventhal, H. and Love, R. (1988). Repression revisited: tactics used in coping with a severe health threat. *Personality and Social Psychology Bulletin*, 14: 735–46.
- Ward, M. M., Mefford, I. N., Parker, S. D. et al. (1983). Epinephrine and norepinephrine responses in continuously collected human plasma to a series of stressors. *Psychosomatic Medicine*, 45: 471–86.
- Wardle, J., Cooke, L. J., Gibson, E. L., Sapochnik, M., Sheiham, A. and Lawson, M. Increasing children's acceptance of vegetables; a randomized trial of parent-led exposure. *Appetite*, 40: 155–62.
- Wardle, J. and Johnson, F. (2002). Weight and dieting: examining levels of weight concern in British adults. *International Journal of Obesity*, 26: 1144–9.
- Wardle, J. and Steptoe, A. (2003). Socioeconomic differences in attitudes and beliefs about healthy lifestyles. *Journal of Epidemiology and Community Health*, 57: 440–3.
- Warner, B. J., Curnow, L. J., Polglase, A. L. and Debinski, H. S. (2005). Factors influencing uptake of genetic testing for colorectal cancer risk in an Australian Jewish population. *Journal of Genetic Counselling*, 14: 387–94.
- Warner, L., Klausner, J. D., Rietmeijer, C. A. et al. (2008). Effect of a brief video intervention on incident infection among patients attending sexually transmitted disease clinics. *Public Library of Science Medicine*, 5: e135.
- Warner, L. J., Lumley, M. A., Casey, R. J. et al. (2006). Health effects of written emotional disclosure in adolescents with asthma: a randomized, controlled trial. *Journal of Pediatric Psychology*, 31: 557–68.
- Warren, L. and Hixenbaugh, P. (1998). Adherence and diabetes. In L. Myers and K. Midence (Eds.), *Adherence to Treatment in Medical Conditions*. The Netherlands: Harwood Academic.
- Watson, D. and Clark, L. A. (1984). Negative affectivity: the disposition to experience aversive emotional states. *Psychological Bulletin*, 96: 465–90.
- Watson, D., David, J. P. and Suls, J. (1999). Personality, affectivity, and coping. In C. R. Snyder (Ed.), *Coping: The Psychology of What Works*. Oxford: Oxford University Press, pp. 119–40.
- Watson, D. and Pennebaker, J. W. (1989). Health complaints, stress and distress: exploring the central role of negative affectivity. *Psychological Review*, 96: 234–54.
- Watson, D. and Pennebaker, J. W. (1991). Situational, dispositional and genetic bases of symptom reporting. In J. A. Skelton and R. T. Croyle (Eds.), *Mental Representation in Health and Illness*. New York: Springer Verlag.
- Watson, M., Buck, G., Wheatley, K. et al. (2004a). Adverse impact of bone marrow transplantation on quality of life in acute myeloid leukaemia patients: analysis of the UK Medical Research Council AML 10 Trial. *European Journal of Cancer*, 40: 971–8.
- Watson, M., Davidson-Homewood, J., Haviland, J. et al. (1995). Influence of psychological coping on survival and recurrence: a response to the systematic review (letter to the editor). *British Medical Journal*, 325: 598.
- Watson, M., Foster, C., Eeles, R. et al. (2004b). Psychosocial impact of breast/ovarian (BRCA 1/2) cancer-predictive genetic testing in a UK multi-centre clinical cohort. *British Journal of Cancer*, 91: 1787–94.
- Watson, M., Haviland, J. S., Greer, S. et al. (1999a). Influence of psychological response on survival in breast cancer: a population-based cohort study. *The Lancet*, 9187: 1331–6.
- Watson, M., Homewood, J., Haviland, J. et al. (2005). Influence of psychological response on breast cancer survival: 10-year follow-up of a population-based cohort. *European Journal of Cancer*, 41: 171 0–14.
- Watson, M., Lloyd, S., Davidson, J. et al. (1999b). The impact of genetic counselling on risk perception and mental health in women with a family history of breast cancer. *British Journal of Cancer*, 79: 868–74.
- Webb, O. J. and Eves, F. F. (2007). Effects of environmental changes in a stair climbing intervention: generalization to stair descent. *American Journal of Health Promotion*, 22: 38–44.
- Webb, O. J., Eves, F. F. et al. (2010). Investigating behavioural mimicry in the context of stair/escalator choice. *British Journal of Health Psychology*, 16: 373–85.
- Weber, A. and Lehnert, G. (1997). Unemployment and cardiovascular diseases: a causal relationship? *International Archives of Occupational and Environmental Health*, 70: 153–60.
- Weber, B. A., Roberts, B. L., Yarandi, H. et al. (2007). The impact of dyadic social support on self-efficacy and depression after radical prostatectomy. *Journal of Aging and Health*, 19: 630–45.
- Weber, M. A. and Julius, S. (1998). The challenge of very mild hypertension: should treatment be sooner or later? *American Journal of Hypertension*, 11, 1495–6.
- Weiner, B. (1986). *An Attributional Theory of Motivation and Emotion*. New York: Springer.
- Weinman, J., Ebrecht, M., Scott, S. et al. (2008). Enhanced wound healing after emotional disclosure intervention. *British Journal of Health Psychology*, 13: 95–102.
- Weinman, J. and Petrie, K. J. (1997). Illness perceptions: a new paradigm for psychosomatics? (editorial). *Journal of Psychosomatic Research*, 42: 113–16.
- Weinman, J., Petrie, K. J., Moss-Morris, R. et al. (1996). The Illness Perception Questionnaire: a new method for assessing the cognitive representation of illness. *Psychology and Health*, 11, 431–55.
- Weinman, J., Petrie, K. J., Sharpe, N. et al. (2000). Causal attributions in patients and spouses following first-time myocardial infarction and subsequent life changes. *British Journal of Health Psychology*, 5: 263–74.
- Weinstein, N. D. (1982). Unrealistic optimism about susceptibility to health problems. *Journal of Behavioral Medicine*, 2: 125–40.
- Weinstein, N. (1984). Why it won't happen to me: perceptions of risk factors and susceptibility. *Health Psychology*, 3: 431–57.
- Weinstein, N. (1987). Unrealistic optimism about illness susceptibility: conclusions from a community-wide sample. *Journal of Behavioral Medicine*, 10: 481–500.

- Weinstein, N. D. (1988). The precaution adoption process. *Health Psychology, 7*: 355–86.
- Weinstein, N. D. (2003). Exploring the links between risk perception and preventive health behaviour. In J. Suls and KA Wallston (Eds.), *Social Psychological Foundations of Health and Illness*. Malden, MA: Blackwell.
- Weinstein, N. D., Rothman, A.J. and Sutton, S. R. (1998). Stage theories of health behavior: conceptual and methodological issues. *Health Psychology, 17*: 290–9.
- Weinstein, N. D. and Klein, W. M. (1996). Unrealistic optimism: present and future. *Journal of Social and Clinical Psychology, 15*: 1–8.
- Weinstein, N. D., Lyon, J. E., Sandman, P. M. and Cite, C. L. (1998). Experimental evidence for stages of precaution adoption. *Health Psychology, 17*: 445–53.
- Weinstein, N. D. and Sandman, P. M. (1992). A model of the precaution adoption process: evidence from home radon testing. *Health Psychology, 11*: 170–80.
- Weinstein, N. and Sandman, P. M. (2002). Reducing the risk of exposure to radon gas: an application of the Precaution Adoption Process model. In D. Rutter and L. Quine (Eds.), *Changing Health Behaviour* (pp. 66–86). Buckingham: Open University Press.
- Weinstein, N. D., Sandman, P. M. and Blalock, S. J. (2008). The precaution adoption process model. In K. Glanz, A. K. Rimer and K. Wiswanath (Eds.), *Health Behavior and Health Education: Theory, Research and Practice*, 4th edn. San Francisco, CA: Jossey-Bass. pp. 123–47.
- Weisenberg, M., Raz, T and Hener, T (1998). The influence of film-induced mood on pain perceptions. *Pain, 76*: 365–75.
- Weisse, C. S., Turbiasz, A. A. and Whitney, D. J. (1995). Behavioral training and AIDS risk reduction: overcoming barriers to condom use. *AIDS Education and Prevention, 7*: 50–9.
- Weller, D. (2004). Behavioural and social science research in cancer: time for action (editorial comment). *European Journal of Cancer, 40*: 314–15.
- Weller, S. C. and Davis-Beaty, K. (2007). Condom effectiveness in reducing heterosexual HIV transmission. *Cochrane Database of Systematic Reviews, issue 4*, art. no.: CD003255. doi: 10.1002/14651858.CD003255.
- Wellings, K., Field, S., Johnson, A. M. et al. (1994). Studying sexual lifestyles. In K. Wellings, S. Field, A.M. Johnson and J. Wadsworth (Eds.), *Sexual Behaviour in Britain*. London: Penguin.
- Wellings, K., Nanchahal, K., Macdowall, W. et al. (2001). Sexual behaviour in Britain: early heterosexual experience. *The Lancet, 358/9296*: 1843–50.
- Neils, A (2000) *Emotional Disorders and Metacognition: Innovative Cognitive Therapy*. Chichester: Wiley.
- Wells, A and Matthews, G. (1996). Modelling cognition in emotional disorder: the S-REF model. *Behaviour Research and Therapy, 34*: 881–8.
- Wells, D. (2011). The value of pets for human health. *The Psychologist, March*: 172–6.
- Wells, M. E., McQuellon, R. P., Hinkle, J. S. et al. (1995). Reducing anxiety in newly diagnosed cancer patients: a pilot program. *Cancer Practice, 3*: 100–4.
- Wells, Y. D. (1999). Intentions to care for a spouse: gender differences in anticipated willingness to care and expected burden. *Journal of Family Studies, 5*: 220–34.
- Wen, L. M., Thomas, M., Jones, H. et al. (2002). Promoting physical activity in women: evaluation of a 2-year community-based intervention in Sydney, Australia. *Health Promotion International, 17*: 127–37.
- Wessely, S., Rose S. and Bisson, J. (1999). A systematic review of brief psychological interventions ('debriefing') for the treatment of immediate trauma related symptoms and the prevention of post-traumatic stress disorder. In *The Cochrane Library*. Oxford: Update Software.
- Nest, R. (1992). Nicotine addiction: a re-analysis of the arguments. *Psychopharmacology, 1* 08: 408–10.
- Nest, R. (2005). Time for a change: putting the trans-theoretical (stages of change) model to rest. *Addiction, 100*: 1036–9.
- Nest, R. and Shiffman, S. (2007). *Smoking Cessation*, 2nd ed. Oxford: Health Press.
- Nest, R., Edwards, M. and Hajek, PA (1998). Randomized controlled trial of a 'buddy' system to improve success at giving up smoking in general practice. *Addiction, 93*: 1007–11.
- Nestman, M., Eden, D. and Shirom, A. (1985). Job stress, cigarette smoking and cessation: conditioning effects of peer support. *Social Science and Medicine, 20*: 637–44.
- Nhelan, E. M. (1988). The truth about Americans' health. In R. Yarian (Ed.), *Annual Editions: Health*, 9th ed. Guilford, CT: McGraw-Hill/Dushkin, pp. 25–9.
- White, A. (2007). A global projection of subjective well-being: a challenge to positive psychology? *Psychtalk 56*: 17–20.
- White, A., Nicolaas, G., Foster, K. et al. (1993). *Health Survey for England 1997*. London: HMSO.
- White, P. D., Goldmith, K. A., Johnson, A. L. et al. on behalf of the PACE trial management group. (2011). Comparison of adaptive pacing therapy, cognitive behaviour therapy, graded exercise therapy, and specialist medical care for chronic fatigue syndrome (PACE): a randomised trial. *The Lancet, Early Online Publication*, 18 February 2011, doi:10.1016/S0140-6736(11)60096-2.
- Whiteman, M. C. (2006). Personality, cardiovascular disease and public health. In M. E. Vollrath (Ed.), *Handbook of Personality and Health*. Chichester: John Wiley & Sons, pp. 13–34.
- Whiteman, M. C., Fowkes, F. G. R., Deary, I. J. et al. (1997). Hostility, smoking, and alcohol consumption in the general population. *Social Science & Medicine, 44*: 1089–96.
- Whooley, M. and Browner, W. S. (1998). Associations between depressive symptoms and mortality on older women. *Archives of Internal Medicine, 158*: 2129–35.
- WNHOQOL Group (1993). Study protocol for the World Health Organisation project to develop a quality of life assessment instrument (WHOQOL). *Quality of Life Research, 2*: 153–9.
- WNHOQOL Group (1994). Development of the WHOQOL: rationale and current status. Monograph on quality of life assessment: cross-cultural issues 2. *International Journal of Mental Health, 23*: 24–56.
- WNHOQOL Group (1998). The World Health Organization Quality of Life Assessment (WHOQOL): development and psychometric properties. *Social Science and Medicine, 46*: 1569–85.

- Widows, M. R., Jacobsen, P.B. and Fields, K. K. (2000). Relation of psychological vulnerability factors to post-traumatic stress disorder symptomatology in bone marrow transplant recipients. *Psychosomatic Medicine*, 62: 873–82.
- Wiers, R. W. and Hofmann, W. (2010). Implicit cognition and health psychology: changing perspectives and new interventions. *The European Health Psychologist*, 12: 4–6.
- Wilbert-Lampen, U., Leistner, D., Greven, S. et al. (2008). Cardiovascular events during World Cup soccer. *New England Journal of Medicine*, 358: 475–83.
- Wild, S. and McKeigue, P. (1997). Cross sectional analysis of mortality by country of birth in England and Wales, 1970–92. *British Medical Journal*, 314: 705–10.
- Wiles, R., Ashburn, A., Payne, S. et al. (2004). Discharge from physiotherapy following stroke: the management of disappointment. *Social Science and Medicine*, 59: 1263–73.
- Wilkinson, M. (1992). Income distribution and life expectancy. *British Medical Journal*, 304: 165–8.
- Wilkinson, R. G. (1990). Income distribution and mortality: a 'natural' experiment. *Sociology of Health and Illness*, 12: 391–412.
- Wilkinson, R. and Pickett, K. (2010). *The Spirit Level: Why More Equal Societies Almost Always Do Better*. London: Penguin.
- Williams, J., Wake, M., Hesketh, K. et al. (2005). Health-related quality of life of overweight and obese children. *Journal of the American Medical Association*, 293: 1–5.
- Williams, K., Robinson, C. and Morrison, V. (2011, in review). The role of illness perceptions and anticipatory coping on willingness to provide care in the future.
- Williams, P. G. (2006). Personality and illness behaviour. In M. E. Vollrath (Ed.), *Handbook of Personality and Health*. Chichester: Wiley, pp. 157–73.
- Williams, J. E., Paton, C. C., Siegler, I. C. et al. (2000). Anger proneness predicts coronary heart disease risk: prospective analysis from Atherosclerosis Risk in Communities (ARIC) study. *Circulation*, 1010: 2034–9.
- Williams, M. T. and Hard, H. G. (2005). The role of dietary factors in cancer prevention: beyond fruits and vegetables. *Nutrition in Clinical Practice*, 20: 451–9.
- Williams, N. H., Hendry, M., France, B. et al. (2007). Effectiveness of exercise-referral schemes to promote physical activity in adults: systematic review. *British Journal of General Practitioners*, 57: 979–86.
- Williamson, D., Robinson, M. E. and Melamed, B. (1997). Pain behaviour, spouse responsiveness, and marital satisfaction in patients with rheumatoid arthritis. *Behavioral Modification*, 21: 97–118.
- Williamson, G. M., Shaffer, D. R. and Schulz, R. (1998). Activity restriction and prior relationship history as contributors to mental health outcomes among middle-aged and older spousal caregivers. *Health Psychology*, 17: 152–62.
- Williamson, S. and Wardle, J. (2002). Increasing participation with colorectal cancer screening: the development of a psychoeducational intervention. In D. Rutter and L. Quine (Eds.), *Changing Health Behaviour*. Buckingham: Open University Press.
- Wills, T. A. (1981). Downward comparison principles in social psychology. *Psychological Bulletin*, 90: 245–71.
- Wills, T. A. and Ainette, M. G. (2007). Social support and health. In S. Ayers et al. (Eds.), *Cambridge Handbook of Psychology, Health & Medicine*, 2nd ed. Cambridge: Cambridge University Press, pp. 202–7.
- Wilson, J. F., Moore, R. W., Randolph, S. and Hanson, B. J. (1982). Behavioral preparation of patients for gastrointestinal endoscopy: information, relaxation and coping style. *Journal of Human Stress*, 8: 13–23.
- Wilson, P. W. F., D'Agostino, R. B., Sullivan, L., Parise, H. and Kannel, W. B. (2002). Overweight and obesity as determinants of cardiovascular risk. *Archives of Internal Medicine*, 162: 1867–72.
- Wimbush, E., MacGregor, A. and Fraser, E. (1998). Impact of a national mass media campaign on walking in Scotland. *Health Promotion International*, 13: 45–53.
- Windle, G. and Woods, R. T. (2004). Variations in subjective well-being: the mediating role of a psychological resource. *Ageing & Society*, 24: 583–602.
- Winnett, R. A., Anderson, E. S., Wojcik, J. R. et al. (2007). Guide to health: nutrition and physical activity outcomes of a group-randomized trial of an Internet-based intervention in churches. *Annals of Behavioral Medicine*, 33: 251–61.
- Wing, R. R., Phelan, S. and Tate, D. (2002). The role of adherence in mediating the relationship between depression and health outcomes. *Journal of Psychosomatic Research*, 53: 877–81.
- Winkleby, M., Fortmann, S. and Barrett, D. (1990). Social class disparities in risk factors for disease: eight year prevalence patterns by level of education. *Preventive Medicine*, 19: 1–12.
- Wise, R. A. (1998). Drug activation of brain reward pathways. *Drug and Alcohol Dependence*, 51: 13–22.
- Witham, M. D., Crighton, L. J. and McMurdo, M. E. (2007). Using an individualised quality of life measure in older heart failure patients. *International Journal of Cardiology*, 16: 40–5.
- Witte, K. (1992). Putting the fear back into fear appeals: the extended parallel process model. *Communication Monographs*, 59: 329–49.
- Witte, K. and Allen, M. (2000). A meta-analysis of fear appeals: implications for effective public health campaigns. *Health Education and Behavior*, 27: 591–615.
- Wolf, R. L., Lepore, S. J., Vandergrift, J. L. et al. (2008). Knowledge, barriers, and stage of change as correlates of fruit and vegetable consumption among urban and mostly immigrant black men. *Journal of the American Dietetic Association*, 108: 1315–22.
- Wollin, S. D. and Jones, P. J. (2001). Alcohol, red wine and cardiovascular disease. *Journal of Nutrition*, 131: 1401–4.
- Wong, Y. J., Ho, R. M., Shin, M. and Tsai, P. (2011). Chinese Singaporeans' lay beliefs, adherence to Asian values, and subjective well-being. *Personality and Individual Differences*, 50: 822–7.
- Wood, F., Robling, M., Prout, H. et al. (2010). A question of balance: a qualitative study of mothers' interpretations of dietary recommendations. *Annals of Family Medicine*, 8: 51–7.
- Woods, R. (2008). Introduction. In R. Woods and L. Clare (Eds.), *Handbook of the Clinical Psychology of Ageing*, 2nd ed. London: Wiley, pp. 1–16.
- Woods, R. T. (Ed.) (1999). *Psychological Problems of Ageing: Assessment, Treatment and Care*. Chichester: Wiley.

- Woodward, M., Oliphant, J., Lowe, G. et al. (2003). Contribution of contemporaneous risk factors to social inequality in coronary heart disease and all causes mortality. *Preventive Medicine*, 36: 561–8.
- Woolf, S. H. (1996). Immunizations. In S. H. Woolf, S. Jonas and R. S. Lawrence (Eds.), *Health Promotion and Disease Prevention in Clinical Practice*. Baltimore, OH: Williams & Wilkins.
- World Cancer Research Fund (1997). *Food Nutrition and the Prevention of Cancer: A Global Perspective*. Washington, DC: American Institute for Cancer Research.
- World Health Organization (1947). *Constitution of the World Health Organization*. Geneva: WHO.
- World Health Organization (1980). *International Classification of Impairments, Disabilities and Handicaps (ICIDH). A Manual of Classification Relating to the Consequences of Disease*. Geneva: WHO.
- World Health Organization (1981). *Global Strategy for Health for All by the Year 2000*. Geneva: WHO.
- World Health Organization (1988). *Healthy Cities Project: Five Year Planning Framework*. Copenhagen: WHO Regional Office for Europe.
- World Health Organization (1995). *World Health Report*. Geneva: WHO.
- World Health Organization (1996). *Health Promoting Schools. Report of a WHO Expert Committee on Comprehensive School Health Education and Promotion*. Geneva: WHO.
- World Health Organization (1999). *Health 21: Health for All in the 21st Century*. Copenhagen: WHO Regional Office for Europe.
- World Health Organisation (2001). *International Classification of Functioning, Disability and Health (ICF)*. Geneva: WHO.
- World Health Organization (2002). *The World Health Report: Reducing Risks, Promoting Healthy Life*. Copenhagen: WHO Regional Office for Europe.
- World Health Organization (2003). *Gender, Health and Tobacco*. Geneva: WHO.
- World Health Organization (2004). *Young People's Health in Context: Health Behaviour in School-aged Children (HBSC) Study. International report from the 2001/2002 survey*. C. Currie, C. Roberts, A. Morgan, R. Smith, W. Settertobulte, O. Samdal and VB. Rasmussen (Eds.). Available from: www.euro.who.int.
- World Health Organization (2008). *WHO Report on the Global Tobacco Epidemic: The MPOWER Report*. Geneva: WHO.
- World Health Organization (2010). *World Health Statistics 2010*. Geneva: WHO.
- World Health Organization Expert Committee (1990). *Cancer Pain Relief and Palliative Care*. Technical Report Series No. 84. Geneva: WHO.
- World Health report (2008). <http://www.who.int/research/en/>.
- Wortley, P. and Fleming, P. (1997). AIDS in women in the United States: recent trends. *Journal of the American Medical Association*, 278: 911–16.
- Wright, A. J. (2010). The impact of perceived risk on risk-reducing behaviours. In D. French, K. Vedhara, A. A. Kaptein and J. Weinman (Eds.), *Health Psychology*, 2nd ed. London: BPS Blackwell, pp. 111–21.
- Wu, A. W., Snyder, C. F., Huang, I. C. et al. (2006). A randomized trial of the impact of a programmable medication reminder device on quality of life in patients with AIDS. *AIDS Patient Care and STDS*, 20: 773–81.
- Wysocki, T., Harris, M. A., Buckloh, L. M. et al. (2007). Randomized trial of behavioral family systems therapy for diabetes: maintenance of effects on diabetes outcomes in adolescents. *Diabetes Care*, 30: 555–60.
- Yan, H. and Sellick, K. (2004). Quality of life of Chinese patients newly diagnosed with gastrointestinal cancer: a longitudinal study. *International Journal of Nursing Studies*, 41: 309–19.
- Yang, L., Sahlqvist, S., McMinn, A., Griffin, S. J. and Ogilvie, D. (2010). Interventions to promote cycling: systematic review. *British Medical Journal*, Oct 18: 341.
- Yardley, L. and Dibb, B. (2007). Assessing subjective change in chronic illness: an examination of response shift in health-related and goal-oriented subjective status. *Psychology & Health*, 22: 813–28.
- Ye, X. X., Huang, H., Li, S. H. et al. (2009). HIV/AIDS education effects on behaviour among senior high school students in a medium-sized city in China. *International Journal of STD and AIDS*, 20: 549–52.
- Yee, J. L. and Schulz, R. (2000). Gender differences in psychiatric morbidity among family caregivers: a review and analysis. *The Gerontologist*, 40: 147–64.
- Yip, Y. B., Sit, J. W., Fung, K. K. et al. (2007). Impact of an arthritis self-management programme with an added exercise component for osteoarthritic knee sufferers on improving pain, functional outcomes, and use of health care services: an experimental study. *Patient Education and Counseling*, 65: 113–21.
- Yorke, J. and Shuldham, C. (2005). Family therapy for chronic asthma in children. *Cochrane Database Systematic Review*, 2: CD000089.
- Young, J. M., D'Este, C. and Ward, J. E. (2002). Improving family physicians' use of evidence-based smoking cessation strategies: a cluster randomization trial. *Preventive Medicine*, 35: 572–83.
- Yusuf, S., Hawken, S., Ounpuu, S. et al. (2004). Effects of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *The Lancet*, 364: 937–52.
- Yzer, M. C., Fisher, J. D., Bakker, A. B. et al. (1998). The effects of information about AIDS risk and self-efficacy on women's intentions to engage in AIDS preventive behavior. *Journal of Applied Social Psychology*, 28: 1837–52.
- Yzer, M. C., Siero, F. W. and Buunk, B. P. (2001). Bringing up condom use and using condoms with new sexual partners: intention or habitual? *Psychology and Health*, 16: 409–21.
- Zabora, J., BrintzenhofeSzoc, K., Curbow, B., Hooker, C. and Piantadosi, S. (2001). The prevalence of psychological distress by cancer site. *Psycho-Oncology*, 10: 19–28.

- Zachariae, R., Pedersen, C. G., Jensen, A. B., Ehrnrooth, E., Rossen, P. B. and von der Maase, H. (2003). Association of perceived physician communication style with patient satisfaction, distress, cancer-related self-efficacy, and perceived control over the disease. *British Journal of Cancer*, 88: 658–65.
- Zakowski, S. G., Ramati, A., Morton, C. and Flanagan, R. (2002). Written emotional disclosure buffers the effects of social constraints on distress in cancer patients. *Health Psychology*, 23: 555–63.
- Yang, L., Sahlqvist, S., McMinn, A. et al. (2010). Interventions to promote cycling: systematic review. *British Medical Journal*, 341: c5405.
- Zakowski, S. (1995). The effects of stressor predictability on lymphocyte proliferation in humans. *Psychology and Health*, 10: 409–25.
- Zakowski, S. G., McAllister, C. G., Deal, M. and Baum, A. (1992). Stress, reactivity, and immune function in healthy men. *Health Psychology*, 11: 223–32.
- Zarit, S., Reever, K. and Bach-Peterson, J. (1980). Relatives of the impaired elderly: correlates of feelings of burden. *The Gerontologist*, 20: 649–55.
- Zautra, A. J., Davis, M. C., Reich, J. W. et al. (2008). Comparison of cognitive behavioral and mindfulness meditation interventions on adaptation to rheumatoid arthritis for patients with and without history of recurrent depression. *Journal of Consulting and Clinical Psychology*, 76: 408–21.
- Zaza, C. and Baine, N. (2002). Cancer pain and psychosocial factors: a critical review of the literature. *Journal of Pain and Symptom Management*, 24: 526–42.
- Zborowski, M. (1952). Cultural components in response to pain. *Journal of Social Issues*, 8: 16–30.
- Zeidner, M. and Saklofske, D. (1996). Adaptive and maladaptive coping. In M. Zeidner and N. Endler (Eds.), *Handbook of Coping: Theory, Research, Application*. New York: Wiley.
- Zeiter, L. and LeBaron, S. (1982). Hypnosis and non-hypnotic techniques for reduction of pain and anxiety during painful procedures in children and adolescents with cancer. *Journal of Pediatrics*, 101: 1032–5.
- Zervas, I. M., Augustine, A. and Fricchione, G. L. (1993). Patient delay in cancer: a view for the crisis model. *General Hospital Psychiatry*, 15: 9–13.
- Zhang, Y., Proenca, R., Maffie, M., Barone, M., Leopold, L. and Friedman, J. M. (1994). Positional cloning of the mouse obese gene and its human homologue. *Nature*, 372: 425–32.
- Zimmers, E., Privette, G., Lowe, R. H. and Chappa, F. (1999). Increasing use of the female condom through video instruction. *Perceptual and Motor Skills*, 88: 1071–7.
- Zinovieff, F., Morrison, V., Coles, A. and Cartmell, R. (2005). Are the needs of cancer patients and their carers generic? Paper presented to the European Health Psychology Society annual conference, Galway, September.
- Zohar, D. and Dayan, I. (1999). Must coping options be severely limited during stressful events: testing the interaction between primary and secondary appraisals. *Anxiety: Stress and Coping*, 12: 191–216.
- Zola, I. K. (1973). Pathways to the doctor: from person to patient. *Social Science and Medicine*, 7: 677–89.
- Zorrilla, E. P., McKay, J. R., Lubarsky, L. and Schmidt, K. (1996). Relation of stressors and depressive symptoms to clinical progression of viral illness. *American Journal of Psychiatry*, 153 (5): 626–35.
- Zucker, A. (2007). Ethical and legal issues and end-of-life decision making. In D. Balk, C. Wogrin, G. Thornton and D. Meagher (Eds.), *Handbook of Thanatology: The Essential Body of Knowledge for the Student of Death, Dying, and Bereavement*. Northbrook, IL: Association for Death Education and Counseling, pp. 103–12.
- Zucker, D., Hopkins, R. S., Sly, D. F. et al. (2000). Florida's 'truth' campaign: a counter-marketing, anti-tobacco media campaign. *Journal of Public Health Management Practice*, 6: 1–6.
- Zuckerman, M. (1979). *Sensation Seeking: Beyond the Optimal Level of Arousal*. Hillsdale, NJ: Lawrence Erlbaum.
- Zuckerman, M. (1984). Sensation seeking: a comparative approach to a human trait. *Behavioral and Brain Sciences*, 7: 413–17.